













WHO WE ARE AFCO is an engineering-based manufacturing company staffed by experienced professionals who are passionate about the racing industry. AFCO started with a simple need for a better suspension component. Now, after more than 35 years, we have grown into a full-service manufacturing and distribution company that builds industry leading suspension, cooling and brake components. Our products are distributed by the finest automotive aftermarket chassis builders, warehouses, and retailers throughout North America, Europe, Australia and New Zealand. Three decades of working closely with racers and tuners has yielded a team focused on delivering superior performance, quality, and value in every product we make.








PREMIER DESIGN & ENGINEERING

Our great products start with the best design and engineering people. Our engineering team is one of the most experienced in the industry. AFCO products are known for reliability, performance, value and innovation. Before we ever release the first iteration of a new product, we use a combination of: vehicle data collection tools, extensive CAD modeling, finite element analysis testing, laboratory testing and extensive field trials to make sure you are getting the best product for your money. We spend countless hours on the road testing and refining our products at the tracks with our customers so you can be sure our products will work as advertised every time!



MANUFACTURING EXCELLENCE

Our experienced, dedicated manufacturing personnel use automated production machines such as CNC benders, CNC lathes and mills, and laser cutting equipment to give us the ability to produce the highest quality, most consistent products in our industry.







UNRIVALED CUSTOMER SERVICE & TRAINING

We understand the needs of our customers and we respond with outstanding technical support and customer service. Shock schools, chassis seminars, product training, fast and friendly service are all part of what you get when you purchase AFCO products.



The common thread that ties all AFCO products together is performance. AFCO products are built to perform because we love it when our customers win! Our unrelenting passion to be the best is the reason professional racers have relied on AFCO products for over 35 years!



CUSTOMIZATION YOU CAN COUNT ON

We strive to meet our customer's specific needs. We can often build to your custom specifications. We look forward to fulfilling your custom orders.

DRAG, MUSCLE, STREET ROD & HIGH PERFORMANCE INDEX

auaaya	0.07	20011110
SHOCKS	8-37	COOLING
DRAG RACING SHOCKS & STRUTS		RADIATORS
DRAG STRUTS	8-15	DRAGSTER/ROADSTER RADIATORS
DOMINATOR 4-WAY SHOCKS	16-17	DRAG RACING POWER-ADDER RADIATORS
BIG GUN SHOCKS (GAS/TWIN TUBE)	18-21	SCIROCCO-STYLE DRAG RACING RADIATORS
ELIMINATOR TWIN TUBE SHOCKS	22-25, 28	PERFORMANCE-FIT RADIATORS
REACTOR MONOTUBE SHOCKS	26-27	
COIL-OVER CONVERSION CHART	28	LIGHTWEIGHT SINGLE ROW CORE RADIATORS
STREET FIGHTER SHOCKS	29	UNIVERSAL SINGLE PASS RADIATORS
		UNIVERSAL DOUBLE PASS RADIATORS
MUSCLE CAR SHOCKS		'79-'04 MUSTANG RADIATORS
BILLET ALUMINUM SHOCKS	30-33	HIGH PERFORMANCE RADIATORS
		MUSCLE CAR RADIATORS
SHOCK REBUILD PARTS AND TOOLS		CUSTOM RADIATORS
SHOCK ACCESSORIES	34-37	STREET ROD RADIATORS
CHERENCIAN	20 47	
SUSPENSION	<i>38-47</i>	HEAT EXCHANGERS
COIL-OVER SPRINGS	38-40	
CHROME TAPERED SPRINGS	40	CUSTOM HEAT EXCHANGERS
LOW FRICTION BALL JOINTS	42	FORD HEAT EXCHANGERS
EXTENDED LENGTH LOW FRICTION BALL JOINTS	42	CHEVY HEAT EXCHANGERS
STANDARD BALL JOINTS	42	
BALL JOINT SLEEVES	43	COOLING ACCESSORIES
BUSHINGS	44-45	FAN SHROUDS
LEAF SPRINGS	46	COOLANT TANKS
LEAF SPRING ACCESSORIES	47	TRANSMISSION/ENGINE OIL COOLERS
LEAR OF THING AGGESCOTILES	77	HOSES
STEERING	48-49	RADIATOR CAPS
o i z z i i i i i i i i i i i i i i i i	10 10	COOLING FANS & COMPONENTS
ROD ENDS	48	
PINTO SPINDLES	49	RADIATOR FITTINGS
U-JOINTS AND COUPLERS	49	COOLANT
BRAKES	50-53	
MASTER CYLINDERS		
INTEGRAL RESERVOIR MASTER CYLINDER	50	
INTEGRAL PARTS & REBUILD KITS	50	
BRAKE ACCESSORIES		
PEDALS	51	
HIGH PERFORMANCE BRAKE FLUID	52	
BRAKE SYSTEM FITTINGS	53	

For more information and a complete listing of accessories and repair parts, visit www.AFCOracing.com



54-106


> 69 70-71 72-73

INDUSTRY LEADING SUPPORT

ENGINEERING EXCELLENCE

AFCO Performance Group is dedicated to engineering high quality racing components that allows our dealers to develop championship winning suspension packages.





FASTSHOCKS

"FastShocks has worked closely with AFCO since we first opened our doors. The quality of AFCO components gives us a perfect platform to custom build shocks that have helped our customers refine their suspensions from coast to coast. When customers like Jimmy Hidalgo Jr, Justin Lamb, Peter Biondo, and Gary Stinnett look for suspension control for their exact application - we choose AFCO." - Randy Mans





MENSCER MOTORSPORTS

"Menscer Motorsports appreciates the engineering and product support from AFCO that allows us to design and develop the most innovative suspension packages in the industry today. The on-track success of our customers fuels our passion for winning. With AFCO as a partner, we will continue our drive to win." - Mark Menscer







DAVID REESE



JAMIE HANCOCK



JOEL GREATHOUSE



KENNY HUBBARD



ZIFF HUDSON



LYLE BARNETT



SHAWN AYERS



MARCUS BIRT



TOMMY FRANKLIN



FEATURED PRODUCTS



TERMINATOR SERIES SPINDLE MOUNT STRUTS

AFCO is proud to bring to market the most advanced and most adjustable spindle mount strut available today. You will not find a more user-friendly adjustable strut at any cost. Each adjustment is metered with a detent for precise adjustments. These struts are available in 3 lengths to fit virtually every ride height. Double adjustable struts allow for nearly infinite chassis tuning combinations, but more importantly, the broad range of adjustment offered will allow tuners to find the sweet spot quickly and efficiently. For more details on AFCO's Terminator Series spindle mount struts, **please see pages 8-9**.

DOUBLE ADJUSTABLE!

Widest range of adjustment on the market! Fully independent compression and rebound adjustments to dial your chassis in "click" by "click".





COMPRESSION ADJUSTMENT.

REBOUND ADJUSTMENT.



TERMINATOR SS SERIES SPINDLE MOUNT STRUTS

Are you ready to make a move to lighten your front suspension with Spindle Mount Struts? Already made that move but looking for improved performance? Now is the time to switch to the unmatched control of AFCO Terminator SS Series Struts. These struts are available in 4" and 6" stroke to fit virtually every ride height. The struts allow adjust for almost infinite chassis tuning combinations, but more importantly, this broad range of adjustment will allow tuners to find the sweet spot quickly and efficiently. For more details on AFCO's Terminator SS Series Spindle Mount Struts, **please see pages 10-11**.



Widest range of adjustment on the market! Fully independent compression and rebound adjustments to dial your chassis in "click" by "click".



COMPRESSION ADJUSTMENT.



REBOUND ADJUSTMENT.



DOMINATOR SERIES 4-WAY ADJUSTABLE SHOCKS

The engineers at AFCO designed the 4-way shock program with performance and function in mind. This shock series features the same traction enhancing technology found in all AFCO Shocks, but is fully high and low speed adjustable on both compression and rebound damping. Unlike other adjustable shocks, hysteresis is minimized and remains low regardless of the adjustment position or range. This allows for a wide adjustment range without sacrificing performance. This series is ideal for everyone from the overachieving sportsman to the professional racer. For more details on AFCO's Dominator Series 4-way Shocks, please see pages 16-17.





ELIMINATOR "BNC" ADJUSTABLE STOCK MOUNT SHOCKS

The ELIMINATOR "BNC" valving shocks eliminate bounce. No other shock on the market offers this much performance and control! The BNC shocks are designed to better absorb the impact of the car after a wheel stand launch. They can be used in coil-over applications with the optional kit. AFCO's 3840F/BNCBG has been developed to control violent launches. No shock provides more clamp force. Keep your front end down with AFCO. For more details on AFCO's Eliminator "BNC" Shocks, please see page 23.

SCIROCCO-STYLE DRAG RACING RADIATORS

AFCO offers several versions of the popular "Scirocco-style" radiator. These radiators are 12-5/8" high x 21-1/2" wide and are available in configurations for Chevy, Ford, and Chrysler applications. The all-aluminum furnace brazed core design (no epoxy) provides maximum cooling protection for the most demanding door-slammers. 100% TIG-welded tanks and brackets. The Lightweight (LWN) versions remove 4 pounds from the nose of the car while keeping the same cooling performance. For more details on Scirocco-Style Drag Radiators, please see page 57.



TERMINATOR

Best Pro and Sportsman strut on the market!

SPINDLE MOUNT ADJUSTABLE STRUTS

AFCO is proud to bring to market the most advanced and most adjustable spindle mount strut available today. Sporting a large 46mm monotube piston, the range of adjustment is un-matched to enhance tuning and performance. You will not find a more user-friendly adjustable strut at any cost. Each adjustment is metered with a detent for precise adjustments. These struts are available in 3 lengths to fit virtually every ride height. A perfect choice for "No Prep" style of racing, the "extra travel" models promote additional weight transfer to hook on low traction surfaces. For more conventional applications, the new AFCO Terminator Series Struts are offered in common lengths to retro fit to existing chassis in the field or new builds that need to fit an existing jig.

Double adjustable struts allow for nearly infinite chassis tuning combinations, but more importantly, the broad range of adjustment offered will allow tuners to find the sweet spot quickly and efficiently.

3 lengths are available to fit most tube chassis applications.

100% Dyno tested for accuracy and quality.

Double Adjustable 46mm monotube design provides broad range of adjustment.

■ Fully independent compression and rebound adjustments for ultimate tuning and performance.

- AFCO Exclusive aluminum steering arm gives better tire clearance. "Competitor style" steel steering arm allows you to upgrade to an AFCO strut without having to shorten tie rod assembly.
- Pro style coil-over spring adjuster nut has positive clicks with each turn, locks in place with an allen wrench and has pronounced finger grips to aid setting ride height. Spanner wrench may also be used to set ride height.
- 2 or 4 piston caliper brackets available.
- '67-'69 Camaro pin design for common wheel/brake kit fitment.
- Best front-end control on the market!



For spring recommendations, see page 39.







WIDEST RANGE OF ADJUSTMENT ON THE MARKET!

Fully independent compression and rebound adjustments to dial your chassis in "click" by "click".

REBOUND ADJUSTMENT.

COMPRESSION ADJUSTMENT.


TERMINATOR CHASSIS STRUT (SOLD AS A PAIR)

DESCRIPTION	DIMENSIONS	PART #
2.5" STROKE ALUMINUM STEERING ARM*	8.2" COMP. X 11.63" EXT.	30625A
2.5" STROKE STEEL STEERING ARM**	8.2" COMP. X 11.63" EXT.	30625S
3.5" STROKE ALUMINUM STEERING ARM*	9.2" COMP. X 13.63" EXT.	30635A
3.5" STROKE STEEL STEERING ARM**	9.2" COMP. X 13.63" EXT.	30635S
4.5" STROKE ALUMINUM STEERING ARM*	10.2" COMP. X 15.63" EXT.	30645A
4.5" STROKE STEEL STEERING ARM**	10.2" COMP. X 15.63" EXT.	30645S

NOTE: **ALUMINUM STEERING ARMS ARE DESIGNED FOR NEW CHASSIS BUILDS. **STEEL ARMS ARE DESIGNATED FOR EXISTING RACE CARS.

BRAKE BRACKET KIT

Brackets are designed for standard hub-type setup only. These brackets will not work with brake kits designed for spindle-mount wheels.



DESCRIPTION	PART #	PRICE
2 PISTON CALIPER (3.25")	550000816	\$142.99
4 PISTON CALIPER (5.25")	550000815	\$142.99
*BRACKET KITS COME WITH 2 BRACKE	TS AND MOUNTING HARDWARE.	

.....

BEARING KIT

Spindle pin (Not Anglia).

DESCRIPTION	PART #	PRICE
TIMKEN COMPLETE BEARING KIT	550001007	\$120.99
FOR '67-'69 CAMARO		



CANISTER MOUNTS

Use to mount strut canisters to chassis.

DESCRIPTION	PART #	PRICE
1-1/4" CANISTER MOUNT	50330	\$109.99
1-3/8"	50329	\$109.99
1-1/2"	50331	\$109.99
1-3/4"	50332	\$109.99
QUICK PINS (4 PACK)	50334	\$109.99



COIL-OVER HARDWARE

DESCRIPTION	PART #	PRICE
COIL-OVER SPRING CAP	A550090239X	\$19.99
TOP WASHER CAP	A550090240X	\$12.99
DELRIN WASHER	A550090244X	\$6.99
ADJUSTER NUT	0001053.2	\$29.99



REPLACEMENT STEERING ARMS

DESCRIPTION	PART #	PRICE
STEEL ARM	0001119	\$15.99
ALUMINUM ARM - LEFT	0000941.6L	\$54.99
ALUMINUM ARM - RIGHT	0000941.6R	\$54.99



WATCH THE VIDEO

FOR MORE INFO!

TERMINATOR SS

Perfect control for Super Stock style racing!

SPINDLE MOUNT ADJUSTABLE STRUTS

AFCO is proud to bring to market the most advanced and most adjustable spindle mount strut available today. Sporting a large 35mm twin tube piston, the range of adjustment is un-matched to enhance tuning and performance. You will not find a more user-friendly adjustable strut at any cost. Each adjustment is metered with a detent for precise adjustments. These struts are available in 2 lengths to fit virtually every ride height. A perfect choice for "No Prep" style of racing, the "extra travel" models promote additional weight transfer to hook on low traction surfaces. For more conventional applications, the new AFCO Terminator SS Series Struts are offered in common lengths to retrofit to existing chassis in the field or new builds that need to fit an existing jig.

Double adjustable struts allow for nearly infinite chassis tuning combinations, but more importantly, the broad range of adjustment offered will allow tuners to find the sweet spot quickly and efficiently.

2 lengths are available to fit most super stock style applications.

■ 100% Dyno tested for accuracy and quality.

Double Adjustable 35mm twin tube design provides broad range of adjustment.

Fully independent compression and rebound adjustments for ultimate tuning and performance.

■ AFCO Exclusive aluminum steering arm gives better tire clearance. "Competitor style" steel steering arm allows you to upgrade to an AFCO strut without having to shorten tie rod assembly.

Pro style coil-over spring adjuster nut has positive clicks with each turn, locks in place with an allen wrench and has pronounced finger grips to aid setting ride height. Spanner wrench may also be used to set ride height.

2 or 4 piston caliper brackets available.

'67-'69 Camaro pin design for common wheel/brake kit fitment.

Best front-end control on the market!

COIL-OVER KIT INCLUDED

DESCRIPTION	PART #	PRICE
COIL-OVER SPRING CAP	A550090239X	\$19.99
TOP WASHER CAP	A550090240X	\$12.99
DELRIN WASHER	A550090244X	\$6.99
ADJUSTER NUT	0001053.2	\$29.99





For spring recommendations, see page 39.



Terminator SS

DOUBLE ADJUSTABLE!

Widest range of adjustment on the market! Fully independent compression and rebound adjustments to dial your chassis in "click" by "click".





COMPRESSION ADJUSTMENT.

REBOUND ADJUSTMENT.

TERMINATOR SS CHASSIS STRUT (SOLD AS A PAIR)

DESCRIPTION	DIMENSIONS	PART #
4" STROKE ALUMINUM STEERING ARM, CASTER CAMBER MOUNT* (PAIR)	13.77" COMP. X 18.30" EXT.	30740AC
4" STROKE ALUMINUM STEERING ARM, BUSHING MOUNT* (PAIR)	13.77" COMP. X 18.30" EXT.	30740AB
4" STROKE STEEL STEERING ARM, CASTER CAMBER MOUNT** (PAIR)	13.77" COMP. X 18.30" EXT.	30740SC
4" STROKE STEEL STEERING ARM, BUSHING MOUNT** (PAIR)	13.77" COMP. X 18.30" EXT.	30740SB
6" STROKE ALUMINUM STEERING ARM, CASTER CAMBER MOUNT* (PAIR)	15.77" COMP X 22.30" EXT.	30760AC
6" STROKE ALUMINUM STEERING ARM, BUSHING MOUNT* (PAIR)	15.77" COMP X 22.30" EXT.	30760AB
6" STROKE STEEL STEERING ARM, CASTER CAMBER MOUNT** (PAIR)	15.77" COMP X 22.30" EXT.	30760SC
6" STROKE STEEL STEERING ARM, BUSHING MOUNT** (PAIR)	15.77" COMP X 22.30" EXT.	30760SB

NOTE: *ALUMINUM STEERING ARMS ARE DESIGNED FOR NEW CHASSIS BUILDS. **STEEL ARMS ARE DESIGNATED FOR EXISTING RACE CARS.

CASTER/CAMBER PLATES

DESCRIPTION	PART#	PRICE
CASTER/CAMBER PLATES, MUSTANG ('79-'89)	40022	\$229.99
CASTER/CAMBER PLATES, MUSTANG ('90-'93)	40023	\$219.99






BRAKE BRACKET KIT (HUB STYLE ONLY)

Brackets are designed for standard hub-type setup. These brackets will not work with brake kits designed for spindle-mount wheels.

DESCRIPTION	PART #	PRICE
2 PISTON CALIPER (3.25")	550000816	\$142.99
4 PISTON CALIPER (5.25")	550000815	\$142.99







BEARING KIT



DESCRIPTION	PART #	PRICE
TIMKEN COMPLETE BEARING KIT	550001007	\$120.99
('67 '60 CAMADO)		

REPLACEMENT STEERING ARMS

DESCRIPTION	PART #	PRICE
STEEL ARM	0001119	\$15.99
ALUMINUM ARM - LEFT	0000941.6L	\$54.99
ALUMINUM ARM - RIGHT	0000941.6R	\$54.99



BRUDER BROTHERS

DRAG STRUTS

FORD MUSTANG ADJUSTABLE STRUTS

After the tremendous success of our '79-'04 Mustang Strut, AFCO has expanded this technology for even more offerings. In most applications and classes, controlling weight transfer is key to making successful passes. Racers and chassis builders across the market requested a strut that can be used to control front end travel hydraulically instead of mechanically with a chain or cable. The engineering team at AFCO nailed it.

- Double adjustable design-dial in your chassis, click-by-click.
- Best front-end control on the market.
- Fully independent compression and rebound adjustments.
- 35mm piston diameter: up to 37% larger than the competition for superior fluid control and consistency.
- Indexable compression adjuster for increased clearance options at the base of the strut.
- Rebuildable and revalvable as needed.
- CAD designed and FEA optimized.
- Cars running at 10.99 E.T. and slower, call for your specific valving.

DESCRIPTION	PART #	PRICE
'79-'04 MUSTANG STRUT*	30030	\$949.99
'05-'14 MUSTANG STRUT*	30033	\$949.99
* AFTERMARKET CASTER/CAMBER PLATES REQUIRED FO	R INSTALL	ATION (SEE
PAGE 13) DRAG STRUTS DO NOT HAVE PROVISIONS FOR	SWAY RAR	MOUNTS

Best Wheelie Control Valving In The Market! CUSTOM VALVING AVAILABLE!



'79-'04 MUSTANG





DESCRIPTION	PART #	PRICE
COIL-OVER SPRING CAP	A550090239X	\$19.99
TOP WASHER CAP	A550090240X	\$12.99
DELRIN WASHER	A550090244X	\$6.99
ADJUSTER NUT	0001053.2	\$29.99





Ford Mustang

Adjustable Strut:

"STREET FIGHTER" SERIES - NON-ADJUSTABLE STRUTS

- **The "Street Fighter" Series** Great for street or strip.
- Race-inspired valving for maximum weight transfer and bounce control. (BNC) (90-10, Non-Adjustable)
- Can be used as a replacement strut if retaining OEM springs.
- Can be used as a coil-over strut with optional coil-over kit, caster/camber plates, and coil-over springs (sold separately).
- Coil-over design for ride height adjustments and precise chassis adjustment.
- Allows for "Lowered Stance" ride height appearance. (Caster/Camber Plates recommended).


Ford Mustang Non-Adjustable Strut:

\$149⁹⁹




 DESCRIPTION
 PART#
 PRICE

 COIL-OVER KIT, MUSTANG ('79-'04)
 29022
 \$99.99



CASTER/CAMBER PLATES







40023 - FITS '90-'93 MUSTANG



40024 - FITS '94-'04 MUSTANG

DESCRIPTION	PART#	PRICE
CASTER/CAMBER PLATES, MUSTANG ('79-'89)	40022	\$229.99
CASTER/CAMBER PLATES, MUSTANG ('90-'93)	40023	\$219.99

DESCRIPTION	PART#	PRICE
CASTER/CAMBER PLATES, MUSTANG ('94-'04)	40024	\$229.99

TIM KNIERIEM - NMCA/NMRA XS Competitor



DRAG STRUTS

CHEVROLET CAMARO ADJUSTABLE STRUTS

After the tremendous success of our '79-'04 Mustang Strut, AFCO has expanded this technology for even more offerings. In most applications and classes, controlling weight transfer is key to making successful passes. Racers and chassis builders across the market requested a strut that can be used to control front end travel hydraulically instead of mechanically with a chain or cable. The engineering team at AFCO nailed it. The AFCO Big Gun Strut offers tuners the ability to "lock down" the front suspension to create a smooth weight transfer event.

- Double adjustable design-dial in your chassis, click-by-click.
- Best front-end control on the market.
- Fully independent compression and rebound adjustments.
- 35mm piston diameter; up to 37% larger than the competition for superior fluid control and consistency.
- Indexable compression adjuster for increased clearance options at the base of the strut.
- Rebuildable and revalvable as needed; widest possible range in the industry.
- CAD designed and FEA optimized.

DESCRIPTION	PART #	PRICE
'82-'92 CAMARO STRUT*	30031	\$949.99
'10-'15 CAMARO STRUT*	30032	\$949.99
* AFTERMARKET CASTER/CAMBER PLATES REQUIRED F	OR INSTALLAT	TON (SEE
DAGE 15) DDAG CTDLITC DO NOT HAVE DDOVICIONS EO	D CIMAV DAD	MOLINITO

See page 24 for '93-'02 Camaro models.

Best Wheelie Control Valving In The Market! CUSTOM VALVING AVAILABLE!





'10-'15 CAMARO



Chevy Camaro

Adjustable Strut:

'10 - '15 CAMARO REAR SHOCK

The 32 Series Double Adjustable Monotube Shocks are specifically valved so chassis tuners can better control the "hit" to the tire. Drag radial competitors require a unique valving package to control the rear suspension and properly apply the radial tire to the track. Choose this series of shocks for the ultimate control off the line and superior traction down track.

- Double adjustable broad range of adjustment.
- Large piston provides superior launch and down track stability.
- Gas pressure eliminates cavitation and allows shock to recover faster.
- To be used with AFCO Rear Shock Mounts (550000857).



DESCRIPTION	PART#	PRICE
CAMARO REAR SHOCK ('10-'15)	3250R	\$699.99

CASTER/CAMBER PLATES





40026 '10-'15 CAMARO CASTER CAMBER PLATES





550000857 REAR '11-'15 CAMARO SHOCK MOUNTS (CONVERTS MOUNTING TO BEARING/BEARING.)



550000310 REAR '10-'15 CAMARO SHOCK EYELET BUSHINGS (Required for Installation)

DESCRIPTION	PART #	PRICE
CASTER/CAMBER PLATES, CAMARO ('10-'15) (PAIR)	40026	\$399.99
CAMARO REAR SHOCK MOUNT ('10-'15) (PAIR)*	550000857	\$159.99
CAMARO REAR SHOCK BUSHINGS ('10-'15) (PAIR)	550000310	\$39.99
*MUST USE 5" STROKE SHOCK		

NATHAN STYMIEST





The Best Shock Choice For **Maximum Performance!**

The engineers at AFCO designed the new 4-way shock program with performance and function in mind. This shock series features the same traction enhancing technology found in all AFCO Shocks, but is fully high and low speed adjustable on both compression and rebound damping. Consistency is improved by the recirculating, single circuit valve design. Unlike other adjustable shocks, hysteresis is minimized and remains low regardless of the adjustment position or range. This allows for a wide adjustment range without sacrificing performance. The shock can be configured to fit most coil-over applications. Its compressed and extended lengths are in line with industry standards and the adjustable eyelet and canister position allows for maximum mounting clearance. This series is ideal for everyone from the over-achieving sportsman to the professional racer.

- Fully independent high and low speed adjustments for both compression and rebound.
- All adjustments affect the pressure drop across the main piston.
- Single-circuit, recirculating design allows for large adjustment range with extremely low hysteresis.
- Solid main piston allows for reduced gas charge pressure without the risk of cavitation.
- Nitrogen bladder design enhances response and reduces "stiction" induced hysteresis and eliminates cavitation.
- Compact compressed and extended lengths comparable to most standard shock lengths on the market.
- Universal mounting design has 32 different options.
 - 8 position, indexable gas canister.
 - 4 position, indexable body eyelet.
- Custom tuning to meet the racer's needs.
- Controls tire shake and eliminates chassis ratcheting.

4-Way Adjustable Shock: \$1,549



4-WAY ADJUSTABLE!

Take control of your shock program and give your car the control it needs! AFCO's 4-Way Adjustable Shocks complete your comprehensive suspension program!



HIGH SPEED COMPRESSION ADJUSTMENT. LOW SPEED COMPRESSION ADJUSTMENT.



HIGH SPEED REBOUND ADJUSTMENT.



LOW SPEED REBOUND ADJUSTMENT.

QUALITY YOU CAN EXPECT FROM AFCO!





4-WAY DOMINATOR SERIES SHOCK

DESCRIPTION	TRAVEL	DIMENSIONS	PART #
4" STROKE 4 WAY SHOCK	4"	10.00" COMP X 14.00" EXT.	18104
5" STROKE 4 WAY SHOCK	5"	11.00" COMP X 16.00" EXT.	18105
6" STROKE 4 WAY SHOCK	6"	12.00" COMP X 18.00" EXT.	18106
7" STROKE 4 WAY SHOCK	7"	13.00" COMP X 20.00" EXT.	18107
8" STROKE 4 WAY SHOCK	8"	14.00" COMP X 22.00" EXT.	18108



TOOLS & SUPPLIES

SPANNER WRENCH

Used for adjusting

coll-over fluts.			
DESCRIPTION	PART #	PRICE	



Sold in pairs.

DESCRIPTION	PART #	PRICE
2.50" C/O NUT BEARING KIT	20144	\$79.99





BIG GUN "SLICKS"

Best For Slick Tire 1,500+ HP Applications!

DOUBLE ADJUSTABLE

MONOTUBE ALUMINUM CANISTER

PRO STREET, OUTLAW 10.5, TOP SPORTSMAN, BIG DOG, SUPER QUICK, PRO 5.0, SSO, TOP DRAGSTER & OTHERS

- Big Gun Valving Specifically valved for high horsepower applications.
- Large piston provides superior launch stability.
- Gas pressure eliminates cavitation and allows shock to recover faster.
- Double Adjustable broad range of adjustment, click-by-click.

Big Gun Double Adjustable:





BIG GUN REAR SHOCKS

			SUGGESTED	SUGGESTED		
BIG GUN	COMP	EXTENDED	SPRING HEIGHT	RIDE HEIGHT	PART #	PRICE
4" STROKE COIL-OVER	11.20"	15.20"	8"	13.00"-13.50"	3240BG	\$699.99
5" STROKE COIL-OVER	12.20"	17.20"	10"-12"	13.50"-14.50"	3250BG	\$699.99
6" STROKE COIL-OVER	13.20"	19.20"	12"-14"	14.50"-16.50"	3260BG	\$699.99
7" STROKE COIL-OVER	14.20"	21.20"	14"	15.50"-18.50"	3270BG	\$699.99
THE ABOVE SHOCKS COI	ME WITH .	A 1" WIDE BEARI	NG.			



ACCESSORIES

See pages 36-37 for Spanner Wrenches and Canister Mounts.



SPRING SOLD

SEPARATELY. SEE

Best For Radial Tire

1,500+ HP Applications!

AITE

BIG GUN X "RADIALS"

DOUBLE ADJUSTABLE

MONOTUBE ALUMINUM CANISTER

X275, LDR, XTREME STREET, ULTRA STREET & MX235

The Big Gun X Series Double Adjustable Monotube shocks are specifically valved for extremely high horsepower drag radial tire equipped applications. With this valving package, chassis tuners can better control the "hit" to the tire using this series of shocks. Drag radial competitors require a unique valving package to control the rear suspension and properly apply the radial tire to the track. Don't "drive thru" your shocks with that big power! If you have 1,500+ horsepower and are on a drag radial tire, or are using stock suspension, this is the valving package you need to complement your race program. Choose this series of shocks for the ultimate control off the line and superior traction down track. For quicker adjustments, mount your AFCO shocks upside-down for unsprung weight savings and easier access to the rebound adjuster.

- Double Adjustable broad range of adjustment, click-by-click.
- Big Gun X Valving specifically valved for high horsepower radial tire applications.
- Large piston provides superior launch and down track stability.
- Gas pressure eliminates cavitation and allows shock to recover faster.

Big Gun X Double Adjustable:







CHECECTER

BIG GUN X REAR SHOCKS

			JUUULJILD	JUUULJILD		
BIG GUN	COMP	EXTENDED	SPRING HEIGHT	RIDE HEIGHT	PART #	PRICE
4" STROKE COIL-OVER	11.20"	15.20"	8"	13.00"-13.50"	3240BGX	\$629.99
5" STROKE COIL-OVER	12.20"	17.20"	10"-12"	13.50"-14.50"	3250BGX	\$699.99
6" STROKE COIL-OVER	13.20"	19.20"	12"-14"	14.50"-16.50"	3260BGX	\$699.99
7" STROKE COIL-OVER	14.20"	21.20"	14"	15.50"-18.50"	3270BGX	\$699.99
THE ABOVE SHOCKS COME	WITH A 1	" WIDE BEARING.				





TOM KEMPF RVW / NMCA COMPETITOR



BIG GUN "SLICKS"

DOUBLE ADJUSTABLE

TWIN TUBE ALUMINUM

ULTRA/ULTIMATE STREET, TOP SPORTSMAN, BIG DOG, SUPER QUICK, XTREME STREET, SSO & "NO PREP"

The "Big Gun" shocks are specifically valved for high horsepower applications. Both small tire and big tire cars can better control the "hit" to the tire with this series of shocks. Don't "drive through" your shocks with that big power - choose this series of shocks for the ultimate control off the line.

- Widest range of adjustment on the market.
- Make a click and feel the change.
- 100% dyno tested.





BIG GUN TWIN TUBE REAR SHOCKS

SUGGESTED SUGGESTED	
T2 (TWIN-TUBE) COMP EXTENDED SPRING HEIGHT RIDE HEIGHT PART	# PRICE
4" STROKE COIL-OVER 11" 14.92" 8" 12.25"-13.25" 3840B	G \$474.99
5" STROKE COIL-OVER 12" 16.92" 10"-12" 13.75"-14.75" 3850B	G \$474.99
6" STROKE COIL-OVER 13" 18.92" 12"-14" 14.75"-16.75" 3860B	G \$474.99
7" STROKE COIL-OVER 14" 20.92" 14" 15.50"-18.50" 3870B	G \$474.99
7" STROKE COIL-OVER 14" 20.92" 14" 15.50"-18.50" 3870R	BG \$474.99

The above shocks come with a 1" wide bearing.



Best For Slick Tire 1,000-1,500 HP Applications!



SPRING SOLD SEPARATELY. SEE PAGE 38-40.

CARL ROOT



BIG GUN X "RADIALS"

Best For Radial Tire 1,000-1,500 HP **Applications!**

DOUBLE ADJUSTABLE

TWIN TUBE ALUMINUM

X275, LDR, XTREME STREET, ULTRA STREET & MX235

The Big Gun X Double Adjustable Twin Tube shocks are specifically valved for high horsepower drag radial tire equipped applications. Drag radial competitors require a unique valving package to control the rear suspension and properly apply the radial tire to the track. Superior traction is achieved through a high flow piston that delivers consistent performance, pass after pass. If you have 1,000 - 1,500 horsepower and are on a drag radial tire, this is the valving package you need to complement your race program. For quicker adjustments, mount your AFCO shocks upside down for unsprung weight savings and ease in accessing the rebound adjuster.

- Double Adjustable broadest range of adjustment on the market.
- Big Gun X Valving specifically valved for high horsepower drag radial tire applications.
- Great for BIG or SMALL tire door slammers.
- Rebuildable and revalvable.





BIG GUN X REAR SHOCKS

			SUGGESTED	SUGGESTED		
BGX TWIN-TUBE	COMP	EXTENDED	SPRING HEIGHT	RIDE HEIGHT	PART #	PRICE
4" STROKE COIL-OVER	11"	14.92"	8"	12.25"-13.25"	3840BGX	\$474.99
5" STROKE COIL-OVER	12"	16.92"	10"-12"	13.75"-14.75"	3850BGX	\$474.99
5" STROKE COIL-OVER	12"	16.92"	10"-12"	13.75"-14.75"	3850BGXB	\$474.99
6" STROKE COIL-OVER	13"	18.92"	12"-14"	14.75"-16.75"	3860BGX	\$474.99
6" STROKE COIL-OVER	13"	18.92"	12"-14"	14.75"-16.75"	3860BGXB	\$474.99
7" STROKE COIL-OVER	14"	20.92"	14"	15.50"-18.50"	3870BGX	\$474.99
7" STROKE COIL-OVER	14"	20.92"	14"	15.50"-18.50"	3870RBGX	\$474.99







SEPARATELY. SEE PAGE 38-40.



ELIMINATOR

ADJUSTABLE COIL-OVER SHOCKS

TWIN TUBE ALUMINUM

Best For Cars Up To 1,000 HP!

AFCO ELIMINATOR Twin Tube Adjustable Shocks are built specifically for drag racing. Our onboard data acquisition systems help us know what your car is doing every 0.001 of a second. We've engineered the ELIMINATOR to control it at every point. This gives you, the racer, unsurpassed traction.

DOUBLE ADJUSTABLE ELIMINATOR

STOCK MOUNT APPLICATION GUIDE - SEE PAGES 24-25.

AFCO DOUBLE Adjustable Shocks are the ultimate tool in the chassis tuner's arsenal. The DOUBLE adjustments of both compression and rebound damping are completely independent. Changing the setting of one has no effect on the setting of the other. By allowing full control over both compression and rebound forces, this shock gives the tuner the ability to fine tune every aspect of chassis movement to provide the ultimate in acceleration control and overall drivability.

- Widest range of adjustment on the market.
- Make a click and feel the change.
- 100% dyno tested.

			SUGGESTED	SUGGESTED	
STROKE	COMP	EXT	SPRING HEIGHT	RIDE HEIGHT	PART #
3"	10"	12.92"	7"	10.75"-11.25"	3830
4"	11"	14.92"	7"-8"	12.25"-13.50"	3840
4"	10.18"	14.1"	7"-8"	11.50"-12.50"	3840Z
5"	12"	16.92"	10"-12"	13.50"-14.75"	3850
6"	13"	18.92"	12"-14"	14.75"-16.00"	3860
7"	14"	20.92"	14"	16.00"-18.50"	3870
8"	15"	22.92"	14"	16.50"	3880
9"	16"	24.92"	14"	18.00"-20.00"	3890

Decreases length by .820". Available for all shocks. Built to order.



Eliminator Double Adjustable:





THE ABOVE SHOCKS COME WITH 1" WIDE BEARINGS.

SINGLE ADJUSTABLE ELIMINATOR

AFCO SINGLE Adjustable Shocks are an economical alternative to the fully double adjustable design. The SINGLE adjustment gives you the ability to adjust rebound damping control without affecting the compression damping characteristics of the shock. The rebound adjustment is the most critical in tuning a drag racing setup. This adjustment allows the tuner to dial in the separation of the chassis and keep the tires planted during the critical first 60' down the track.

- Extension adjustable only will not affect compression.
- Widest range of adjustment on the market.
- Make a click and feel the change.
- 100% dyno tested.

			SUGGESTED	SUGGESTED				
STROKE	COMP	EXT	SPRING HEIGHT	RIDE HEIGHT	PART #			
3"	10"	12.92"	7"	10.75"-11.25"	3835			
4"	11"	14.92"	7"-8"	12.00"-13.50"	3845			
5"	12"	16.92"	10"-12"	13.25"-14.50"	3855			
7"	14"	20.92"	14"	15.00"-18.00"	3875			
9"	16"	24.92"	14"	18.00"-20.00"	3895			
THE ABOVE	THE ABOVE SHOCKS COME WITH 1" WIDE BEARINGS.							





Eliminator Single Adjustable:



ELIMINATOR "BNC"

ADJUSTABLE STOCK MOUNT SHOCKS

TWIN TUBE ALUMINUM

NEW!

STOCK, SUPER STOCK, X275, TRUE STREET & "NO PREP"

The ELIMINATOR "BNC" valving shocks eliminate bounce. No other shock on the market offers this much performance and control! The BNC shocks are designed to better absorb the impact of the car after a wheel stand launch. They can be used in coil-over applications with the optional kit.

AFCO's 3840F/BNCBG has been developed to control violent launches. No shock provides more clamp force. Keep your front end down with AFCO.

Eliminator BNC Valvina:

Great For

Bounce

Control!

BNC FRONT SHOCKS

STROKE	COMP	EXT	APPLICATION	PART #	PRICE
4" STROKE	10.25"	14.15"	'67-'69 CAMARO & OTHER GM (FRONT)*	3840F/BNC	\$424.99
4" STROKE	10.25"	14.15"	'67-'69 CAMARO & OTHER GM (FRONT)*	3840F/BNC2	\$424.99
4" STROKE	10.25"	14.15"	'67-'69 CAMARO & OTHER GM (FRONT)*	3840F/BNCBG	\$474.99
4" STROKE	10.25"	14.15"	'67-'69 CAMARO / '68-'72 NOVA**	3840F-ALT	\$424.99
5" STROKE	11.25"	16.15"	'70-'81 CAMARO,	3850F/BNCBG	\$424.99
			JOO JAWA DODY ON THE CITE OTHERS		

68-'74 A BODY, GM FULL SIZE, OTHERS

*COIL-OVER KITS SOLD SEPARATELY (SEE PAGE 34).

**FRONT, TUBULAR ARM (ONLY). COIL-OVER COMPATIBLE. INCLUDES COIL-OVER NUT.

STROKE	COMP	EXT	APPLICATION	PART #	PRICE	
6" STROKE	14"	19.90"	'93-'02 CAMARO / FIREBIRD (FRONT)*	3870F/BNC*	\$424.99	
6" STROKE	14"	19.90"	'93-'02 CAMARO / FIREBIRD (FRONT)*	3870F/BNC2*	\$424.99	
6" STROKE	14"	19.90"	'93-'02 CAMARO / FIREBIRD (FRONT)*	3870F/BNCBG*	\$474.99	
*INCLUDES COIL-OVER KIT.						

ACCESSORIES DESCRIPTION	PART #	PRICE
OPTIONAL COIL-OVER KIT (MOUNTS SPRING TO SHOCK)	20135D	\$65.99

APPLICATION GUIDE - SEE PAGES 24-25.





(ARE)







NEW BNC/BG DRAG VALVING

AFCO continues to develop specific valving packages for today's drag racing applications. Cars and trucks with increased horsepower have the potential for large and long wheelies. To help combat that, the AFCO shock engineers have created valving that will help the car land softly with the BNC valving. The shock is initially stiffer when the wheels touch down and then gets progressively stiffer to prevent damaging front end components. The BG valving addresses the extension side of the shock. The goal is to provide maximum control for the front end. By increasing the clamp force of the front shock, the chassis doesn't gain momentum when starting to wheelie and we can bring in power sooner and generate quicker E.T.'s.



ELIMINATOR STOCK MOUNT APPLICATION GUIDE

FORD		FRONT		REAR
	SINGLE	DOUBLE	SINGLE	DOUBI
72-'79 FAIRLANE-TORINO	N/A	N/A	3875R ①	3870R
66-'70 FALCON	N/A	N/A	3875R ①	3870R
65-'86 FULL-SIZE	N/A	N/A	3875R ①	3870R
57-'59 FULL-SIZE	N/A	N/A	N/A	N,
81-'82 GRANADA	N/A	N/A	3875R	3870
79-'04 MUSTANG	N/A	(SEE PAGE 12)	3875R	3870
72-'79 RANCHERO	N/A	N/A	3875R ①	3870R
67-'79 T-BIRD	N/A	N/A	3875R ①	3870R
05-'14 MUSTANG	N/A	(SEE PAGE 12)	3875R-3	3870R
MERCURY		RONT		REAR
	SINGLE	DOUBLE	SINGLE	DOUBI
79-'86 CAPRI	N/A	(SEE PAGE 12)	3875R	387
30-'82 COUGAR	N/A	N/A	3875R	387
'4-'79 COUGAR	N/A	N/A	3875R ①	3870R
55-'86 FULL-SIZE	N/A	N/A	3875R ①	3870R
72-'76 MONTEGO	N/A	N/A	3875R ①	3870R
CHRYSLER		FRONT		REAR
7111102211	SINGLE	DOUBLE	SINGLE	DOUB
4-'78 FULL-SIZE	N/A	N/A	3895M ①	3890M
57-'64 FULL-SIZE	N/A	N/A	3895M ①	3890M
ODGE		FRONT	CINCLE	REAR
70-'74 CHALLENGER	SINGLE 3855M ①	DOUBLE 3850M ①	SINGLE 3895M ①	DOUB 3890M
73-'78 CHARGER, CORONET	3855M ①	3850M ①	N/A	N000M
55-'72 CHARGER, CORONET	3855M ①	3850M ①	3895M ①	3890M
75-'76 CORDOBA	N/A	N/A	3895M ①	3890M
77-'79 MAGNUM	3855M ①	3850M ①	3895M ①	3890M
54-'76 DART	3855M ①	3850M ①	3895M	3890
79-'92 TRUCK	3845F ①	3840F ①	N/A	N 2000M
52-'78 MONACO	3855M ①	3850M ①	3895M ①	3890M
61-'62 MONACO	N/A	N/A	3895M ①	3890M
PLYMOUTH		FRONT	CINCLE	REAR
74 774 DADDACUDA	SINGLE	DOUBLE	SINGLE	DOUB
54-'74 BARRACUDA	3855M ①	3850M ①	3895M ①	3890M
73-'74 SATELLITE , BELVEDERE	N/A	N/A	3895M ①	3890M
55-'72 SATELLITE, BELVEDERE	3855M ①	3850M ①	3895M ①	3890M
52-'70 SAVOY, FURY, BELVEDERE	3855M ①	3850M ①	3895M ①	3890M
57-'70 GTX	3855M ①	3850M ①	3895M ①	3890M
58-'75 ROADRUNNER	3855M ①	3850M ①	3895M ①	3890N
54-'76 DUSTER, VALIANT	3855M ①	3850M ①	3895M	389
CHEVROLET (BUICK, OLDS, PONT		RONT		REAR
	SINGLE	DOUBLE	SINGLE	DOUB
32-'96 BLAZER, S-10	3845F ①	3840F ①	3875R-1 ②	3870R-1
68-'87 EL CAMINO	3845F ①	3840F ①	3875R-1 ②	3870R-1
54-'67 EL CAMINO	3845F	3840F ①	3875R-1 ②	3870R-1
10-'15 CAMARO	N/A_	(SEE PAGE 14)	N/A	(SEE PAGE
93-'02 CAMARO	3875F	3870F/BNC, 3870F/BNC2, 3870F/BNCBG	3875R ①	3870R
32-'92 CAMARO	N/A	(SEE PAGE 14)	3875R ①	3870F
70-'81 CAMARO	3855F	3850F ①	3875R-2 ②	3870R-2
57-'69 CAMARO	3845F ①	3840F ①	3875R ①	3870F
	3845F ①	3840F ①	3875R-1 ②	3870R-1
64-'67 CHEVELLE, MALIBU	3845F	3840F ①	3875R-1 ②	
64-'67 CHEVELLE, MALIBU '6-'87 CHEVETTE	3845F N/A	3840F ① N/A	3875R-1 ② 3875R ①	3870F
34-'67 CHEVELLE, MALIBU '6-'87 CHEVETTE '4-'79 NOVA	3845F N/A 3845F ①	3840F	3875R-1 ② 3875R ① 3875R ①	3870F 3870F
54-'67 CHEVELLE, MALIBU 76-'87 CHEVETTE 74-'79 NOVA 73 NOVA NON - H.D. REAR	3845F N/A 3845F ① 3845F ①	3840F ① N/A 3840F ① 3840F ①	3875R-1 ② 3875R ① 3875R ① 3875F ③	3870F 3870F 3870F
54-'67 CHEVELLE, MALIBU 76-'87 CHEVETTE 74-'79 NOVA 73 NOVA NON - H.D. REAR 73 NOVA WITH H.D. REAR	3845F N/A 3845F ① 3845F ① 3845F ①	3840F ① N/A 3840F ① 3840F ① 3840F ①	3875R-1 ② 3875R ① 3875R ① 3875F ③ 3875R-1 ②	3870F 3870F 3870F 3870R-1
34-'67 CHEVELLE, MALIBU 26-'87 CHEVETTE 24-'79 NOVA 23 NOVA NON - H.D. REAR 23 NOVA WITH H.D. REAR 88-'72 NOVA W / MONOLEAF	3845F N/A 3845F ① 3845F ① 3845F ① 3845F ①	3840F ① N/A 3840F ① 3840F ① 3840F ① 3840F ① 3840F ①	3875R-1 ② 3875R ① 3875R ① 3875F ③ 3875R-1 ② 3875R-1 ①	3870F 3870F 3870F 3870R-1 3870R-1
34-'67 CHEVELLE, MALIBU 26-'87 CHEVETTE 24-'79 NOVA 23 NOVA NON - H.D. REAR 23 NOVA WITH H.D. REAR 58-'72 NOVA W / MONOLEAF 58-'72 NOVA W / MULTILEAF	3845F N/A 3845F ① 3845F ① 3845F ① 3845F ① 3845F ①	3840F ① N/A 3840F ① 3840F ① 3840F ① 3840F ① 3840F ① 3840F ①	3875R-1 ② 3875R ① 3875R ① 3875F ③ 3875R-1 ② 3875R-1 ① 3875R-1 ②	3870F 3870F 3870F 3870R-1 3870R-1 3870R-1
34-'67 CHEVELLE, MALIBU 26-'87 CHEVETTE 24-'79 NOVA 23 NOVA NON - H.D. REAR 23 NOVA WITH H.D. REAR 58-'72 NOVA W / MONOLEAF 58-'72 NOVA W / MULTILEAF 52-'67 CHEVY II, NOVA W / MULTILEAF	3845F N/A 3845F ① 3845F ① 3845F ① 3845F ① 3845F ① N/A	3840F ① N/A 3840F ① 3840F ① 3840F ① 3840F ① 3840F ① 3840F ① N/A	3875R-1 ② 3875R ① 3875R ① 3875F ③ 3875R-1 ② 3875R-1 ① 3875R-1 ② 3875R-1 ②	3870F 3870F 3870F 3870R- 3870R- 3870F
54-'67 CHEVELLE, MALIBU '76-'87 CHEVETTE '74-'79 NOVA '73 NOVA NON - H.D. REAR '73 NOVA WITH H.D. REAR '88-'72 NOVA W / MONOLEAF '88-'72 NOVA W / MULTILEAF 52-'67 CHEVY II, NOVA W / MULTILEAF 53-'82 CORVETTE	3845F N/A 3845F ① 3845F ① 3845F ① 3845F ① N/A 3845F	3840F ① N/A 3840F ① 3840F ① 3840F ① 3840F ① 3840F ① N/A 3840F ①	3875R-1 ② 3875R ① 3875R ① 3875R ① 3875R-1 ② 3875R-1 ① 3875R-1 ① 3875R-1 ② 3875R-1 ②	3870F 3870F 3870F 3870R- 3870R- 3870F
54-'67 CHEVELLE, MALIBU 76-'87 CHEVETTE 74-'79 NOVA 73 NOVA NON - H.D. REAR 73 NOVA WITH H.D. REAR 58-'72 NOVA W / MONOLEAF 58-'72 NOVA W / MULTILEAF 53-'67 CHEVY II, NOVA W / MULTILEAF 53-'82 CORVETTE 53-'62 CORVETTE	3845F N/A 3845F ① 3845F ① 3845F ① 3845F ① 3845F ① N/A 3845F	3840F ① N/A 3840F ① 3840F ① 3840F ① 3840F ① 3840F ① N/A 3840F ① N/A	3875R-1 ② 3875R ① 3875R ① 3875F ③ 3875F-1 ② 3875R-1 ② 3875R-1 ② 3875R-1 ② 3875R ① N/A 3875R ①	3870F 3870F 3870F-1 3870R-1 3870R-1 3870F N 3870F
54-'67 CHEVELLE, MALIBU 76-'87 CHEVETTE 74-'79 NOVA 73 NOVA NON - H.D. REAR 73 NOVA WITH H.D. REAR 58-'72 NOVA W / MONOLEAF 58-'72 NOVA W / MULTILEAF 53-'67 CHEVY II, NOVA W / MULTILEAF 53-'82 CORVETTE 53-'62 CORVETTE	3845F N/A 3845F ① 3845F ① 3845F ① 3845F ① 3845F ① N/A 3845F N/A 3845F	3840F ① N/A 3840F ① 3840F ① 3840F ① 3840F ① 3840F ① N/A 3840F ①	3875R-1 ② 3875R ① 3875R ① 3875R ① 3875R-1 ② 3875R-1 ① 3875R-1 ① 3875R-1 ② 3875R-1 ②	3870F 3870F 3870F-1 3870R-1 3870F-1 3870F N 3870F
54-'67 CHEVELLE, MALIBU 76-'87 CHEVETTE 74-'79 NOVA 73 NOVA NON - H.D. REAR 73 NOVA WITH H.D. REAR 58-'72 NOVA W / MONOLEAF 58-'72 NOVA W / MULTILEAF 52-'67 CHEVY II, NOVA W / MULTILEAF 53-'82 CORVETTE 53-'62 CORVETTE 55-'86 FULL-SIZE	3845F N/A 3845F ① 3845F ① 3845F ① 3845F ① 3845F ① N/A 3845F	3840F ① N/A 3840F ① 3840F ① 3840F ① 3840F ① 3840F ① N/A 3840F ① N/A	3875R-1 ② 3875R ① 3875R ① 3875F ③ 3875F-1 ② 3875R-1 ② 3875R-1 ② 3875R-1 ② 3875R ① N/A 3875R ①	3870R 3870R 3870R-1 3870R-1 3870R-1 3870R N 3870R 3870R
54-'67 CHEVELLE, MALIBU 76-'87 CHEVETTE 74-'79 NOVA 73 NOVA NON - H.D. REAR 73 NOVA WITH H.D. REAR 58-'72 NOVA W / MONOLEAF 58-'72 NOVA W / MULTILEAF 52-'67 CHEVY II, NOVA W / MULTILEAF 53-'82 CORVETTE 53-'62 CORVETTE 55-'86 FULL-SIZE 55-'57 FULL-SIZE	3845F N/A 3845F ① 3845F ① 3845F ① 3845F ① 3845F ① N/A 3845F N/A 3845F	3840F ① N/A 3840F ① 3840F ① 3840F ① 3840F ① 3840F ① N/A 3840F ① N/A 3840F ① N/A	3875R-1 ② 3875R ① 3875R ① 3875F ③ 3875F-1 ② 3875R-1 ① 3875R-1 ② 3875R ① N/A 3875R ① 3875R ①	3870R 3870R 3870R-1 3870R-1 3870R-1 3870R N 3870R 3870R-1 3870R-1
54-'67 CHEVELLE, MALIBU 76-'87 CHEVETTE 74-'79 NOVA 73 NOVA NON - H.D. REAR 73 NOVA WITH H.D. REAR 68-'72 NOVA W / MONOLEAF 68-'72 NOVA W / MULTILEAF 65-'67 CHEVY II, NOVA W / MULTILEAF 63-'82 CORVETTE 65-'86 FULL-SIZE 65-'57 FULL-SIZE 70-'88 MONTE CARLO	3845F N/A 3845F ① 3845F ① 3845F ① 3845F ① N/A 3845F N/A 3845F N/A 3845F 3845F 3845F 3845F 3845F	3840F ① N/A 3840F ① 3840F ① 3840F ① 3840F ① 3840F ① N/A 3840F ① N/A 3840F ① N/A 3840F ① N/A	3875R-1 ② 3875R ① 3875R ① 3875F ③ 3875F-1 ② 3875R-1 ① 3875R-1 ② 3875R ① N/A 3875R ① 3875R ① 3875R ① 3875R ① 3875R-1 ②	3870R 3870R 3870F-1 3870R-1 3870R-1 3870R-1 3870R 3870R-1 3870R-1
68-'83 CHEVELLE, MALIBU 64-'67 CHEVELLE, MALIBU 76-'87 CHEVETTE 74-'79 NOVA 73 NOVA NON - H.D. REAR 73 NOVA WITH H.D. REAR 68-'72 NOVA W / MONOLEAF 68-'72 NOVA W / MULTILEAF 62-'67 CHEVY II, NOVA W / MULTILEAF 63-'82 CORVETTE 53-'62 CORVETTE 55-'57 FULL-SIZE 50-'88 MONTE CARLO 75-'80 MONZA	3845F N/A 3845F ① 3845F ① 3845F ① 3845F ① 3845F ① N/A 3845F N/A 3845F 3845F 3845F	3840F ① N/A 3840F ① 3840F ① 3840F ① 3840F ① 3840F ① N/A 3840F ① N/A 3840F ① N/A 3840F ① 3840F ① 3840F ① 3840F ①	3875R-1 ② 3875R ① 3875R ① 3875F ③ 3875F-1 ② 3875R-1 ① 3875R-1 ② 3875R ① N/A 3875R ① 3875R ① 3875R ① 3875R-1 ② 3875R-1 ②	3870R-1 3870R 3870R 3870F-1 3870R-1 3870R-1 3870R N 3870R 3870R-1 3870R-1 3870R-1 3870R-1

ELIMINATOR STOCK MOUNT APPLICATION GUIDE

The chart shows common applications for AFCO Stock Mount Shocks. We highly recommend you measure your chassis for proper length and mount points.

Eliminator Single Adjustable

STROKE COMP...

BODY MOUNT.

SHAFT MOUNT .

Eliminator Double Adjustable

Double 3840F

Double 3840F/BNC

Double 3840F/BNC2

Double 3840F/BNCBG

Single **3845F**

Coil-over hardware kit sold separately (kit # 20135D - See page 34). Can be used as a coil-over with chrome tapered springs (See page 40) sold separately.

Double 3840F-ALT

A must for tubular control arms!

STROKE 14.15" BODY MOUNT ... R3



Coil-over compatible. Coil-over nut included

Double 3850M Single **3855M**

STROKE COMP... .. 11.25 ... 16.15 В3 BODY MOUNT. SHAFT MOUNT.



Comes with adjuster nut

Double 3870F/BNC Double 3870F/BNC2

Double 3870F/BNCBG

Single **3875F**

COMP. .. 14' 19.9 BODY MOUNT..... .. B5 SPRING LENGTH ...



Comes with coil-over hardware (20135D) and mounting bracket (20146). See page 23 for more info. on BNC & BNC2 valving.

Double 3870R-1 Single 3875R-1

STROKE COMP.... BODY MOUNT. ... B2 SHAFT MOUNT .



<u>Coil-over hardware kit **sold separately** (**kit # 20135D - See page 34).**</u>

Double 3870R Single 3875R

STROKE COMP. .. 20.15 EXT. BODY MOUNT...... B3 SHAFT MOUNT ..



Coil-over hardware kit sold separately (kit # 20135D - See page 34).

Double 3870R-2 Single 3875R-2

COMP. . 13 25" EXT. 20.15 BODY MOUNT SHAFT MOUNT



Coil-over hardware kit sold separately (kit # 20135D - See page 34).

Double 3890M Single 3895M

STROKE. COMP. 14.90 EXT. 22.90 BODY MOUNT SHAFT MOUNT SPRING LENGTH.



Comes with coil-over hardware (20135D).

REPLACEMENT MOUNTS

B1



B2





В3





В4





В5





With 5/8" bearing





S1





1-3/4" Washers 1/2" i.d. Bearing

5/8" wide

S2



REACTOR

SINGLE ADJUSTABLE SHOCKS

MONOTUBE ALUMINUM

AFCO Single Adjustable Shocks are an economical alternative to the fully double adjustable design. The Single adjustment gives you the ability to adjust rebound damping control without affecting the compression damping characteristics of the shock.

The rebound adjustment is the most critical in tuning a drag racing setup. This adjustment allows the tuner to dial in the separation of the chassis and keep the tires planted during the critical first 60' down the track.

- Gas monotube design for superior tuning and performance.
- Rebound adjustable only will not bleed over to compression.
- Tune only where you want it.
- 100% dyno tested and serial numbered.

REACTOR COIL-OVER SHOCKS

_		-			
STROKE	COMP	EXT	SUGGESTED SPRING HEIGHT	RIDE HEIGHT	PART #
4"	11.20"	15.20"	7"-8"	12.25"-13.25"	6845
5"	12.20"	17.20"	10"-12"	13.75"-14.75"	6855
6"	13.20"	19.20"	14"	14.75"-16.75"	6865
7"	14.20"	21.20"	14"	15.5"-18.5"	6875

THE ABOVE SHOCKS COME WITH 1" WIDE BEARINGS.

Best Value
On The Market!

Reactor Single Adjustable:





> APPLICATION GUIDE - SEE PAGE 27.

DOUG DUELL

5X NMCA "NSS" Champion.

"AFCO shocks are on all of my drag race cars. I have found these shocks to be made to the highest quality standards and backed up by the staff at AFCO with a level of service that is very racer friendly. AFCO shocks have had a direct effect on my success on the race track and will always be on my cars in the future."

SPRING SOLD SEPARATELY. SEE PAGE 38-40.





REACTOR STOCK MOUNT APPLICATION GUIDE

FORD	FRONT SINGLE	REAR SINGLE
'72-'79 FAIRLANE-TORINO	N/A	6875R ①
'66-'70 FALCON	N/A	6875R ①
'65-'86 FULL-SIZE	N/A	6875R ①
'57-'59 FULL-SIZE	N/A	N/A
'81-'82 GRANADA	N/A	6875R
'79-'04 MUSTANG	N/A	6875R
'72-'79 RANCHERO	N/A	6875R ①
'67-'79 T-BIRD	N/A	6875R ①

MERCURY	FRONT SINGLE	REAR SINGLE
'79-'86 CAPRI	N/A	6875R
'80-'82 COUGAR	N/A	6875R
'74-'79 COUGAR	N/A	6875R ①
'65-'86 FULL-SIZE	N/A	6875R ①
'72-'76 MONTEGO	N/A	6875R ①

CHRYSLER	FRONT SINGLE	REAR SINGLE
'74-'78 FULL-SIZE	N/A	6895M ①
'57-'64 FULL-SIZE	N/A	6895M ①

DODGE	FRONT SINGLE	REAR SINGLE
'70-'74 CHALLENGER	6855M ①	6895M ①
'73-'78 CHARGER, CORONET	6855M ①	N/A
'65-'72 CHARGER, CORONET	6855M ①	6895M ①
'75-'76 CORDOBA	N/A	6895M ①
′77-′79 MAGNUM	6855M ①	6895M ①
'64-'76 DART	6855M ①	6895M
′79-′92 TRUCK	6845F ①	N/A
'65-'70 MONACO	6855M ①	6895M ①
'75-'77 MONACO	N/A	6895M ①

PLYMOUTH	FRONT SINGLE	REAR SINGLE
'64-'74 BARRACUDA	6855M ①	6895M ①
'73-'74 SATELLITE , BELVEDERE	N/A	6895M ①
'65-'72 SATELLITE, BELVEDERE	6855M ①	6895M ①
'62-'70 SAVOY, FURY, BELVEDERE	6855M ①	6895M ①
'67-'70 GTX	6855M ①	6895M ①
'68-'75 ROADRUNNER	6855M ①	6895M ①
'64-'76 DUSTER, VALIANT	6855M ①	6895M

CHEVROLET	FRONT SINGLE	REAR SINGLE
'82-'96 BLAZER, S-10	6845F ①	6875R-1 ②
'68-'87 EL CAMINO	6845F ①	6875R-1 ②
'64-'67 EL CAMINO	N/A	6875R-1 ②
'93-'02 CAMARO	6875F	6875R ①
'82-'92 CAMARO	N/A	6875R ①
'70-'81 CAMARO	6855F	6875R-2 ②
'67-'69 CAMARO	6845F ①	6875R ①
'68-'83 CHEVELLE, MALIBU	6845F ①	6875R-1 ②
'64-'67 CHEVELLE, MALIBU	N/A	6875R-1 ②
'76-'87 CHEVETTE	N/A	6875R ①
′74-′79 NOVA	6845F ①	6875R-1 ②
'73 NOVA NON - H.D. REAR	6845F ①	6875R-1 ②
'73 NOVA WITH H.D. REAR	6845F ①	6875R-1 ②
'68-'72 NOVA W / MONOLEAF	6845F ①	6875R-1 ①
'68-'72 NOVA W / MULTILEAF	6845F ①	6875R-1 ②
'62-'67 NOVA W / MULTILEAF	N/A	6875R-1 ②
'63-'82 CORVETTE	6845F	N/A
'53-'62 CORVETTE	N/A	6875R ①
'65-'86 FULL-SIZE	6845F	6875R-1 ②
'55-'57 FULL-SIZE	6845F	6875R-1 ②
'70-'88 MONTE CARLO	6845F ①	6875R-1 ②
'75-'80 MONZA	6845F ①	6875R-1 ①
′72-′77 VEGA	6845F ①	6875R-1 ①

- ① Check extended & compressed dimensions.
- ② May need to "slot" tie bar mount.
- 3 Mounting point modifications may be needed.

6845F WITH BNC VALVING

STROKE4" COMP11.47"		1910 a stratetic
EXT15.42"	CENT -	
BODY MOUNTB2 SHAFT MOUNTS1		

Can be used as a coil-over (kit # 20135D - See page 34) with chrome tapered springs (See page 40). Both sold separately.

6855M WITH BNC VALVING

STROKE5"	
COMP12.47"	
EXT17.42"	
BODY MOUNTB3	
SHAFT MOUNT \$1	3 -



Comes with coil-over hardware (20135D). Can be used as a coil-over with chrome tapered springs (See page 40) sold separately.

6875F WITH BNC VALVING

STROKE 7" COMP 15.22"		- n
EXT22.17" BODY MOUNT85		
SHAFT MOUNT S2	6	
	- (0000000)	1

Comes with coil-over hardware (20135D) and mounting bracket (20146).

6875R-1

STROKE	7"
COMP	15.22"
EXT	 22.17"
BODY MOUN	NT B2
SHAFT MOU	NT S2



Coil-over hardware kit sold separately (kit # 20135D - See page 34).

6875R

STROKE 7"	The second second
COMP14.47"	
EXT21.42"	
BODY MOUNTB3	
SHAFT MOUNT S1	3

Coil-over hardware kit sold separately (kit # 20135D - See page 34).

.....

6875R-2

STROKE		
--------	--	--

Coil-over hardware kit sold separately (kit # 20135D - See page 34).

6895M

TROKE8"	
OMP14.90"	
XT22.90"	
BODY MOUNTB4	
SHAFT MOUNT S2	3 -

Comes with coil-over hardware (20135D).

Reactor Single Adjustable:

REPLACEMENT MOUNTS



















1/2" wide





With 5/8" bearing







20180-3A

1-3/4" Washers



9/16" Stud

1000

ELIMINATOR

FRONT COIL-OVER CONVERSION KITS

Convert Your GM To Drag Racing Front Coil-Overs!

AFCO Racing Products is proud to offer a bolt-in coil-over shock kit for drag racing. This kit allows for bolt-in, no-modification installation on most popular GM applications. Some of the features include: easy ride height adjustment, quick corner weight tuning, and pre-load changes to straighten out bad launches, and front-end weight reduction. From street and strip to all out drag racing, rely on AFCO to deliver quality suspension components.

- Easy ride height adjustment for the proper stance.
- Quick corner weight and pre-load adjustment to fine tune the launch.
- Reduced front-end weight for improved performance.
- BNC valving eliminates bouncing.
- Kit comes complete with (2) shocks, (2) springs, and (2) adjuster nuts.



1967-1969 Camaro/Firebird

	SINGLE ADJUSTABLE	DOUBLE ADJUSTABLE
SMALL BLOCK	4SA/SR350	4DA/SR350
BIG BLOCK	4SA/SR450	4DA/SR450

Eliminator Single-Adjustable Complete Kit:

Eliminator Double-Adjustable Complete Kit:

\$855⁹⁹



1970-1981 Camaro/Firebird

	SINGLE ADJUSTABLE	DOUBLE ADJUSTABLE
SMALL BLOCK	5SA/GM300	5DA/GM300
SMALL BLOCK (1-2" LOWERS	ED) 4SA/GM300	4DA/GM300
SMALL BLOCK	5SA/GM375	5DA/GM375
SMALL BLOCK (1-2" LOWERS	ED) 4SA/GM375	4DA/GM375
BIG BLOCK	5SA/GM450	5DA/GM450
BIG BLOCK (1-2" LOWERED)	4SA/GM450	4DA/GM450



1964-1967 Chevelle

	SINGLE ADJUSTABLE	DOUBLE ADJUSTABLE
SMALL BLOCK	4SA/SR350	4DA/SR350
BIG BLOCK	4SA/SR450	4DA/SR450



1968-1972 Chevelle/Monte Carlo/Malibu

	SINGLE ADJUSTABLE	DOUBLE ADJUSTABLE
SMALL BLOCK	4SA/SR350	4DA/SR350
BIG BLOCK	4SA/SR450	4DA/SR450



1973-1988 Chevelle/Monte Carlo/Malibu

	SINGLE ADJUSTABLE	DOUBLE ADJUSTABLE
SMALL BLOCK	4SA/GM300	4DA/GM300
SMALL BLOCK (1-2" LOWERE	D) 4SA/GM375	4DA/GM375
SMALL BLOCK	4SA/GM400	4DA/GM375
BIG BLOCK	4SA/GM450	4DA/GM450



1968-1974 Nova

SI	NGLE ADJUSTABLE	DOUBLE ADJUSTABLE
SMALL BLOCK	5SA/SR450	5DA/SR450
SMALL BLOCK (1-2" LOWERED)	N/A	4DA/SR450
BIG BLOCK	5SA/SR550	5DA/SR550
BIG BLOCK (1-2" LOWERED)	N/A	4DA/SR550



1975-1979 Nova

	SINGLE ADJUSTABLE	DOUBLE ADJUSTABLE
SMALL BLOCK	5SA/GM300	5DA/GM300
SMALL BLOCK	5SA/GM375	5DA/GM375
BIG BLOCK	5SA/GM400	5DA/GM400
BIG BLOCK	5SA/GM450	5DA/GM450
BIG BLOCK	5SA/GM550	5DA/GM550



(2) Shocks, (2) Springs and (2) Adjuster Nuts

STREET FIGHTER

REBOUND ADJUSTABLE STOCK MOUNT

MONOTUBE STEEL

AFCO is proud to announce that our latest monotube technology is now available in single adjustable stock mount design for many street and strip applications. This new stock mount shock is designed to fit in the OEM locations and offers great control, consistency and tunability. A wide range of rebound adjustability lets you tune your chassis from controlling the initial hit at the rear tires to controlling front weight transfer to keep those tires hooked. Now is the right time to invest in higher shock technology. Choose AFCO Racing Shocks!

- Single adjustable (rebound) design for non-coil-over applications.
- Wide range of adjustment with the ability to fine tune your chassis.
- OEM mounting allows for easy install without modifications.
- Rebuildable & revalvable for long life and great performance.
- 1/2" hard chrome piston rod.

STOCK MOUNT APPLICATION GUIDE

FROM	IT NON-WHEEL STANDER	FRONT WHEEL STANDER	REAR
CHEVROLET (AND BUICK/OLD	SMOBILE/PONTI	AC VARIANTS)	
'82-'04 BLAZER, S-10 (2WD)	70101	70102	70201
'68-'87 EL CAMINO	70101	70102	70201
'64-'67 EL CAMINO	70501	70502	70201
'68-'83 CHEVELLE, MALIBU	70101	70102	70201
'64-'67 CHEVELLE, MALIBU	70501	70502	70201
'74-'79 NOVA	70101	70102	70201
′73 NOVA NON - H.D. REAR	70101	70102	N/A
'73 NOVA WITH H.D. REAR	70101	70102	70201
'68-'72 NOVA W / MONOLEAF	70101	70102	70201
'68-'72 NOVA W / MULTILEAF	70101	70102	70201
'70-'88 MONTE CARLO	70101	70102	70201
'75-'80 MONZA	70101	70102	N/A
'72-'77 VEGA	70101	70102	N/A
'67-'69 CAMARO	70101	70102	70401
'70-'81 CAMARO	70501	70502	70301



MUSCLE CAR

NON & SINGLE ADJUSTABLE

TWIN TUBE ALUMINUM

- High performance handling for every generation.
- Shocks offer velocity sensitive deflective disk valving which optimizes control and handling.
- Adjustable shocks provide countless tuning options giving you full control over your car's handling capabilities.
- 100% dyno-tuned for accuracy and quality.



MACHINED ALUMINUM BODY.



COIL-OVER KIT INCLUDED PART# 20135CPR0

NON-ADJUSTABLE

		5	GUGGESTE	D STATIC	5/8"	1/2"	5/8"
STROKE	COMP	EXT	SPRING	SHOCK LENGTH	BEARING	BEARING	BUSHING
3"	9.32"	12.25"	7"	10"-11"	1330SR5T	1330SRT	1330SRBT
4"	10.32"	14.25"	7"-8"	11"-12"	1340SR5T	1340SRT	1340SRBT
5"	11.32"	16.25"	10"-12"	13"-14"	1350SR5T	1350SRT	1350SRBT
7"	13.32"	20.25"	14"	15.5"-17.5"	1370SR5T	1370SRT	1370SRBT
THE ABO	VE SHOCK	KS COME	WITH A 1"	WIDE BEARING.			

Muscle Car Non-Adjustable:

\$224⁹⁹

SINGLE ADJUSTABLE

			SUGGESTED	SUGGESTED	
STROKE	COMP	EXT	SPRING HEIGHT	RIDE HEIGHT	PART #
3"	9.18"	12.08"	7"	9.93"-10.43"	3835CZ
4"	10.18"	14.08"	7"-8"	11.43"-12.43"	3845CZ
5"	11.18"	16.08"	10"-12"	12.93"-13.43"	3855CZ
6"	12.18"	18.08"	12"-14"	13.43"-15.43"	3865CZ
7"	13.18"	20.08"	14"	14.68"-17.68"	3875CZ
THE ABOVE S	SHOCKS COME W	TH A 1" WIDE E	BEARING.		

Muscle Car Single Adjustable:

\$3**49**⁹⁹

APPLICATION GUIDE - SEE PAGES 32-33.



MOUNTING OPTIONS





1/2" ID 1" Wide Bearing Part# 1007X (standard)



5/8" ID 1-3/8" Wide Polyurethane Bushings Part# 20182-1

Great Looks And

PERFORMANCE!



1/2" ID 1-3/8" Wide Polyurethane Bushings Part# 20182-2

COIL-OVER KIT.

Great Looks,

GREAT PERFORMANCE

MUSCLE CAR

DOUBLE ADJUSTABLE

TWIN TUBE ALUMINUM

- High performance handling for every generation.
- Shocks offer velocity sensitive deflective disk valving which optimizes control and handling.
- Adjustable shocks provide countless tuning options giving you full control over your car's handling capabilities.
- 100% dyno-tuned for accuracy and quality.





Stock Mount Shock application guide can be found on P. 32.

Muscle Car





DOUBLE ADJUSTABLE

			SUGGESTED	SUGGESTED	
STROKE	COMP	EXT	SPRING HEIGHT	RIDE HEIGHT	PART #
3"	9.18"	12.08"	7"	9.93"-10.43"	3830PTCZ
4"	10.18"	14.08"	7"-8"	11.43"-12.43"	3840PTCZ
4"	10.18"	14.08"	7"-8"	11.43"-12.43"	3840CF-ALT/BNR6
5"	11.18"	16.08"	10"-12"	12.93"-13.43"	3850PTCZ
6"	12.18"	18.08"	12"-14"	13.43"-15.43"	3860PTCZ
7"	13.18"	20.08"	14"	14.68"-17.68"	3870PTCZ
THE ABOVE	E SHOCKS CO	OME WITH A	1" WIDE BEARING.		

APPLICATION GUIDE - SEE PAGES 32-33.







PART# 1007X

MOUNTING OPTIONS





1" Wide Bearing Part# 1007X (standard)



1-3/8" Wide Polyurethane Bushings Part# 20182-1



1-3/8" Wide Polyurethane Bushings Part# 20182-2



MUSCLE CAR STOCK MOUNT APPLICATION GUIDE

FORD	FRONT SINGLE	FRONT DOUBLE	REAR SINGLE	REAR DOUBLE
'72-'79 FAIRLANE-TORINO	N/A	N/A	3875CR	3870CR
'66-'70 FALCON	N/A	N/A	3875CR	3870CR
'65-'86 FULL-SIZE	N/A	N/A	3875CR	3870CR
'57-'59 FULL-SIZE	N/A	N/A	N/A	N/A
'81-'82 GRANADA	N/A	N/A	3875CR	3870CR
'79-'04 MUSTANG	N/A	N/A	3875CR	3870CR
'72-'79 RANCHERO	N/A	N/A	3875CR	3870CR
'67-'79 T-BIRD	N/A	N/A	3875CR	3870CR
MERCURY	FRONT SINGLE	FRONT DOUBLE	REAR SINGLE	REAR DOUBLE
'79-'86 CAPRI	N/A	N/A	3875CR	3870CR
'80-'82 COUGAR	N/A	N/A	3875CR	3870CR
'74-'79 COUGAR	N/A	N/A	3875CR	3870CR
'65-'86 FULL-SIZE	N/A	N/A	3875CR	3870CR
'72-'76 MONTEGO	N/A	N/A	3875CR	3870CR
CHRYSLER	FRONT SINGLE	FRONT DOUBLE	REAR SINGLE	REAR DOUBLE
'74-'78 FULL-SIZE	N/A	N/A	3895CM	3890CM
'57-'64 FULL-SIZE	N/A	N/A	3895CM	3890CM
DODGE	FRONT SINGLE	FRONT DOUBLE	REAR SINGLE	REAR DOUBLE
'70-'74 CHALLENGER	3855CM	3850CM	3895CM	3890CM
'73-'78 CHARGER, CORONET	3855CM	3850CM	N/A	N/A
'65-'72 CHARGER, CORONET	3855CM	3850CM	3895CM	3890CM
'75-'76 CORDOBA	N/A	N/A	3895CM	3890CM
'77-'79 MAGNUM	3855CM	3850CM	3895CM	3890CM
'64-'76 DART	3855CM	3850CM	3895CM	3890CM
'79-'92 TRUCK	3845CF	3840CF	N/A	N/A
'62-'78 MONACO	3855CM	3850CM	3895CM	3890CM
'61-'62 MONACO	N/A	N/A	3895CM	3890CM
PLYMOUTH	FRONT SINGLE	FRONT DOUBLE	REAR SINGLE	REAR DOUBLE
'64-'74 BARRACUDA	3855CM	3850CM	3895CM	3890CM
'73-'74 SATELLITE , BELVEDERE	N/A	N/A	3895CM	3890CM
'65-'72 SATELLITE, BELVEDERE	3855CM	3850CM	3895CM	3890CM
'62-'70 SAVOY, FURY, BELVEDERE	3855CM	3850CM	3895CM	3890CM
'67-'70 GTX	3855CM	3850CM	3895CM	3890CM
'68-'75 ROADRUNNER	3855CM	3850CM	3895CM	3890CM
'64-'76 DUSTER, VALIANT	3855CM	3850CM	3895CM	3890CM
CHEVROLET (BUICK, OLDS, PONT.)	FRONT SINGLE	FRONT DOUBLE	REAR SINGLE	REAR DOUBLE
'82-'96 BLAZER, S-10				
'68-'87 EL CAMINO	3845CF	3840CF	3875CR-1 ①	3870CR-1 ①
'64-'67 EL CAMINO	3845CF	3840CF 3840CF	3875CR-1 ① 3875CR-1 ①	3870CR-1
	3845CF 3845CF	3840CF 3840CF 3840CF	3875CR-1 ① 3875CR-1 ① 3875CR-1 ①	3870CR-1 ① 3870CR-1 ① 3870CR-1 ①
'93-'02 CAMARO	3845CF 3845CF 3875CF	3840CF 3840CF 3840CF 3870CF	3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR	3870CR-1 ① 3870CR-1 ① 3870CR-1 ① 3870CR
'82-'92 CAMARO	3845CF 3845CF 3875CF N/A	3840CF 3840CF 3840CF 3870CF N/A	3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR 3875CR 3875CR	3870CR-1 ① 3870CR-1 ① 3870CR-1 ① 3870CR 3870CR
'82-'92 CAMARO '70-'81 CAMARO	3845CF 3845CF 3875CF N/A 3855CF	3840CF 3840CF 3840CF 3870CF N/A 3850CF	3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR-2 ①	3870CR-1 ① 3870CR-1 ① 3870CR-1 ① 3870CR 3870CR 3870CR 3870CR
'82-'92 CAMARO '70-'81 CAMARO '67-'69 CAMARO	3845CF 3845CF 3875CF N/A 3855CF 3845CF	3840CF 3840CF 3840CF 3870CF N/A 3850CF 3840CF	3875CR-1	3870CR-1
'82-'92 CAMARO '70-'81 CAMARO '67-'69 CAMARO '68-'83 CHEVELLE, MALIBU	3845CF 3845CF 3875CF N/A 3855CF 3845CF 3845CF	3840CF 3840CF 3840CF 3870CF N/A 3850CF 3840CF 3840CF	3875CR-1	3870CR-1 ① 3870CR-1 ① 3870CR-1 ① 3870CR 3870CR 3870CR 3870CR-2 ① 3870CR 3870CR
'82-'92 CAMARO '70-'81 CAMARO '67-'69 CAMARO '68-'83 CHEVELLE, MALIBU '64-'67 CHEVELLE, MALIBU	3845CF 3845CF 3875CF N/A 3855CF 3845CF 3845CF 3845CF	3840CF 3840CF 3840CF 3870CF N/A 3850CF 3840CF 3840CF 3840CF	3875CR-1	3870CR-1 ① 3870CR-1 ① 3870CR-1 ① 3870CR 3870CR 3870CR 3870CR-2 ① 3870CR 3870CR-1 ①
'82-'92 CAMARO '70-'81 CAMARO '67-'69 CAMARO '68-'83 CHEVELLE, MALIBU '64-'67 CHEVELLE, MALIBU '76-'87 CHEVETTE	3845CF 3845CF 3875CF N/A 3855CF 3845CF 3845CF 3845CF N/A	3840CF 3840CF 3840CF 3870CF N/A 3850CF 3840CF 3840CF 3840CF N/A	3875CR-1	3870CR-1 ① 3870CR-1 ① 3870CR-1 ① 3870CR 3870CR 3870CR 3870CR-2 ① 3870CR 3870CR-1 ① 3870CR-1 ①
'82-'92 CAMARO '70-'81 CAMARO '67-'69 CAMARO '68-'83 CHEVELLE, MALIBU '64-'67 CHEVELLE, MALIBU '76-'87 CHEVETTE '74-'79 NOVA	3845CF 3845CF 3875CF N/A 3855CF 3845CF 3845CF 3845CF N/A 3845CF	3840CF 3840CF 3840CF 3870CF N/A 3850CF 3840CF 3840CF 3840CF N/A 3840CF	3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR 3875CR-2 ① 3875CR 3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR	3870CR-1 ① 3870CR-1 ① 3870CR-1 ① 3870CR 3870CR 3870CR 3870CR-2 ① 3870CR 3870CR-1 ① 3870CR-1 ① 3870CR 3870CR
'82-'92 CAMARO '70-'81 CAMARO '67-'69 CAMARO '68-'83 CHEVELLE, MALIBU '64-'67 CHEVELLE, MALIBU '76-'87 CHEVETTE '74-'79 NOVA '73 NOVA NON - H.D. REAR	3845CF 3845CF 3875CF N/A 3855CF 3845CF 3845CF 3845CF N/A 3845CF 3845CF	3840CF 3840CF 3840CF 3870CF N/A 3850CF 3840CF 3840CF 3840CF N/A 3840CF 3840CF	3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR 2875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR	3870CR-1 ① 3870CR-1 ① 3870CR-1 ① 3870CR 3870CR 3870CR 3870CR-2 ① 3870CR 3870CR-1 ① 3870CR-1 ② 3870CR 3870CR
'82-'92 CAMARO '70-'81 CAMARO '67-'69 CAMARO '68-'83 CHEVELLE, MALIBU '64-'67 CHEVELLE, MALIBU '76-'87 CHEVETTE '74-'79 NOVA '73 NOVA NON - H.D. REAR '73 NOVA WITH H.D. REAR	3845CF 3845CF 3875CF N/A 3855CF 3845CF 3845CF 3845CF N/A 3845CF 3845CF 3845CF	3840CF 3840CF 3840CF 3870CF N/A 3850CF 3840CF 3840CF 3840CF N/A 3840CF 3840CF 3840CF	3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR 2875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR	3870CR-1 ① 3870CR-1 ① 3870CR-1 ① 3870CR 3870CR 3870CR 3870CR-2 ① 3870CR 3870CR-1 ① 3870CR-1 ② 3870CR 3870CR 3870CR 3870CR
'82-'92 CAMARO '70-'81 CAMARO '67-'69 CAMARO '68-'83 CHEVELLE, MALIBU '64-'67 CHEVELLE, MALIBU '76-'87 CHEVETTE '74-'79 NOVA '73 NOVA NON - H.D. REAR '73 NOVA WITH H.D. REAR '68-'72 NOVA W / MONOLEAF	3845CF 3845CF 3875CF N/A 3855CF 3845CF 3845CF 3845CF N/A 3845CF 3845CF 3845CF 3845CF	3840CF 3840CF 3840CF 3870CF N/A 3850CF 3840CF 3840CF 3840CF N/A 3840CF 3840CF 3840CF 3840CF	3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR 2875CR 3875CR	3870CR-1 ① 3870CR-1 ① 3870CR-1 ① 3870CR 3870CR 3870CR-2 ① 3870CR 3870CR-1 ① 3870CR-1 ① 3870CR 3870CR 3870CR 3870CR 3870CR 3870CR 3870CR
'82-'92 CAMARO '70-'81 CAMARO '67-'69 CAMARO '68-'83 CHEVELLE, MALIBU '64-'67 CHEVELLE, MALIBU '76-'87 CHEVETTE '74-'79 NOVA '73 NOVA NON - H.D. REAR '73 NOVA WITH H.D. REAR '68-'72 NOVA W / MONOLEAF '68-'72 NOVA W / MULTILEAF	3845CF 3845CF 3875CF N/A 3855CF 3845CF 3845CF 3845CF N/A 3845CF 3845CF 3845CF 3845CF 3845CF	3840CF 3840CF 3840CF 3870CF N/A 3850CF 3840CF 3840CF 3840CF N/A 3840CF 3840CF 3840CF 3840CF 3840CF	3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR 3875CR-2 ① 3875CR 3875CR-1 ① 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR-1 ① 3875CR-1 ①	3870CR-1 ① 3870CR-1 ① 3870CR-1 ① 3870CR 3870CR 3870CR-2 ① 3870CR 3870CR-1 ① 3870CR-1 ① 3870CR 3870CR 3870CR 3870CR 3870CR 3870CR 3870CR-1 ① 3870CR-1 ①
'82-'92 CAMARO '70-'81 CAMARO '67-'69 CAMARO '68-'83 CHEVELLE, MALIBU '64-'67 CHEVELLE, MALIBU '76-'87 CHEVETTE '74-'79 NOVA '73 NOVA NON - H.D. REAR '73 NOVA WITH H.D. REAR '68-'72 NOVA W / MONOLEAF '68-'72 NOVA W / MULTILEAF	3845CF 3845CF 3875CF N/A 3855CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF	3840CF 3840CF 3840CF 3870CF N/A 3850CF 3840CF 3840CF 3840CF N/A 3840CF 3840CF 3840CF 3840CF 3840CF 3840CF	3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR 3875CR-1 ① 3875CR-1 ①	3870CR-1 ① 3870CR-1 ① 3870CR-1 ① 3870CR 3870CR 3870CR-2 ① 3870CR 3870CR-1 ① 3870CR-1 ① 3870CR 3870CR 3870CR 3870CR 3870CR 3870CR 3870CR-1 ① 3870CR-1 ① 3870CR-1 ①
'82-'92 CAMARO '70-'81 CAMARO '67-'69 CAMARO '68-'83 CHEVELLE, MALIBU '64-'67 CHEVELLE, MALIBU '76-'87 CHEVETTE '74-'79 NOVA '73 NOVA NON - H.D. REAR '73 NOVA WITH H.D. REAR '68-'72 NOVA W / MONOLEAF '68-'72 NOVA W / MULTILEAF '62-'67 CHEVY II, NOVA W / MULTILEAF '63-'82 CORVETTE	3845CF 3845CF 3875CF N/A 3855CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF	3840CF 3840CF 3840CF 3870CF N/A 3850CF 3840CF 3840CF 3840CF N/A 3840CF 3840CF 3840CF 3840CF 3840CF 3840CF	3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR-1 ① 3875CR-1 ① 3875CR-1 ①	3870CR-1
'82-'92 CAMARO '70-'81 CAMARO '67-'69 CAMARO '68-'83 CHEVELLE, MALIBU '64-'67 CHEVELLE, MALIBU '76-'87 CHEVETTE '74-'79 NOVA '73 NOVA NON - H.D. REAR '73 NOVA WITH H.D. REAR '68-'72 NOVA W / MONOLEAF '68-'72 NOVA W / MULTILEAF '62-'67 CHEVY II, NOVA W / MULTILEAF '63-'82 CORVETTE	3845CF 3845CF 3875CF N/A 3855CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF	3840CF 3840CF 3840CF 3870CF N/A 3850CF 3840CF 3840CF 3840CF N/A 3840CF 3840CF 3840CF 3840CF 3840CF 3840CF 3840CF	3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR-1 ③	3870CR-1
'82-'92 CAMARO '70-'81 CAMARO '67-'69 CAMARO '68-'83 CHEVELLE, MALIBU '64-'67 CHEVELLE, MALIBU '76-'87 CHEVETTE '74-'79 NOVA '73 NOVA NON - H.D. REAR '73 NOVA WITH H.D. REAR '68-'72 NOVA W / MONOLEAF '68-'72 NOVA W / MULTILEAF '62-'67 CHEVY II, NOVA W / MULTILEAF '63-'82 CORVETTE '53-'62 CORVETTE	3845CF 3845CF 3875CF N/A 3855CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF N/A 3845CF N/A 3845CF	3840CF 3840CF 3840CF 3870CF N/A 3850CF 3840CF 3840CF 3840CF N/A 3840CF 3840CF 3840CF 3840CF 3840CF 3840CF 3840CF 3840CF	3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR-1 ① 3875CR	3870CR-1
'82-'92 CAMARO '70-'81 CAMARO '67-'69 CAMARO '68-'83 CHEVELLE, MALIBU '64-'67 CHEVELLE, MALIBU '76-'87 CHEVETTE '74-'79 NOVA '73 NOVA NON - H.D. REAR '73 NOVA WITH H.D. REAR '68-'72 NOVA W / MONOLEAF '68-'72 NOVA W / MULTILEAF '62-'67 CHEVY II, NOVA W / MULTILEAF '63-'82 CORVETTE '53-'62 CORVETTE '55-'57 FULL-SIZE	3845CF 3845CF 3875CF N/A 3855CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF N/A 3845CF N/A	3840CF 3840CF 3840CF 3870CF N/A 3850CF 3840CF 3840CF 3840CF N/A 3840CF 3840CF 3840CF 3840CF 3840CF 3840CF 3840CF 3840CF N/A	3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR-1 ① 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR-1 ① 3875CR N/A 3875CR 3875CR	3870CR-1
'82-'92 CAMARO '70-'81 CAMARO '67-'69 CAMARO '68-'83 CHEVELLE, MALIBU '64-'67 CHEVELLE, MALIBU '76-'87 CHEVETTE '74-'79 NOVA '73 NOVA NON - H.D. REAR '73 NOVA WITH H.D. REAR '68-'72 NOVA W / MONOLEAF '68-'72 NOVA W / MULTILEAF '62-'67 CHEVY II, NOVA W / MULTILEAF '63-'82 CORVETTE '53-'62 CORVETTE '55-'57 FULL-SIZE '70-'88 MONTE CARLO	3845CF 3845CF 3875CF N/A 3855CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF N/A 3845CF N/A 3845CF N/A 3845CF N/A 3845CF N/A	3840CF 3840CF 3840CF 3870CF N/A 3850CF 3840CF 3840CF 3840CF N/A 3840CF 3840CF 3840CF 3840CF 3840CF 3840CF 3840CF 3840CF N/A 3840CF N/A	3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR N/A 3875CR 3875CR 0 3875CR 10 3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR-1 ①	3870CR-1
'82-'92 CAMARO '70-'81 CAMARO '67-'69 CAMARO '68-'83 CHEVELLE, MALIBU '64-'67 CHEVELLE, MALIBU '76-'87 CHEVETTE '74-'79 NOVA '73 NOVA NON - H.D. REAR '73 NOVA WITH H.D. REAR '68-'72 NOVA W / MONOLEAF '68-'72 NOVA W / MULTILEAF '62-'67 CHEVY II, NOVA W / MULTILEAF '63-'82 CORVETTE '53-'62 CORVETTE '65-'86 FULL-SIZE	3845CF 3845CF 3875CF N/A 3855CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF 3845CF N/A 3845CF N/A	3840CF 3840CF 3840CF 3870CF N/A 3850CF 3840CF 3840CF 3840CF N/A 3840CF 3840CF 3840CF 3840CF 3840CF 3840CF 3840CF 3840CF N/A	3875CR-1 ① 3875CR-1 ① 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR-1 ① 3875CR-1 ① 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR 3875CR-1 ① 3875CR N/A 3875CR 3875CR	3870CR-1

① May need to "slot" tie bar mount. ② Mounting point modifications may be needed.

MUSCLE CAR STOCK MOUNT APPLICATION GUIDE

DOUBLE

3845CF



Coil-over hardware kit sold separately (kit # 20135DC - See page 34). Can be used as a coil-over with chrome tapered springs (See page 40) sold separately.

DOUBLE 3850CM

3855CM SINGLE

Comes with coil-over hardware (20135DC).

DOUBLE

3870CF 3875CF

SINGLE



Comes with coil-over hardware (20135DC) and mounting bracket (20146). Also available: 3870F/BNC. (See page 23) for more info.

DOUBLE

3870CR-1 3875CR-1

SINGLE



Coil-over hardware kit sold separately (kit # 20135DC - See page 34).

DOUBLE

3870CR 3875CR

SINGLE

Coil-over hardware kit sold separately (kit # 20135DC - See page 34).

DOUBLE

3870CR-2 3875CR-2

SINGLE



Coil-over hardware kit sold separately (kit # 20135DC - See page 34).

DOUBLE 3890CM

3895CM SINGLE

Comes with coil-over hardware (20135DC).

Single Adjustable:

Muscle Car

Muscle Car Double Adjustable:

REPLACEMENT MOUNTS

B1





B2





B3





В4





B5





B6





S1





S2







SHOCK ACCESSORIES


COIL-OVER KITS

ALUMINUM THREADED C/O KIT (BLUE / BLACK CONICAL CONE)




DESCRIPTION	PART #	PRICE
TAPERED CONE KIT	20135PR0	\$69.99
TAPERED CONE KIT - BLACK	20135PR0B	\$69.99
A) ADJUSTER NUT ONLY	0000688.10	\$32.99
B) SPRING SEAT ONLY (TAPERED CONE)	20130	\$29.99
C) SNAP RING ONLY	10243SR	\$5.99
D) ADJUSTER NUT ONLY BLACK	0000688.20	\$31.99
e) spring seat only (tapered cone) black	20130B	\$29.99

ALUMINUM THREADED C/O KIT - (CLEAR CONICAL CONE)



DESCRIPTION	PART #	PRICE
TAPERED CONE KIT	20135CPR0	\$69.99
A) ADJUSTER NUT ONLY	0000688.30	\$31.99
B) SPRING SEAT ONLY (TAPERED CONE)	20130C	\$29.99
C) SNAP RING ONLY	10243SR	\$5.99

ALUMINUM THREADED C/O KIT (BLUE / BLACK FLAT CONE)



DESCRIPTION	PART #	PRICE
FLAT CONE KIT	20135D	\$65.99
A) ADJUSTER NUT ONLY	20131APR0	\$36.99
B) SPRING SEAT ONLY (FLAT CONE)	20128D	\$35.19
C) SNAP CLIP	10243SR	\$5.99
D) ADJUSTER NUT ONLY BLACK	0000688.20	\$31.99
E) SPRING SEAT ONLY (FLAT CONE) BLACK	20128DB	\$31.19
*THIS KIT IS STANDARD IN ALL DRAG COIL-OVER S	SHOCKS.	



REPLACEMENT ALLEN BOLT


DESCRIPTION	PART #	PRICE
ALAN BOLT	0000688.03	\$1.99

ALUMINUM THREADED C/O KIT - (CLEAR FLAT CONE)



DESCRIPTION	PART #	PRICE
FLAT CONE KIT	20135DC	\$65.99
A) ADJUSTER NUT ONLY	0000688.30	\$31.99
B) SPRING SEAT ONLY (FLAT CONE)	20128DC	\$35.19
C) SNAP CLIP	10243SR	\$5.99

ADJUSTABLE NUT REBUILD KIT





ROD ENDS



Z ROD END)
20172CD	

20177CD

STD. ROD END +1" 20177-1CD

STD. ROD END +2" 20177-2CD

DESCRIPTION	PART #	PRICE
Z STYLE ROD END WITH SIDE KNOB (SILVER)	20172CD	\$64.99
STD. ADJUSTABLE ROD END (SILVER)	20177CD	\$124.99
ADJUSTABLE ROD END 1" EXT. (SILVER)	20177-1CD	\$134.99
ADJUSTABLE ROD END 2" EXT. (SILVER)	20177-2CD	\$134.99

ROD ENDS WITH 1007X DRAG BEARING INSTALLED











Z ROD END 20172D

STD. ROD END 20177D

STD. ROD END+1" 20177-1D

STD. ROD END+1" 20177-1BD

STD. ROD END+2" 20177-2D

DESCRIPTION	PART #	PRICE
Z STYLE ROD END WITH SIDE KNOB (BLUE)	20172D	\$69.99
STD. ADJUSTABLE ROD END (BLUE)	20177D	\$124.99
STD. ADJUSTABLE ROD END (BLACK)	A550100012B	\$99.99
ADJUSTABLE ROD END 1" EXT. (BLUE)	20177-1D	\$134.99
ADJUSTABLE ROD END 1" EXT. (BLACK)	20177-1BD	\$134.99
ADJUSTABLE ROD END 2" EXT. (BLUE)	20177-2D	\$106.99

MOUNTING HARDWARE

TIE BAR KIT (BEARING STYLE)

- Replacement T Bar for AFCO Shocks.
- Lower mount for 93+ F-body front shocks & custom applications.
- Uses 1080TX 5/8" bearing.



DESCRIPTION	PART #	PRICE
TIF BAR KIT	20147-3	\$43.00


TIE BAR KIT

- Replacement T Bar for AFCO Shocks.
- Converts bearing end to a bar mount.
- Lower front GM, rear upper GM, & others.
- Fits O.E. lower control arm.



TIE BAR KIT

- Replacement T Bar for AFCO Shocks.
- Converts bearing end to a bar mount.
- GM rear upper, & others.
- Fits aftermarket lower arms.



DESCRIPTION	PART #	PRICE
TIE BAR KIT	20147-4	\$49.99

1993-2002 **CAMARO/FIREBIRD** SHOCK MOUNT

Converts O.E. upper mount to accept shock eyelet bearing mount. Comes complete with all hardware.



DESCRIPTION	PART #	PRICE
SHOCK MOUNT 93-02 CAMARO/FIREBIRD	20146	\$60.49

COIL-OVER MOUNTS



20137 Universal mount



20137-1 Narrow universal mount



20138 For round tube lower control arm



20139 Roll cage mount: 1/2" bolt

DESCRIPTION	PART #	PRICE
BUSHING ONLY	20136B	\$10.99
UNIVERSAL MOUNT	20137	\$29.99
UNIVERSAL MOUNT - NARROW	20137-1	\$18.99
ROUND TUBE MOUNT	20138	\$29.99
ROLL CAGE MOUNT	20139	\$29.99

SHOCK ACCESSORIES

CANISTER MOUNTS

Use to mount shock canisters to chassis.



DESCRIPTION	PART #	PRICE
1-1/4" CANISTER MOUNT	50330	\$109.99
1-3/8"	50329	\$109.99
1-1/2"	50331	\$109.99
1-3/4"	50332	\$109.99
QUICK PINS (4 PACK)	50334	\$32.99

BEARINGS & BUSHINGS

Poly Bushings 1/2" Bearing 1/2" Bearing 5/8" Bearing

20182-1 20182-2 1000 1007X 1080TX

DESCRIPTION	PART #	PRICE
1/2" I.D. X 0.625" WIDE BEARING (EACH)	1000	\$19.99
1/2" I.D. X 1.06" WIDE BEARING (EACH)	1007X	\$10.99
5/8" I.D. X 0.5" WIDE BEARING (EACH)	1080TX	\$14.99
5/8" I.D. POLYURETHANE BUSHINGS (PAIR)	20182-1	\$29.99
1/2" I.D. POLYURETHANE BUSHINGS (PAIR)	20182-2	\$29.99

COIL-OVER ADJ. NUT BEARING KIT

- Makes adjustments easier.
- Protects shock hardware.



DESCRIPTION	PART #	PRICE
ADJUSTER NUT BEARING KIT (1 PAIR)	20144	\$79.99

STREET ROD ADJ SHOCK STUD MOUNT ASSY.

- Converts shaft end of shock to a stud top mount.
- For shocks purchased after Nov. 2006 - T2 Kit



DESCRIPTION	PART #	PRICE
T2 STOCK MOUNT KIT	20180-3A	\$54.99

SHOCK BUMPER



	20173	223559
DESCRIPTION	PART #	PRICE
CONE FOR FOAM BUMPER	20173	\$23.09
2.25" SPEEDTHANE BUMPER ONLY	223539	\$32.99
3" SPEEDTHANE BUMPER ONLY	223559	\$32 99

SPANNER WRENCH

Used for adjusting coil-over nuts. It is recommended that spring pressure be relieved before adjusting.

- Fits all makes of shocks.
- Swivel design.



DESCRIPTION	PART #	PRICE
ADJUSTABLE SPANNER WRENCH	20110	\$54.99

SPRING RUBBER

Spring rate can change depending on the thickness of the rubber, the location of the rubber, and the type of spring being used. Use with coil springs to increase effective spring rates. Make fast & easy spring rate changes!



- Comes in 7/8" and 3/4" thickness.
- Will fit any brand of 2-1/2" or 2-5/8" coil-over springs, including barrel springs and conventional springs.

DESCRIPTION	PART #	PRICE
COIL-OVER SPRING RUBBER 3/4"	20185	\$54.99
COIL-OVER SPRING RUBBER 1"	20185-1	\$54.99
SPRING RUBBER FOR 5" OR 5-1/2" CONVENTIONAL COIL	20186	\$21.99

SHOCK ACCESSORIES

REMOTE ADJUSTER 7' LENGTH

- · Allows shock to be remotely adjusted.
- Allows for additional mounting options.
- Make adjustments without raising car (front or back).
- Can be cockpit adjustable.
- Must purchase 20152 to convert shock to Compression adjustable.



DESCRIPTION	PART #	PRICE
REMOTE ADJUSTER 7'	20150	\$124.99

COMPRESSION REMOTE ADJUSTER ADAPTER

- Allows 20150 Remote Adjuster to be mounted on all 38 Series Shocks.
- Provides ability to adjust Compression remotely.
- Must be purchased with 20150 to make shock remote Compression adjustable



DESCRIPTION	PART #	PRICE
ADAPTER COMP REMOTE ADJ	20152	\$43.99

UPPER SHOCK MOUNT KIT SWIVEL DESIGN COIL-OVER STYLE

- Swivel design for coil-over applications.
- Used when mounting shock in OEM location and using as a "true coil-over".
- AFCO Shock upper high misalignment stud top mount.
- Provides additional range of motion for high travel suspensions.
- Fits all post-style mounting configurations promoting bind-free mounting where OEM mounts must be used.

DESCRIPTION	PART #	PRICE
UPPER SHOCK MOUNT KIT SWIVEL DESIGN COIL-OVER STYLE	20145	\$98.99



SHOCK MOUNT PINS



DESCRIPTION	PART #	PRICE
HAIRPIN, 2-1/2"	10156-2	\$14.99
DETENTED, 2-1/2"	10156	\$39.99

REPLACEMENT KNOB, **SCREW, AND WASHER**

For all shocks that use our adjustment knobs







DESCRIPTION	PART #	PRICE
ALUMINUM COMPRESSION KNOB	A550040023X	\$10.99
BOLT BHSCS 8-32 X 7/16	A550090016X	\$2.99
WASHER #8 INTERNAL SS	A550090029X	\$2.99

AFCO SUSPENSION

EXTREME CHROME COIL-OVER SPRINGS

- 360° polished wire An industry EXCLUSIVE!
- Huge inventory and selection much wider than the competition.
- Market's best guarantee to stay within 1% tolerance of original free height (most other springs have a 5% guarantee).
- Best product presentation in the market: 4 color box, blue cloth protective sleeve.

Extreme Chrome Coil-Over Springs

\$79⁹⁹



BEST CHROME SPRING VALUE ON THE MARKET!

Rigorous testing and design have yielded what we believe to be the best chrome spring on the market in regards to look and performance. Whether you are building a purpose-built drag strip machine or a beautiful show cruiser, these springs will provide the strength, durability and show stopping good looks you desire.

We completely polish these springs, inside and out, for 360 degrees of high-quality chrome finish. That's why we have given these springs the "Extreme Chrome" name. Many other chrome spring manufacturers only polish the outside diameter surface of the spring. AFCO wanted a spring that looked amazing from any angle, not just the outside. That's why we've gone the extra mile to provide a superior looking product.

All AFCOIL® springs come with the best satisfaction and performance guarantee in the industry. Rest assured that your AFCOIL® Extreme Chrome Springs will last and perform as expected, or we'll replace them for free.

AFCO OFFERS MORE SPRING RATES AND MORE LENGTHS THAN ANY COMPETITOR

7" EXTREM	E CHROME
RATE	PART #
300	27300-1CR
350	27350-1CR
400	27400-1CR
450	27450-1CR
8" EXTREM	E CHROME
RATE	PART #
150	28150-1CR
200	28200-1CR
225	28225-1CR
250	28250-1CR
300	28300-1CR
325	28325-1CR
350	28350-1CR
375	28375-1CR
400	28400-1CR
450	28450-1CR
500	28500-1CR

10" EXTRE	ME CHROME
RATE	PART #
115	23115CR
125	23125CR
140	23140CR
150	23150CR
165	23165CR
175	23175CR
200	23200CR
225	23225CR
250	23250CR
275	23275CR
300	23300CR
325	23325CR
350	23350CR
375	23375CR
400	23400CR
425	23425CR
450	23450CR
500	23500CR
550	23550CR
600	23600CR

12" FYTR	EME CHROME	14" FYTR	EME CHROME
RATE	PART #	RATE	PART #
95	22095CR	80	24080CR
110	22110CR	100	24100CR
125	22125CR	110	24110CR
150	22150CR	125	24125CR
175	22175CR	150	24150CR
185	22185CR	175	24175CR
200	22200CR	185	24185CR
225	22225CR	200	24200CR
250	22250CR	225	24225CR
275	22275CR	250	24250CR
300	22300CR	275	24275CR
350	22350CR	300	24300CR
375	22375CR		
400	22400CR		
500	22500CR		

AFCOIL LIFETIME WARRANTY

AFCOIL® springs are manufactured using the finest spring material available. They are designed for extended life and consistent performance. They are guaranteed to do the job for which they are designed for as long as they are owned by the original purchaser.

COIL-OVER SPRINGS: AFCO will replace any AFCOIL® spring that ever exceeds the maximum allowable 1% loss of free height from original nominal specification. One way freight is included.

CONVENTIONAL SPRINGS: AFCO will replace any AFCOIL® spring that ever exceeds the maximum allowable 2% loss of free height from original nominal specification. One way freight is included.

- 1. Guarantee applies to original retail purchaser only.
- 2. Damaged springs not covered by warranty.
- Spring must be returned to AFCO freight prepaid along with a copy of the original invoice.
- No other warranty, either expressed or implied, applies to AFCOIL® springs. (Warranty not valid without invoice.)

ULTRA LIGHTWEIGHT BLACK COATED SPRINGS

You asked for it and AFCO delivered! Responding to market demand, now you can run high-quality AFCO springs and still get that "blacked out" look!

- AFCOIL® Springs featuring all new black coating!
- Get the performance you are looking for with the tightest tolerances in the industry.
- All AFCOILS® are manufactured using ultra-high tensile wire.
- These springs are guaranteed not to lose more than 1% of free height.
- 2-5/8" I.D. design prevents spring lean and bow.
- Lifetime Warranty!



4" BLACK COATED

PART #

26300B

26400B

26600B

RATE

300

400

600

011 DI AO	V OOATED	40" DI 40	W OOATED
8" BLAC	K COATED	10" BLAC	CK COATED
RATE	PART #	RATE	PART #
200	28200-1B	125	23125E
300	28300-1B	225	23225E
425	28425-1B	275	23275E
450	28450-1B	300	23300E
475	28475-1B	325	23325E
500	28500-1B	350	23350E
550	28550-1B	375	23375E
575	28575-1B	400	23400E
		425	23425

10" BLAC	K COATED	12" BLACK COATED		
RATE	PART #	RATE	PART #	
125	23125B	80	22080B	
225	23225B	100	22100B	
275	23275B	110	22110B	
300	23300B	125	22125B	
325	23325B	150	22150B	
350	23350B	160	22160B	
375	23375B	175	22175B	
400	23400B	185	22185B	
425	23425B	200	22200B	
450	23450B	225	22225B	
500	23500B	250	22250B	
525	23525B	275	22275B	
550	23550B	300	22300B	
575	23575B	325	22325B	
600	23600B	350	22350B	
650	23650B	375	22375B	
		400	22400B	
		425	22425B	
		450	22450B	
		500	22500B	
		525	22525B	

14" BLACK	COATED
RATE	PART #
125	24125E
150	24150E
175	24175E
185	24185E
200	24200E
225	24225E
250	24250E
300	24300E
350	24350E

NOTE: ALL 12" & 14' SPRINGS (UP TO 600 LBS./IN.) HAVE EXTRA SHOCK CLEARANCE WOUND INTO THE ACTIVE COILS. THE END COILS STILL TAKE STANDARD COIL-OVER HARDWARE.

TAKE-UP SPRING

550

600





22550B

22600B

22650B

DESCRIPTION PART # PRICE 2-5/8" ID X 5 LBS. 27005B \$59.99 2-5/8" SPRING GUIDE 20183-1 \$43.99

SUGGESTED STRUT COIL SPRING RATES

197	79-2004 MUSTANG		19	82-1992 CAMARO
RATE	ENGINE COMBO		RATE	ENGINE COMBO
100	SB (N/A & NO2)		175	SB (N/A & N02)
125	SB (POWER ADDER)		200	SB (POWER ADDER)
150	BB (N/A & NO2)		225	BB (N/A & NO2)
175	BB (POWER ADDER)		250	BB (POWER ADDER)
2005	-PRESENT MUSTANG		20	10-2015 CAMARO
RATE	ENGINE COMBO		RATE	ENGINE COMBO
110	SB (N/A & NO2)		200	SB (N/A & N02)
150	SB (POWER ADDER)		225	SB (POWER ADDER)
175	BB (N/A & NO2)		250	BB (N/A & NO2)
185	BB (POWER ADDER)		275	BB (POWER ADDER)
	SPINDLE N	10l	JNT STY	LE
RATE	FRONT WEIGHT		RATE	FRONT WEIGHT
150	1100 LBS.		200	1500 LBS.

SUGGESTED COIL SPRING RATES

If shock is mounted at an angle, refer to the ride rate correction chart to the right.

DEAD

EDONT ALARM

rn	UNI A-ARIVI	REAR		
Rate	Total on Front Tires	Rate	Total on Rear Tires	
200	600-800 LBS.	65	UNDER 800 LBS.	
250	800-1000 LBS.	80	800-1000 LBS.	
275	1000-1100 LBS.	95	1000-1100 LBS.	
300	1100-1200 LBS.	110	1100-1200 LBS.	
350	1200-1500 LBS.	130	1200-1300 LBS.	
400	1500-1800 LBS.	140	1300-1400 LBS.	
450	1800-2000 LBS.	150	1500-1700 LBS.	
500	2000-2300 LBS.	170	1700-2300 LBS.	
550	2300-2500 LBS.	200	2600-2900 LBS.	
600	2600 + LBS.	250	2600-2900 LBS.	
		300	2900-3200 LBS.	

THE ABOVE CHART IS FOR BASELINE RECOMMENDATIONS. FINE TUNING MAY BE REQUIRED.

CORRECTION CHART WHEN SHOCK AND / OR Mounting **SPRINGS ARE ANGLED:** Angle

RIDE RATE

MOUNT ANGLE 10° 15° 20° 25° 30° RATE

MULTIPLIER .97 .93 .88 .82 .75

EXAMPLE: A 200 LBS. / INCH SPRING MOUNTED

AT A 20° ANGLE GIVES A 176 LBS. / INCH RATE WHEN FIGURED FOR RIDE RATE (200 X .88)

BLACK & CHROME TAPERED SPRINGS

AFCO Racing Product's new black and chrome tapered spring line is the perfect complement to a great shock line up. These springs can be used for all popular Mustang II front ends as well as converting your favorite GM muscle car's front suspension to a coil-over shock package. Some of the benefits are: ease of installation, weight savings, and accurate and quick adjustment of your ride height and corner weights for maximum performance.

MADE IN THE U.S.A.

DESCRIPTION	PART NUMBER	TOP I.D.	BOTTOM I.D.	RATE	PRICE
8" CHROME TAPERED SPRING	A8SR375	3-1/2"	2-1/2"	375	\$89.99
8" CHROME TAPERED SPRING	A8SR500	3-1/2"	2-1/2"	500	\$89.99
8" CHROME TAPERED SPRING	A8SR600	3-1/2"	2-1/2"	600	\$89.99
10" CHROME TAPERED SPRING	A10SR350	3-1/2"	2-1/2"	350	\$89.99
10" CHROME TAPERED SPRING	A10SR450	3-1/2"	2-1/2"	450	\$89.99
10" CHROME TAPERED SPRING	A10SR550	3-1/2"	2-1/2"	550	\$89.99
10" BLACK TAPERED SPRING	A10GM300	4"	2-5/8"	300	\$89.99
10" BLACK TAPERED SPRING	A10GM375	4"	2-5/8"	375	\$89.99
10" BLACK TAPERED SPRING	A10GM400	4"	2-5/8"	400	\$89.99
10" BLACK TAPERED SPRING	A10GM450	4"	2-5/8"	450	\$89.99
10" BLACK TAPERED SPRING	A10GM550	4"	2-5/8"	550	\$89.99



SUGGESTED STRUT COIL SPRING RATES

197	79-2004 MUSTANG	1982-1992 CAMARO		
RATE	ENGINE COMBO	RATE	ENGINE COMBO	
100	SB (N/A & NO2)	175	SB (N/A & NO2)	
125	SB (POWER ADDER)	200	SB (POWER ADDER)	
150	BB (N/A & NO2)	225	BB (N/A & NO2)	
175	BB (POWER ADDER)	250	BB (POWER ADDER)	
2005	-PRESENT MUSTANG	20	10-2015 CAMARO	
2005- RATE	PRESENT MUSTANG	20 RATE	10-2015 CAMARO ENGINE COMBO	
RATE	ENGINE COMBO	RATE	ENGINE COMBO	
RATE 110	ENGINE COMBO SB (N/A & NO2)	200	ENGINE COMBO SB (N/A & NO2)	
110 150	SB (N/A & NO2) SB (POWER ADDER)	200 225	SB (N/A & NO2) SB (POWER ADDER)	

SUGGESTED COIL SPRING RATES

If shock is mounted at an angle, refer to the ride rate correction chart to the right.

FR	ONT A-ARM	NT A-ARM REAR		
Rate	Total on Front Tires	Rate	Total on Rear Tires	
200	600-800 LBS.	65	UNDER 800 LBS.	
250	800-1000 LBS.	80	800-1000 LBS.	
275	1000-1100 LBS.	95	1000-1100 LBS.	
300	1100-1200 LBS.	110	1100-1200 LBS.	
350	1200-1500 LBS.	130	1200-1300 LBS.	
400	1500-1800 LBS.	140	1300-1400 LBS.	
450	1800-2000 LBS.	150	1500-1700 LBS.	
500	2000-2300 LBS.	170	1700-2300 LBS.	
550	2300-2500 LBS.	200	2600-2900 LBS.	
600	2600 + LBS.	250	2600-2900 LBS.	
		300	2900-3200 LBS.	

THE ABOVE CHART IS FOR BASELINE RECOMMENDATIONS. FINE TUNING MAY BE REQUIRED.

MOUNT ANGLE 10° 15° 20° 25° 30° RATE MULTIPLIER .97 .93 .88 .82 .75 EXAMPLE: A 200 LBS. / INCH SPRING MOUNTED AT A 20° ANGLE GIVES A 176 LBS. / INCH RATE WHEN FIGURED FOR RIDE RATE (200 X .88)

WATCH OUR NEW TECH VIDEOS ONLINE!

FOLLOW US ONLINE FOR PRODUCT HIGHLIGHTS. TECH TIPS, & MORE...













STAY UP-TO-DATE AND WATCH HELPFUL VIDEOS FEATURING OUR EXPERIENCED RACING PROFESSIONALS!





LongacreRacing.com/videos





AFCOracing.com/videos



VISIT US ONLINE AT AFCORACING.COM

- READ TECH TIPS
- WATCH TUTORIALS
- SHOP THE ONLINE STORE
- **PLACE AN ORDER**







LOW FRICTION BALL JOINTS

AFCO's low friction ball joints are designed with 2 ft. lbs. of resistance, the force required to move the stud of the ball joint. Compare this with standard replacement joints, with up to 50 ft. lbs. of resistance.

• Only 2 ft. lbs. of resistance and less bind = lower lap times.

- · Improves weight transfer.
- Frees up suspension for more consistent, repeatable chassis tuning.
- Precision-machined to tight tolerances, providing consistent resistance throughout the travel of the ball joint, to deliver consistent performance.
- Road inputs are controlled more effectively by the shock and spring instead of the tire, which improves traction.
- Removes suspension bind and allows shock & spring to have more precise wheel control.
- Meets or exceeds standard ball joint strength.
- Provides more accurate setups during vehicle scaling.
- Lower input steering efforts and faster steering wheel return.
- Extended lengths will raise roll center and improve camber curves.
- Stock appearing.





WE'VE EXPANDED OUR SELECTION OF EXTENDED LENGTH LOW FRICTION BALL JOINTS...

STYLE	BODY	PIN	PRICE	6 0.5"
4-BOLT UPPER	SAME AS 20032	SAME AS 20032, BUT +1/2" LONGER	\$49.99	
SCREW IN UPPER/LOWER	SMALL CHRYSLER STYLE (1.83" AT THREAD)	FITS MOST PINTO/MUSTANG II SPINDLES	\$49.99	
SCREW IN UPPER/LOWER	SMALL CHRYSLER STYLE (1.83" AT THREAD)	SAME AS 20034LF, BUT +1/2" LONGER	\$49.99	
SCREW IN LOWER	BIG CHRYSLER-STYLE (2" DIAMETER AT THREADS)	BIG CHRYSLER STYLE FOR FABRICATED SPINDLES	\$44.99	
PRESS IN LOWER	'64-'72 CHEVELLE, '67-'69 CAMARO AND OTHERS	SAME EXTRA LONG PIN AS 20038-1	\$49.99	
PRESS IN LOWER	'73-'88 CHEVELLE, '70-'02 CAMARO AND OTHERS	SAME EXTRA LONG PIN AS 20038-1	\$49.99	EXTENDED LENGTH BALL JOINT.
	4-BOLT UPPER SCREW IN UPPER/LOWER SCREW IN UPPER/LOWER SCREW IN LOWER PRESS IN LOWER	4-BOLT UPPER SAME AS 20032 SCREW IN UPPER/LOWER SMALL CHRYSLER STYLE (1.83" AT THREAD) SCREW IN UPPER/LOWER SMALL CHRYSLER STYLE (1.83" AT THREAD) SCREW IN LOWER BIG CHRYSLER-STYLE (2" DIAMETER AT THREADS) PRESS IN LOWER '64-'72 CHEVELLE, '67-'69 CAMARO AND OTHERS	4-BOLT UPPER SAME AS 20032 SAME AS 20032, BUT +1/2" LONGER SCREW IN UPPER/LOWER SMALL CHRYSLER STYLE (1.83" AT THREAD) FITS MOST PINTO/MUSTANG II SPINDLES SCREW IN UPPER/LOWER SMALL CHRYSLER STYLE (1.83" AT THREAD) SAME AS 20034LF, BUT +1/2" LONGER SCREW IN LOWER BIG CHRYSLER-STYLE (2" DIAMETER AT THREADS) BIG CHRYSLER STYLE FOR FABRICATED SPINDLES PRESS IN LOWER '64-72 CHEVELLE, '67-69 CAMARO AND OTHERS SAME EXTRA LONG PIN AS 20038-1	4-BOLT UPPER SAME AS 20032 SAME AS 20032, BUT +1/2" LONGER \$49.99 SCREW IN UPPER/LOWER SMALL CHRYSLER STYLE (1.83" AT THREAD) FITS MOST PINTO/MUSTANG II SPINDLES \$49.99 SCREW IN UPPER/LOWER SMALL CHRYSLER STYLE (1.83" AT THREAD) SAME AS 20034LF, BUT +1/2" LONGER \$49.99 SCREW IN LOWER BIG CHRYSLER-STYLE (2" DIAMETER AT THREADS) BIG CHRYSLER STYLE FOR FABRICATED SPINDLES \$44.99 PRESS IN LOWER '64-'72 CHEVELLE, '67-'69 CAMARO AND OTHERS SAME EXTRA LONG PIN AS 20038-1 \$49.99

STANDARD BALL JOINTS

Not all ball joints are created equal. That's why we choose the best components from the top U.S. manufacturers. There are many different design characteristics and manufacturing processes that account for the quality and performance of ball joints. We choose the best to give you the AFCO Advantage.

BALL JOINT CROSS REFERENCE GUIDE

AFCO PART #	INTERCHANGE #	TYPE
20031	K6024	BOLT-IN
20032	K5208	BOLT-IN
20032-1	K3136	BOLT-IN
20033	K5103	PRESS-IN
20034	K772	SCREW-IN
20034-1	N/A	SCREW-IN
20035	K719	SCREW-IN
20036	K727	SCREW-IN
20037	K5108	BOLT-IN
20038	K6141	PRESS-IN
20038-1	K6117	PRESS-IN
20039	K6145	PRESS-IN





APPLICATION GUIDES

GENERAL GUIDE

Starting at: Std: **\$29**⁹⁹ Low Friction: \$4999 Starting at:

Std: \$29⁹⁹ Low Friction: \$49⁹⁹

	UPPER		1		LOWER		
APPLICATION	INT#*	STANDARD	LOW FRICTION	Ш	INT#*	STANDARD	LOW FRICTION
'82-'02 S-10 -2WD, BLAZER -2WD	K5208	20032	20032LF		K6145	20039	20039LF
'93-'02 CAMARO, FIREBIRD, TRANS AM	N/A	N/A	N/A		K6145	20039	20039LF
'82-'92 CAMARO, FIREBIRD, TRANS AM	N/A	N/A	N/A		K6145	20039	20039LF
'70-'81 CAMARO FIREBIRD, TRANS AM	K5208	20032	20032LF		K6145	20039	20039LF
'67-'69 CAMARO FIREBIRD, TRANS AM	K5108	20037	20037LF		K5103	20033	20033LF
'70-'72 MONTE CARLO	K5108	20037	20037LF		K5103	20033	20033LF
'73-'88 MONTE CARLO	K5208	20032	20032LF	Ш	K6145	20039	20039LF
'64-'72 CHEVELLE EL CAMINO	K5108	20037	20037LF		K5103	20033	20033LF
'73-'88 CHEVELLE EL CAMINO	K5208	20032	20032LF	Ш	K6145	20039	20039LF
'78-'83 MALIBU	K5208	20032	20032LF		K6145	20039	20039LF
'73-'88 CUTLASS	K5208	20032	20032LF		K6145	20039	20039LF
'64-'72 CUTLASS	K5108	20037	20037LF		K5103	20033	20033LF
'73-'87 REGAL	K5208	20032	20032LF		K6145	20039	20039LF
'73-'88 GRAND PRIX	K5208	20032	20032LF		K6145	20039	20039LF
'73-'82 LEMANS GTO	K5208	20032	20032LF		K6145	20039	20039LF
'64-'72 LEMANS GTO	K5108	20037	20037LF		K5103	20033	20033LF
'71-'76 CAPRICE**	K5208	20032	20032LF		K6141	20038	•
'77-'94 CAPRICE**	K5208	20032	20032LF		K6145	20039	20039LF
'94-'96 IMPALA SS	K5208	20032	20032LF		K6145	20039	20039LF
'75-'79 NOVA	K5208	20032	20032LF		K6145	20039	20039LF
'68-'74 NOVA	K5108	20037	20037LF		K5103	20033	20033LF



*INTERCHANGE NUMBER USED BY OTHER MANUFACTURERS. **ALSO FITS IMPALA, BELAIR, BISCAYNE EXC WAGON.

RACING & HYBRIDS GUIDE

INT#*	STANDARD	PRICE	LOW FRICT.	PRICE
•	•	•	20032-2LF	\$44.99
K772	20034	\$29.99	20034LF	\$44.99
N/A	20034-1	\$29.99	•	•
	• K772	• • • K772 20034	K772 20034 \$29.99	• • 20032-2LF K772 20034 \$29.99 20034LF

LOWER BALL JOINTS APPLICATION	INT#*	STANDARD	PRICE	LOW FRICT.	PRICE
SMALL SCREW IN; 1.83" BODY AT THREAD; FITS PINTO TAPER	K772	20034	\$29.99	20034LF	\$44.99
SAME BODY AS 20034 EXCEPT LARGER STUD	K719	20035	\$39.99	•	•
LARGE SCREW IN; 2.00" BODY AT THREAD	K727	20036	\$39.99	20036LF	\$44.99
POPULAR RACING DESIGN; PRESS-IN DIMENSION: 2.180"	K6141	20038	\$39.99	•	•
POPULAR RACING DESIGN WITH LONGER STUD TO RAISE ROLL CENTER; PRESS-IN DIMENSION: 1.980".	K6117	20038-1	\$39.99	20038-1LF	\$49.99
*INTERCHANGE NUMBER USED BY OTHER MANUFACTURERS					

BALL JOINT SLEEVES



LARGE THREADED WITH FLANGE FOR 20036 20041



LARGE THREADED FOR 20036 20042



SMALL THREADED FOR 20034, 20035



SMOOTH FOR 20039 **20044**



SMOOTH FOR 20038 **20045**



SMOOTH FOR 20038-1 **20046**

DESCRIPTION	I.D.	0.D.	HEIGHT	WEIGHT	PART #	PRICE
LARGE THREADED FOR 20036 WITH FLANGE	2.000"	2.30"/ 2.840"	1.00"	.45LB	20041	\$29.99
LARGE THREADED FOR 20036	2.005"	2.375"	1.00"	.35LB	20042	\$29.99
SMALL THREADED FOR 20034, 20035	1.830"	2.250"	1.00"	.35LB	20043	\$29.99
SMOOTH FOR 20039	2.090"	2.375"	1.00"	.25LB	20044	\$29.99
SMOOTH FOR 20038	2.180"	2.5"	1.00"	.30LB	20045	\$29.99
SM00TH FOR 20038-1	1.980"	2.185"	1.00"	.20LB	20046	\$29.99

CONTROL ARM BUSHINGS

LIGHTWEIGHT LOWER ARM BUSHINGS

AFCO's precision-machined steel replacement bushings offer dramatic reductions in friction when compared to rubber or urethane-style bushings. By nearly eliminating drag on suspension movement, your shock and springs will work more effectively to keep your tires stuck to the track.



• Near zero-drag bushings!

- Inner sleeve allows bolt to be tightened without crushing or binding.
- Dimensions allow direct replacement of the standard bushing.
- Dramatically frees up front suspension.

LIGHTWEIGHT LOWER ARM BUSHING DIMENSIONS

PART #	DIAMETER	LENGTH	LBS.
20069LW	1.40"	2.94"	0.625
20075LW	1.40"	2.39"	0.625
20076LW	1.65"	2.39"	0.625
20076LW-1 (9/16 I.D.)	1.65"	2.39"	0.625
20077LW	1.90"	2.39"	0750
20077LW-1 (9/16 I.D.)	1.90"	2.39"	0750

SERVICE PARTS: FOR NYLON SLEEVE, ADD -B TO PART NUMBER, (20075LW-B). FOR INNER SLEEVE, ADD -C TO PART NUMBER, (20075LW-C).

STANDARD STEEL ARM BUSHINGS

• Near zero-drag bushings!

- Dimensions allow direct replacement of the standard bushing.
- Dramatically frees up front suspension.









STANDARD UPPER ARM BUSHING DIMENSIONS

PART #	DIAMETER	LENGTH
20078	1.27"	1.50"
20079	1.53"	1.84"
20098	1.39"	1.88"
20099	1.31"	1.79"

NOTE: DUE TO PRODUCTION TOLERANCE VARIANCE IN ORIGINAL EQUIPMENT PARTS, STEEL BUSHINGS NEED TO BE TACK-WELDED INTO THE CONTROL ARM.









STANDARD LOWER ARM BUSHING DIMENSIONS

ION GUIDES

PART #	DIAMETER	LENGTH	LBS.
20069	1.40"	2.94"	1.250
20075	1.40"	2.39"	1.250
20076	1.65"	2.39"	1.250
20077	1.90"	2.39"	1.750

NOTE: DUE TO PRODUCTION TOLERANCE VARIANCE IN ORIGINAL EQUIPMENT PARTS, STEEL BUSHINGS NEED TO BE TACK-WELDED INTO THE CONTROL ARM.

	•	SENE	RAL AP	PLICAT		
LOWER ARM BUSHINGS STANDARD LIGHTWEIGHT						
DESCRIPTION	STAND FRONT	ARD REAR	LIGHT FRONT	WEIGHT REAR		
'78-'88 MONTE CARLO/MALIBU/CHEVELLE/REGAL	20069	20076	20069LW*	20076LW*		
'75-'77 MONTE CARLO/MALIBU/CHEVELLE/REGAL	20076	20077	20076LW-1	20077LW-1		
'73-'74 MONTE CARLO/MALIBU/CHEVELLE/REGAL	20075	20077	20075LW	20077LW-1		
'67-'72 RB MONTE CARLO/MALIBU/CHEVELLE/REGAL	20075	20076	20075LW	20076LW		
'78-'87 CUTLASS/GRAND PRIX	20069	20076	20069LW*	20076LW*		
'73-'77 CUTLASS/GRAND PRIX	20076	20077	20076LW-1	20077LW-1		
'69-'72 CUTLASS/GRAND PRIX	20075	20075	20075LW	20075LW**		
'71-'96 CAPRICE/IMPALA	20076	20077	20076LW-1	20077LW-1		
'73-'79 CAMARO, FIREBIRD-T/A	20076	20077	20076LW-1	20077LW-1		
'67-'72 CAMARO, FIREBIRD-T/A	20075	20076	20075LW	20076LW		
'75-'79 NOVA	20076	20077	20076LW-1	20077LW-1		
'68-'74 NOVA	20075	20076	20075LW	20076LW		
* LOWER A-ARM MOUNTS MUST BE DRILLED 1/2". USE 1/2" ** SOME MODIFICATION MAY BE NECESSARY.	MOUNTING	BOLT.	Standard:	62.499		

Standard: **\$34**⁹⁹
Lightweight: **\$54**⁹⁹

EACH SOLD SEPARATELY.

UPPER ARM BUSHINGS STANDARD **STANDARD** DESCRIPTION FRONT PRICE REAR PRICE '78-'88 MONTE CARLO 20079 \$34.99 20079 \$34.99 '74-'77 MONTE CARLO* 20098 \$34.99 20099 \$34.99 1973 MONTE CARLO* 20099 \$34.99 20099 \$34.99 '67-'72 MONTE CARLO* 20078 \$34.99 20078 \$34.99 '80-'96 CAPRICE/IMPALA 20098 \$34.99 20098 \$34.99 '74-'79 CAPRICE/IMPALA 20098 \$34.99 20099 \$34.99 '71-'73 CAPRICE/IMPALA 20099 \$34.99 20099 \$34.99 '71-'79 CAMARO 20098 \$34.99 20099 \$34.99 '67-'69 CAMARO 20078 \$34.99 20078 \$34.99 '75-'79 FIREBIRD-T/A 20098 \$34.99 20099 \$34.99 '70-'74 FIREBIRD-T/A 20099 \$34.99 20099 \$34.99 '67-'69 FIREBIRD-T/A 20078 \$34.99 20078 \$34.99 '75-'79 NOVA 20098 \$34.99 20099 \$34.99 '68-'74 NOVA 20078 \$34.99 20078 \$34.99

^{*} ALSO FITS MALIBU, CHEVELLE, REGAL, CUTLASS, & GRAND PRIX.

LOW FRICTION BALL JOINT & BUSHING KITS

Each kit contains: 4 high performance low friction ball joints and 8 lightweight, friction-reducing control arm bushings.

- Only 2 ft. lbs. of resistance and less bind = lower lap times.
- · Assembled kits for easy ordering.
- No modifications necessary simply choose your application and go.
- Reduced suspension "stiction".
- · Increases ability to transfer weight.
- Precision machining promotes front end alignment during usage (unlike O.E. rubber bushings).
- Kits contain lightweight lower bushings (nylon inserts for reduced weight and less friction).



APPLICATION	PART #	PRICE
'66-'72 CHEVELLE / MONTE CARLO, CUTLASS / 442, SPECIAL / SKYLARK/GS, LEMANS / GTO /'67-'69 CAMARO, FIREBIRD	200-1001	\$399.99
'68-'74 CHEVY II / NOVA / '68-'74 APOLLO, OMEGA & VENTURA	200-1001	\$399.99
'78-'88 CHEVELLE / MALIBU / MONTE CARLO / '78-'87 CUTLASS, LEMANS / GRAN PRIX, REGAL / SPECIAL, CUTLASS, '82-'93 S10	200-1002	\$399.99
'70-'72 CAMARO, FIREBIRD / '73 CHEVELLE / MONTE CARLO WITH 1.4" OD FRONT LOWER BUSHING	200-1003	\$349.99
'75-'79 CAMARO / NOVA, APOLLO, OMEGA / PHOENIX, VENTURA / '74-'79 FIREBIRD / '75-'77 CHEVELLE / MONTE CARLO, REGAL / SPECIAL, CUTLASS / 442, LEMANS / GTO	200-1004	\$399.99
'82-'92 CAMARO, FIREBIRD (INCLUDES 2 BALL JOINTS & 4 BUSHINGS)	200-1006	\$239.99

TAPER REAMERS

- Manufactured from superior-quality, high-speed tool steel.
- Six flute spiral design allows smooth boring operation & minimizes tool wear.
- Two designs to cover most popular racing applications.

DESCRIPTION	APPLICATION	PART #	PRICE
1-1/2" TAPER (PER FOOT)	MOST TIE ROD, SHOCK EYES & 20031, 33, 34, 35, 36 BALL JOINTS	80770	\$169.99
2" TAPER (PER FOOT)	20032, 32-1,32-2, 38, 38-1, 39 BALL JOINTS	80771	\$169.99



TAKE-A-PART LOW FRICTION BALL JOINTS

- · Improves weight transfer.
- Frees up suspension for more consistent, repeatable chassis tuning.
- Precision-machined to tight tolerances, providing consistent resistance throughout the travel of the ball joint, to deliver consistent performance.
- Road inputs are controlled more effectively by the shock and spring instead of the tire, which improves traction.
- Removes suspension bind and allows shock & spring to have more precise wheel control.
- Meets or exceeds standard ball joint strength.
- Provides more accurate setups during vehicle scaling.
- Lower input steering efforts and faster steering wheel return.
- Extended lengths will raise roll center and improve camber curves.
- Take-a-part design.
- Low friction design.
- Multiple pin lengths and tapers available.
- No special tools required to assemble or disassemble.
- IMCA legal.
- Simple 3-piece design.



INTERCHANGE NUMBER*	TAKE-A-PART LOW FRICTION	TAKE-A-PART LOW FRICTION + 0.5"	TAKE-A-PART LOW FRICTION + 1.0"	PRICE
K772	21034	21534	21134	\$69.99
K727	21036	21536	21136	\$69.99
K6141	-	21538	-	\$69.99
K6117	-	215381	-	\$69.99
K6145	-	21539	21139	\$69.99

^{*}INTERCHANGE NUMBER USED BY OTHER MANUFACTURERS.



LEAF SPRINGS

REINFORCED FRONT SEGMENT LEAF SPRINGS

The new AFCO reinforced front segment springs have proven to provide considerable increases to forward bite when used on race cars equipped with conventional type leaf springs.

New secondary leaf design means:

- Extra segment promotes more consistency.
- · Less deflection will generate better traction.
- Handles higher horsepower.
- Great for street or strip.



DESCRIPTION	CAR WT.	ACT. ARCH	NOM. RATE	PART #	PRICE
CAMARO TYPE	25-3000#	6-3/8"	176	20228RF	\$249.99
CAMARO TYPE	30-3400#	6-3/8"	205	20228HDRF	\$249.99
CHRYSLER TYPE	28-3200#	6-5/8"	166	20231HDRF	\$249.99

LEAF SPRING DIMENSIONS CHART

DESCRIPTION	WIDTH	FRONT SEGMENT	EYE TO EYE LENGTH	EYE ID FRONT	EYE ID REAR
CAMARO TYPE	2-1/2"	24-3/4"	54"	2"	1-5/8"
CHRYSLER TYPE	2-1/2"	20-1/2"	52-7/8"	1-1/2"	1"

To accurately check for arch measurement, lay spring on side and pull a straight line from center of front eye to center of rear eye. Measure from line to top leaf at the locating pin.



AFCO MULTILEAF SPRINGS



Racers using multileaf springs realize the importance of accurate arch, load capacity, and durability. AFCO Leaf Springs are the highest quality racing springs available and give you features not available in any other leaf spring.

- Our chrome-vanadium alloy spring steel material is superior to others and provides consistent rates over a longer life span.
- Teflon rub blocks between leafs reduces friction and maintains consistency of rate
- Tapered leafs reduce stress by 30-40% and prevent loss of arch.
- Shot-peened after arching to reduce tensile stress provides 3 5 times more service life to the spring.
- Chrysler or Camaro style.
- Front bushing included.





REFERENCE ARCH	CAR WT.	ACT. ARCH	NOM. RATE	PART #	PRICE
CHRYSLER TYPE - 5" ARCH	23-2800#	6-5/8"	142	20231	\$229.99
CHRYSLER TYPE - 5" ARCH	26-3000#	6-5/8"	152	20231MHD	\$229.99
CHRYSLER TYPE - 5" ARCH	28-3200#	6-5/8"	166	20231HD	\$229.99
CHRYSLER TYPE - 5" ARCH	31-3500#	6-5/8"	194	20231XHD	\$229.99

DESCRIPTION	CAR WT.	ACT. ARCH	NOM. RATE	PART #	PRICE
CAMARO TYPE	23-2600#	6-3/8"	153	20228LW	\$229.99
CAMARO TYPE	25-3000#	6-3/8"	176	20228	\$229.99
CAMARO TYPE	30-3400#	6-3/8"	205	20228HD	\$229.99
CAMARO TYPE	30-3400#	6-3/8"	238	20228XHD	\$229.99

LEAF SPRING PIVOT BUSHING

• Allows front eye to rotate and twist in order to react to spring movement.

• Replaces rubber bushing and gets rid of bind.

- Promotes more consistent handling.
- · Chrysler-type only.
- 1-1/2" OD.



DESCRIPTION	PART #	PRICE
PIVOT KIT	20229P	\$99.99

LEAF SPRING SLIDER

- Frees up car during suspension movement.
- Pre-drilled holes for bolt-on applications.
- Roller bearing design prevents binding.
- Use in place of shackles.
- Designed for Chrysler type or GM springs.



DESCRIPTION	PART #	PRICE
LEAF SPRING SLIDER (CHRYSLER)	20236S	\$119.99
LEAF SPRING SLIDER (CAMARO)	200036	\$109.99

WELD-ON LEAF SPRING PADS



DESCRIPTION	PART #	PRICE
PAD (1) - FOR 3" AXLE TUBE	20232	\$24.99

NYLON FRONT EYE BUSHING

- Inner sleeve protects bushing and mount hardware for longer parts life.
- Fits Chrysler-type spring.
- 3-piece design allows front eye to rotate as spring moves.



DESCRIPTION	PART #	PRICE
BUSHING ASSEMBLY (1)	20229N	\$49.99

UNIVERSAL FRONT SPRING MOUNT

- Universal design for new chassis or updating older chassis to leaf spring suspension.
- Fits Chrysler type leafs.



DESCRIPTION	PART #	PRICE	
MOUNT	50200	\$26.99	

SHACKLE PLATES

- · Steel or aluminum.
- 2 required per-spring.
- Fits late models and modifieds.
- 5/16" anodized aluminum or 1/4" plated steel.

DESCRIPTION	PART #	PRICE
5/16" PLATED PLATE STEEL (1)	20281	\$24.99

LOWER SPRING PLATES

- Fits 2-1/2" leaf springs.
- · Heavy duty steel construction.
- Can be used with coil-over shocks.



DESCRIPTION	PART #	PRICE
LEAF SPRING PLATE LH (STEEL)	20249	\$39.99
LEAF SPRING PLATE RH (STEEL)	20250	\$39.99

SPRING SHACKLES

Standard part as used on most leaf spring



DESCRIPTION	PART #	PRICE
CAMARO - '70-'75	20236-1	\$49.99
CAMARO - '76-'81	20236-2	\$49.99

ALUMINUM LOWERING BLOCKS





DESCRIPTION	PART #	PRICE
1/2" BLOCK	20244	\$18.99
3/4" BLOCK	20245	\$18.99
1" BLOCK	20246	\$18.99
1-1/2" BLOCK	20247	\$18.99
2" BLOCK	20248	\$18.99
3" BLOCK	20243	\$18.99
ADJUSTABLE BLOCK 1-1/2" TALL	20270	\$59.99

U-BOLTS

- 4" threads.
- Fits all 3" axle tubes.
- Plated for added protection.
- Includes tall nuts for added safety.



DESCRIPTION	PART #	PRICE	
8"	20238	\$9.99	
9-1/2"	20238-9	\$12.99	

AFCO STEERING

ROD ENDS

STANDARD

Excellent for use as a medium-duty suspension rod end.



TYPE	RH	LH	PRICE
MALE	10460	10461	\$14.99
FEM	10462	•	\$14.99
MALE	10440	10441	\$18.99
FEM	10442	10443	\$18.99
MALE	10430	10431	\$18.99
FEM	•	10433	\$24.99
MALE	10420	10421	\$24.99
FEM	10422	10423	\$24.99
	FEM MALE FEM MALE FEM MALE	FEM 10462 MALE 10440 FEM 10442 MALE 10430 FEM • MALE 10420	FEM 10462 ● MALE 10440 10441 FEM 10442 10443 MALE 10430 10431 FEM ● 10433 MALE 10420 10421

AIRCRAFT QUALITY



- Designed for high-stress usage.
- Ideal for panhard bar or drag components.

BORE	SHANK	TYPE	RH	LH	PRICE
1/2"	1/2"	MALE	10444	10445	\$64.99
5/8"	5/8"	MALE	10434	10435	\$64.99
3/4"	3/4"	MALE	10424	10425	\$64.99

STEERING

- Extra-heavy duty and won't loosen up.
- 5/8" bore and 5/8" shank.
- 3/4" sized body.
- Made for steering use.

DESCRIPTION	PART #	PRICE
LH THREAD	10401	\$29.99
RH THREAD	10402	\$29.99

OVERSIZED



• .007" oversized to slide on 3/4" steering shaft.

DESCRIPTION	PART #	PRICE
STEEL	10400	\$24.99

HD SHANK



- Used under potentially rough conditions.
- · Bore size is one size smaller than shank and body.

BORE	SHANK	TYPE	RH	LH	PRICE
1/2"	5/8"	MALE	10448	10449	\$29.99
5/8"	3/4"	MALE	10438	10439	\$39.99

CHROME



- Chrome moly body 2-piece design.
- Designed for heavy duty application.

BORE	SHANK	TYPE	RH	LH	PRICE
5/8"	5/8"	MALE	10456	10457	\$29.99
3/4"	3/4"	MALE	10458	10459	\$64.99

SOLID ROD ENDS



BORE	THREAD	PART #	PRICE
3/4"	3/4" - RH	10820	\$24.99
1/2"	3/4" - RH	10821	\$29.99
SOLID ROD ENDS SOLD SEPARATELY			

STEEL JAM NUTS



SIZE	THICK	RH	LH	PRICE
1/4" - 28	7/32"	10136	•	\$1.99
3/8" - 24	1/4"	10138	10139	\$2.99
1/2" - 20	5/16"	10144	10145	\$3.99
5/8" - 18	3/8"	10142	10143	\$3.99
5/8"- 18	NYLOCK	10142N	•	\$3.99
3/4" - 16	7/16"	10140	10141	\$3.99
3/4"- 16	NYLOCK	10140N	•	\$3.99

ROD END APPLICATION CHART				
DESIGN	STANDARD 2 PIECE	CHROME MOLY 2 PIECE	AIRCRAFT 3 PIECE	HEAVY DUTY 3 PIECE
BALL	CASE HARDENED STEEL HARD CHROME PLATED	52100 STEEL HARD CHROME PLATED	52100 STEEL HARD CHROME PLATED	52100 STEEL HARD CHROME PLATED
RACE	N/A	N/A	HEAT TREATED STEEL ALLOY ZINC PLATED	HEAT TREATED STEEL ALLOY
BODY	LOW CARBON STEEL CHROMATE TREATED	4130 CHROME MOLY	HEAT TREATED STEEL ALLOY CAD OR ZINC PLATED	LOW CARBON STEEL CAD OR ZINC PLATED
MAX STATIC	(5/8") 11,169#	(5/8") 18,000#	(5/8") 17,950#	(5/8") 16,500#
RADIAL LOAD	(3/4") 16,338#	(3/4") 25,000#	(3/4") 28,000#	(3/4") 22,800#
APPLICATIONS	STANDARD SUSPENSION	ROUGH CONDITIONS STEERING/OFF-ROAD	HIGH STRESS (PANHARD BAR) DRAG CAR SUSPENSION	ROUGH CONDITIONS STEERING/OFF-ROAD

STEERING ACCESSORIES

PINTO/MUSTANG II SPINDLES

For use on modifieds, sportsman cars, drag cars, and street cars.

- NEW forged spindles not reworked O.E.M.
- Brake brackets sold separately.



PINTO/MUSTANG II SPINDLES	PART #	PRICE
PINTO/MUSTANG II SPINDLE NUT	9851-8545	\$10.99

CALIPER BRACKETS

Adapts stock '74-'80 Pinto / Mustang II spindle to small GM caliper with '75-'80 Ford Granada-type rotor.



BRACKET DESCRIPTION	THREAD	THICKNESS	PART #	PRICE
GM METRIC LH-PINTO SPINDLE, GRANADA ROTOR	7/16" FINE	1/4"	40121PL	\$64.99
GM METRIC RH-PINTO SPINDLE, GRANADA ROTOR	7/16" FINE	1/4"	40121PR	\$64.99

ADAPTER BOLT

- Adapter allows inner tie rod end to be replaced with rod end on rack & pinion.
- Complete with nuts and bump spacer.
- Not for stock-style spindle use.
- 1-1/2" taper per foot.



DESCRIPTION	PART #	PRICE
BOLT KIT (1PC)	10270	\$34.99

PUSH-BUTTON QUICK RELEASE HUB

This hub features a spring-loaded button-style release. Unit fits 3/4" shaft and a standard three bolt steering wheel pattern.

- 5/16" coarse thread.
- Aluminum .55 lbs.



DESCRIPTION	PART#	PRICE
PUSH BUTTON ECONOMY QR HUB	30373	\$39.99
REPLACEMENT COUPLER	30373B	\$19.99

U-JOINTS & COUPLERS

The splined U-joints feature a set screw & lock-nut. These are the best U-joints you can buy.

- Greased needle bearing with Teflon seal.
- 1-1/8" O.D. x 3-3/4" length.
- Broached spline for better fit.
- · Heat-treated forgings.
- Forged 1045 steel.



U-JOINT BORE	DESCRIPTION	PART #	PRICE
3/4"	SMOOTH BOTH ENDS	30303	\$99.99
3/4" - 36	GM STANDARD, PINTO P.S.	30305	\$99.99
13/16" - 36	EARLY GM (THRU 76) POWER STEERING	30306	\$99.99
9/16" - 26	PINTO/MUSTANG II MANUAL	30307	\$99.99
3/4" - 30	LATE (77 & UP) GM P.S. (APPLETON P.S.)	30308	\$99.99
5/8" - 36	VEGA ΜΑΝΙΙΔΙ	วกวกด	\$00.00

COUPLER BORE	DESCRIPTION	PART #	PRICE
3/4" - 36	GM STANDARD, PINTO P.S.	30315	\$29.99
3/4" - 20	37304 COLUMN	30316	\$29.99



MASTER CYLINDERS

INTEGRAL RESERVOIR MASTER CYLINDER

The AFCO engineering team started with a clean sheet when designing our master cylinders. AFCO's master cylinders offer the same great performance that customers have come to expect from AFCO. With a one-piece design that incorporates a high-capacity reservoir and precisely machined/polished cylinder bore, the piece makes efficient use of space and materials.

- External return spring maintains positive pedal feel and helps prolong pad life by ensuring quick reaction to released pedal force.
- Precise-fitting lid held firmly in place by heavy gauge retainer.
- Slim design rubber boot allows easy installation into most pedal assemblies.
- Aluminum bore with hard anodized pistons.
- Unique, built-in minimum and maximum fill tabs are easy to read and make quick work of checking fluid even in dark pit areas.
- Common dual-mounting bolt patterns for most racing applications.
- Models come in 3/4", 7/8", and 1" bores.
- Designed for standard 1/8" NPT fittings for easy replacement.




Fluid level

indicator

marks.

DESCRIPTIONPART #PRICE3/4" BORE INTEGRAL MASTER CYLINDER6620010\$69.997/8" BORE INTEGRAL MASTER CYLINDER6620011\$69.991" BORE INTEGRAL MASTER CYLINDER6620012\$69.99



INTEGRAL MASTER CYLINDER SERVICE PARTS & REBUILD KITS

MASTER CYLINDER PARTS	PART #	PRICE
STRAIGHT FITTING (1/8"NP X 3/16"IF)	7010-0026	\$4.99
90° FITTING (1/8"NP X 3/16"IF)	7010-0027	\$4.99
MASTER CYL. KIT (INCLUDES LID, GASKET, WIRE)	6690048	\$19.99
MASTER CYL. KIT (INCLUDES PUSH ROD, SPRING, BOOT)	6690049	\$14.99

MASTER CYLINDER PARTS	PART #	PRICE
REBUILD KIT - 3/4" NEW AFCO M/C	6690110*	\$29.99
*KITS FOR AFCO MASTER CYLINDER MANUFACTUR	ED AFTER IAN 2013	

port.

PEDALS

7:1 FORWARD SINGLE SWING PEDALS

- H-beam forged aluminum pedal design.
- Pedal assemblies fit many popular chassis.
- Allows for positioning of the clutch pedal to be away from the driver for better comfort.
- New snap ring gives the brake pedal more bias rod clearance and eliminates thread interference.
- Ultra-high strength bias bar on brake pedal; same strength of 7/16" bias bar in the traditional 3/8" size.
- Rounded clevis design prevents bias-bar lock-up at extreme limits of travel.
- Integral bias bearing stops prevent lock-up when adjusting bias.
- Internal hex in bias bar eases bias set up.
- 7:1 Pedal ratio allows for better braking power.
- Brake pedal weight: 2.36 lbs.
- Clutch pedal weight: 1.64 lbs.
- AFCO master cylinders sold separately (see page 50).



6:1 FORWARD SINGLE FLOOR PEDALS

- H-beam forged aluminum pedal design.
- Pedal assemblies fit many popular chassis.
- Allows for positioning of the clutch pedal to be away from the driver for better comfort.
- New snap ring gives the brake pedal more bias rod clearance and eliminates thread interference.
- Ultra-high strength bias bar on brake pedal; same strength of 7/16" bias bar in the traditional 3/8" size.
- Rounded clevis design prevents bias-bar lock-up at extreme limits of travel.
- Integral bias bearing stops prevent lock-up when adjusting bias.
- Internal hex in bias bar eases bias set up.
- 6:1 Pedal ratio.
- Brake pedal weight: 2.20 lbs.
- Clutch pedal weight: 1.46 lbs.
- AFCO master cylinders sold separately (see page 50).



DESCRIPTION	PART #	PRICE
6:1 FORWARD SINGLE FLOOR BRAKE PEDAL	6610005	\$199.99
6:1 FORWARD SINGLE FLOOR CLUTCH BRAKE PEDAL	6610006	\$159.99

REPLACEMENT BIAS BAR KITS

DESCRIPTION	PART #	PRICE
BIAS BAR KIT FOR REVERSE MOUNT PEDAL	6610010	\$79.99
BIAS BAR KIT FOR FORWARD MOUNT PEDAL	6610011	\$79.99





BRAKE FLUID

AFCO has engineered two brake fluid formulations specifically targeted for top tier racing and performance use. From drag racing to dirt and asphalt late model racing, AFCO HT & HTX brake fluids will outperform!

HIGH PERFORMANCE HTX BRAKE FLUID

The HTX fluid has been engineered to meet the demanding requirements of drag racing. HTX fluid offers superior performance where high brake system temperatures for an extended time period are experienced. AFCO High Performance Brake Fluid will exceed your expectations!

- Dry boiling point of 600°+.
- Non-silicone fluid.
- Sealed in steel can for longer shelf life.
- Best value in brake fluid on the market.



DESCRIPTION	PART #	PRICE
HTX SINGLE 16.9 OZ. CAN	6691903	\$24.99
HTX CASE (12 CANS)	6691904	\$259.99

HIGH PERFORMANCE HT BRAKE FLUID

Better performing brake systems start with superior brake fluid. The HT fluid has been designed to provide enhanced performance for drag racing and is value priced. AFCO HT Brake Fluid will out-perform comparable fluids.

- Dry boiling point 500°+.
- Non-silicone fluid.
- Eliminates brake fade due to fluid failure caused by heat.



DESCRIPTION	PART #	PRICE
HT SINGLE 12 OZ. BOTTLE	6691901	\$8.99
HT CASE (12 CANS)	6691902	\$79.99

"THE REAL" MIKE LAGOS



BRAKE ACCESSORIES

BRAKE SYSTEM FITTINGS





7010-0004



7010-0013*



7010-0032







7010-0017



7010-0009





7010-0015*



7010-0016*



40251



85100X



85160X-2



7010-0026



6680001



6680002



6680003



6680004



6680005



6680006



	DESCRIPTION	APPLICATION
1.	1/8" NP TO -4 AN	AFCO F22, F33, F88 & A
1A.	1/8" NP TO -3 AN	AFCO F22, F33, F88 & A
2.	3/16" LINE TO -3 AN	CHASSIS MOUNT
2B.	3/16" LINE TO -4 AN	CHASSIS MOUNT
3.	7/16" SAE BANJO BOLT	GM STEEL CALIPERS
4.	10MM - 1.50 X -4 AN	SMALL GM METRIC CAL
4B.	7/16" SAE TO -4 AN	GM STEEL CALIPERS
5.	3/8" OR 10MM BANJO TO -4 AN	SMALL GM METRIC CAL
6.	7/16" SEALING WASHER (6 PK)	FITS 7/16 BANJO BOLT
6B.	10MM SEALING WASHER (6 PK)	FITS 10MM BANJO BOL
7.	1/8" NP TO -4 AN TALL (90°)	AFCO F22, F33, F88 & A
8.	7/16" BANJO TO -4 AN	GM STEEL CALIPERS
9.	1/8" NP BLEED VALVE	AFCO METRIC ALUMINU

	APPLICATION	PART #	PRICE
	AFCO F22, F33, F88 & ALUMINUM CALIPERS	7010-0001	\$6.99
	AFCO F22, F33, F88 & ALUMINUM CALIPERS	7010-0002	\$6.99
	CHASSIS MOUNT	7010-0003	\$10.99
	CHASSIS MOUNT	7010-0004	\$10.99
	GM STEEL CALIPERS	7010-0013*	\$10.99
	SMALL GM METRIC CALIPERS	7010-0007*	\$9.99
	GM STEEL CALIPERS	7010-0032	\$6.99
١N	SMALL GM METRIC CALIPERS	7010-0014	\$22.99
)	FITS 7/16 BANJO BOLT	7010-0036	\$8.99
()	FITS 10MM BANJO BOLT	7010-0037	\$6.99
	AFCO F22, F33, F88 & ALUMINUM CALIPERS	7010-0017	\$14.99
	GM STEEL CALIPERS	7010-0009	\$14.99
	AFCO METRIC ALUMINUM CALIPERS	7010-0022	\$6.99

	DESCRIPTION	APPLICATION	PART #	PRICE
10.	10MM - 1.50 BANJO BOLT	SMALL GM METRIC CALIPERS	7010-0015*	\$17.99
11.	3/8"- 24 BANJO BOLT	GM CALIPERS	7010-0016*	\$8.99
12.	3/16" INV. FLARE TEE	3/16" BRAKE LINE	40251	\$7.99
13.	1/8" FP TEE	BRAKE LINE	85100X	\$10.99
15.	1/8" FP X 1/4" FP	BRAKE GAUGES	85160X-2	\$10.99
16.	1/8" MP X 3/16" INV FL FP	STRAIGHT MASTER CYLINDER LINE FITTING	7010-0026	\$4.99
17.	1/8" - NPT MALE - 3 MALE (45°)	ALUMINUM BRAKE CALIPER FITTING	6680001	\$10.99
18.	1/8"- NPT MALE - 4 MALE (45°)	ALUMINUM BRAKE CALIPER FITTING	6680002	\$10.99
19.	1/8"- NPT MALE - 3 MALE	ALUMINUM BRAKE CALIPER FITTING	6680003	\$10.99
20.	1/8"- NPT MALE - 4 MALE	ALUMINUM BRAKE CALIPER FITTING	6680004	\$10.99
21.	1/8"- NPT MALE - 3 MALE (90°)	ALUMINUM BRAKE CALIPER FITTING	6680005	\$10.99
22.	1/8"- NPT MALE - 4 MALE (90°)	ALUMINUM BRAKE CALIPER FITTING	6680006	\$10.99
23.	MT 10 MALE - 3 AN MALE	ALUMINUM BRAKE CALIPER FITTING	6680007	\$8.99
*TH	ESE FITTINGS REQUIRE SEALING W.	ASHERS AND ARE SHIPPED WITH WASHERS IN	ICLUDED.	

STEEL METRIC CALIPER FITTINGS AND HARDWARE

DESCRIPTION	PART #	PRICE
METRIC CALIPER COPPER WASHER (6 QTY)	7010-0036	\$8.99
METRIC CALIPER STRAIGHT FITTING	7010-0007	\$9.99
METRIC CALIPER BANJO FITTING	7010-0014	\$22.99
METRIC CALIPER BANJO BOLT	7010-0015	\$17.99
METRIC CALIPER CALIPER BOLT	10160	\$9.99
METRIC CALIPER ADAPTER KIT	7010-0050	\$24.99
GM METRIC LIGHTWEIGHT REBUILD KIT 2-3/4"	6690312	\$19.99
MT 10 MALE - 3 AN MALE	6680007	\$8.99





7010-0007



AFCO COOLING

ALUMINUM RADIATORS

Every AFCO radiator is built from detailed, computer-designed specifications and use precision CNC laser-cut parts for exact tolerances. We never stamp tanks. Our tanks are either laser-cut and precision-welded or formed using a "drawn" technique that keeps a uniform thickness and eliminates weak spots.

AFCO understands the vital role the radiator plays in protecting the investment you have in your car. That is why we make no excuses or compromises in constructing the best aftermarket radiators in the industry. Don't trust your pride and joy to anything less than AFCO quality!



FROM CORE TO FINISHED PRODUCT...

MADE IN THE USA

Quality control and strict production tolerances are key to developing a premium product. Controlling these aspects in-house means AFCO radiators are produced to the highest standards without compromise.



100% ALUMINUM CONSTRUCTION

By using a modern furnace-brazed process, all AFCO radiators feature all-aluminum construction without the need for epoxy. Not only does this make for a lighter radiator, but the common material bonding provides for increased thermal efficiency as well.



ADVANCED MANUFACTURING

Our robotic welding cell for high volume production features a new Fanuc Robot and CMT technology. We also have water jet, laser cut, CNC brake and other capabilities. Our engineering professionals use the most advanced platforms, such as CREO, to design the most innovative products in the industry.



PREMIUM QUALITY

AFCO produces high quality radiators and cores. These cores are epoxy free and defect free. Each part goes through our stringent quality control process. We pressure-test every one of our radiators to ensure that our customers will keep their cool on the track.




SPECIAL APPLICATIONS

In-house design and fabrication allows us to conceptualize, prototype, test, and manufacture custom cooling systems for a wide variety of applications. If you have a specialty radiator need, AFCO can deliver.



STATE-OF-THE-ART ALUMINUM BRAZING



STAINLESS STEEL "HOTBOX" DATA RECORDER

Brazing profiles are created for each core based on the total mass weight. The furnace temperatures and belt speeds are adjusted based on feedback from a data recorder. The hotbox ensures a quality braze profile for each core.





FURNACE CONTROLS

The furnace is controlled via a touch screen HMI panel. Each component uses a unique brazing profile that is developed and saved as a recipe. This recipe includes belt speed, zone temperatures, and nitrogen flow. The system software also provides features such as historical brazing data and maintenance scheduling.

OUR CORE STANDARDS

Every part of a core is important, but the quality of the headers is an absolute must. The tube slots must be punched with a maximum of .002" clearance for a precise tube fit. While others use single sided clad material, AFCO uses double sided clad for all the headers. This provides a fillet joint around the tube on both sides of the header, doubling the strength of the joint. You simply cannot build a better, stronger core. The use of .080 double cladded material and extruded side channels provides a core strong enough to handle over one million pressure cycles, without a tube-to-header joint failure.



Serpentine Louvered Fin @ 16fpi



Clad Fillets on Both Sides



Double Cladded .080 Headers

DRAG RACING COOLING

DRAGSTER / ROADSTER RADIATOR - AFCO MEETS THE COOLING CHALLENGE

Cooling a drag racing engine presents unique challenges. To meet these challenges, AFCO has developed several radiator models dedicated to drag racing applications. Designed to be compact and highly efficient, these radiators provide the needed cooling to keep you cool at the line without sacrificing performance due to excess weight and coolant.





AFCO's Double pass "Dragster" radiator is specifically designed for roadsters and dragsters. It features a 16 fin per inch, no epoxy core for maximum efficiency, as well as a high CFM / low AMP draw fan & shroud combo. This radiator comes complete with a fan on/off switch, 4 mounting bosses and 3/4" FNPT (Female National Pipe Thread) inlet/outlet.

OVERALL	TANK		TANK	FILLER	INLET	OUTLET	DRY			
HEIGHT	HEIGHT	WIDTH	THICKNESS	LOC.	SIZE & LOC.	SIZE & LOC.	WEIGHT		PART #	PRICE
21"	21"	17-1/4"	2-1/8"	NONE	3/4" FNPT L	3/4" FNPT R	12.2 LBS.	RAD W/ FAN & SHROUD	80108N	\$729.99
21"	21"	17-1/4"	2-1/8"	NONE	3/4" FNPT L	3/4" FNPT R	12.2 LBS.	RAD ONLY	80108NR	\$549.99
FAN KIT (14"	S-BLADE, 1,55	0 CFM, 10 AMP D	RAW, POLISHED AL	UMINUM SHROL	JD)			FAN & SHROUD ONLY	80108NFAN	\$262.99


AFCO DRAG RACING POWER-ADDER RADIATOR

This double pass design radiator is 13 3/4" W x 9 1/4" T and is a double pass design for maximum supplemental cooling in a compact design. This radiator has a 1/2" NPT female inlet and outlet. Can be used with the AFCO 80176 electric cooling fan.

- Optimized fin count for maximum cooling capacity.
- Single-row construction facilitates lightweight design.
- 100% TIG-welded, no epoxy.
- Factory pressure tested.



DESCRIPTION	PART #	PRICE
13-3/4" X 9-1/4" DRAG RADIATOR	80260N	\$469.99
8" ELECTRIC FAN (1155 CFM)	80176	\$153.99



SCIROCCO-STYLE DRAG RACING RADIATORS

AFCO offers several versions of the popular "Scirocco-style" radiator. These radiators are 12-5/8" high x 21-1/2" wide and are available in configurations for Chevy, Ford, and Chrysler applications. The all-aluminum furnace brazed core design (no epoxy) provides maximum cooling protection for the most demanding door-slammers. These radiators have 100% TIG-welded tanks and brackets. The Lightweight (LWN) versions remove 4 pounds from the nose of the car while keeping the same cooling performance. #80104NFAN is a fan/shroud kit that bolts up perfectly to the 1/4" bungs. N models have 2 rows of 1" tubes and the LWN models have 1 row of 1.5" tubes.

- Double pass for maximum cooling in a compact, lightweight package.
- Lightweight versions remove 4 lbs. from the nose of the car!
- Sturdy TIG-welded 2" "foot" mounts.
- Four 1/4" 20 mounting bungs.
- Stainless hardware & drain included.
- No epoxy construction.
- 100% TIG-welded.



80104NFAN - (12" fan and shroud combo) \$329.99 Fits all AFCO Scirocco-style radiators below.



OVERALL	TANK	TANK WIDTH	TANK WIDTH	WIDTH WITH	TANK	FILLER	INLET	OUTLET	WET		
<u>HEIGHT</u>	HEIGHT	TOP	BOTTOM	FLANGES	THICKNESS	LOC.	SIZE & LOC.	SIZE & LOC.	WEIGHT	PART #	PRICE
12-5/8"	12-5/8"	21-1/2"	21-1/2"	25-1/2"	3"	L	1-1/2" R	1-3/4" R	14.5 LBS.	80104N	\$419.99
12-5/8"	12-5/8"	21-1/2"	21-1/2"	25-1/2"	3"	L	1-1/4" R	1-1/4" R	14.5 LBS.	80104NA	\$419.99
12-5/8"	12-5/8"	21-1/2"	21-1/2"	25-1/2"	3"	R	1-1/2" L	1-3/4" L	14.5 LBS.	80105N	\$419.99
12-5/8"	12-5/8"	21-1/2"	21-1/2"	25-1/2"	3"	NONE	1-1/4" R	1-1/4" R	14.5 LBS.	80107N	\$419.99
12-5/8"	12-5/8"	21-1/2"	21-1/2"	25-1/2"	2"	L	1-1/2" R	1-3/4" R	10.5 LBS.	80104LWN	\$499.99
12-5/8"	12-5/8"	21-1/2"	21-1/2"	25-1/2"	2"	L	1-1/4" R	1-1/4" R	10.5 LBS.	80104LWNA	\$499.99
12-5/8"	12-5/8"	21-1/2"	21-1/2"	25-1/2"	2"	R	1-1/2" L	1-3/4" L	10.5 LBS.	80105LWN	\$499.99
12-5/8"	12-5/8"	21-1/2"	21-1/2"	25-1/2"	2"	NONE	1-1/4" R	1-1/4" R	10.5 LBS.	80107LWN	\$499.99
FAN & SHROU	ID KIT (FITS AL	L ABOVE).	•				•	•		80104NFAN	\$329.99

PERFORMANCE-FIT RADIATORS

AFCO Performance-Fit radiators are designed to be easily adapted to many applications. Perfect for the street, the strip, or anything in between.

- 2-row core.
- 2-1/4" thick core.
- 100% TIG-welded.
- Drain petcock included.
- 100% aluminum with no epoxy construction.
- 100% pressure-tested.

Built-in fin covers (top and bottom plates) provide a great 2" mounting flanges finish and on most models. aid installation.



80100FNP - (22" x 18-1/2")

MOPAR '64 - '69 Barracuda

A-Body Valiant A-Body Duster A-Body Scamp



80101NP - (27-1/2" x 18-3/4")

CHEVY

'67 - '69 BBC Camaro (AC) **PONTIAC**

'67 - '69 Firebird (AC)



SPECIALTY MARKETS



80103NP - (26" x 18-3/4")

CHEVY '59 - '70 Impala / Belair

'67 - '69 SBC Camaro

'67 - '69 Firebird



80103FNP - (26" x 18-3/4")

MOPAR

'62 - '64 Polara / Savoy '62 - '70 Belvedere

'65 - '74 Satellite / Coronet / Charger / Road Runner



80127NP - (24" x 18-1/2")

BUICK '65 - '67 Regal / Gran Sport

MOPAR

'70 - '74 Challenger (Small Block) '62 - '72 Nova / Chevy II '70 - '74 Barracuda (Small Block)



80127FNP - (24" x 18-1/2")

MOPAR '70 - '74 Challenger (Big Block) '70 - '74 Barracuda (Big Block)



80102NP - (31" x 18-3/4")

CHEVY

'68 - '79 Nova/Nova SS '68 - '87 Chevelle / El Camino

'70 - '81 Camaro '70 - '87 Monte Carlo

'71 - '74 Impala/Belair

OLDSMOBILE '65 - '87 Grand Prix '65 - '79 Delta 88/98

'66 - '87 Cutlass/442 '72 - '77 Omega/Omega SX

BUICK '68 - '77 Regal/Gran Sport **PONTIAC**

'65 - '86 Catalina/Bonneville '67 - '69 Firebird '68 - '72 GTO/Lemans '70 - '81 Firebird/Trans Am '73 - '80 Grand AM

HEIGHT	HEIGHT	WIDTH	WIDTH	WIDTH	WITH	THICK-	LOC.	SIZE &	SIZE &	WEIGHT	PAKI #
			TOP	BOTTOM	FLANGES	NESS		LOC.	LOC.		
20"	18-1/2"	17-7/8"	22-3/8"	21-1/2"	25-13/32"	3"	L	1-1/2" L	1-3/4" R	11.20 LBS.	80100FNP
20"	18-1/2"	22-3/8"	27-1/2"	27-1/2"	31-1/2"	3"	L	1-1/2" R	1-3/4" L	14.20 LBS.	80101FNP
20"	18-1/2"	22-3/8"	27-1/2"	27-1/2"	31-1/2"	3"	R	1-1/2" L	1-3/4" R	14.20 LBS.	80101NP
18-11/16"	18-1/2"	27-1/2"	32"	31-1/16"	N/A	3"	R	1-1/2" L	1-3/4" R	15.50 LBS.	80102NP
20"	18-1/2"	22-3/8"	26-3/4"	26"	30"	3"	L	1-1/2" R	1-3/4" L	13.75 LBS.	80103FNP
20"	18-1/2"	22-3/8"	26-3/4"	26"	30"	3"	R	1-1/2" L	1-3/4" R	13.75 LBS.	80103NP
20"	18-1/2"	20"	24-1/4"	23-1/2"	27-1/2"	3"	R	1-1/2" L	1-3/4" R	14.50 LBS.	80127NP
20"	18-1/2"	20"	24-1/4"	23-1/2"	27-1/2"	3"	L	1-1/2" R	1-3/4" L	14.50 LBS.	80127FNP
CORE MEA	SUREMEN	ITS DOES I	NOT INCLU	DE TANKS.							


*Always measure for your application — AFCO Performance Series Radiators may require some modifications and / or fabricating for proper fit.

**For full, show-quality polished finish, add a "Z" to the end of the radiator

LIGHTWEIGHT SINGLE ROW CORE

At almost half the weight of a 2-row radiator, single row radiators are ideal for alcohol fueled cars or cars with limited cooling requirements.







80100LWFN - (21-3/8" x 20")



80103LWN - (26-1/4" x 19-3/4")



80111N - (27-1/4" x 18-5/8")



80111FN - (27-1/4" x 18-5/8")



80127LWN - (23-5/8" x 20")

OVERALL	CORE	TANK	TANK WIDTH	TANK WIDTH	TANK	FILLER	INLET	OUTLET	OUTLET	DRY		
HEIGHT	WIDTH	HEIGHT	TOP	BOTTOM	THICKNESS	LOC.	SIZE & LOC.	SIZE & LOC.	ANGLE UP / IN	WEIGHT	PART #	PRICE
20"	18"	18-1/2"	22-7/8"	21-1/2"	1-7/8"	R	1-1/2" L	1-3/4" R	20°/10°	6.3 LBS.	80100LWN*	\$299.99
20"	18"	18-1/2"	22-7/8"	21-3/8"	1-7/8"	L	1-1/2" R	1-3/4" L	20°/10°	6.3 LBS.	80100LWFN*	\$299.99
19-3/4"	23-3/8"	18-3/4"	26-1/4"	26-1/4"	2-5/16"	R	1-1/2" L	1-3/4" R	30°/10°	8.8 LBS.	80103LWN*	\$299.99
18-5/8"	23-1/2"	18-5/8"	27-5/16"	27-1/4"	2-7/16"	R	1-1/2" L	1-3/4" R	30°/10°	11 LBS.	80111N*	\$275.99
18-5/8"	23-1/2"	18-5/8"	27-5/16"	27-1/4"	2-7/16"	L	1-1/2" R	1-3/4" L	30°/10°	11 LBS.	80111FN*	\$239.99
20"	18"	18-1/2"	23-5/8"	23-5/8"	1-5/8"	R	1-1/2" L	1-3/4" R	30°/10°	6.9 LBS.	80127LWN*	\$299.99

^{*1.25&}quot; CORES.

FAN SHROUDS

Add a High CFM fan shroud for a simple installation.

- Shroud is 3/4" deep.
- Fan is 3-3/16" deep.
- Total depth from core face is 4".

SIZE	PART #	PRICE
CUSTOM SIZE FAN & SHROUD	80110FS	\$320.99
CUSTOM SIZE DUAL FAN & SHROUD	80110FSD	\$427.99
80100NP & 80100FNP, 18.25" X 18.625"	80402FAN	\$314.99
80127NP & 80127FNP, 20" X 18.625"	80404FAN	\$314.99
80101NP, 80101FNP, 80103NP & 80103FNP, 22.38" X 18.75"	80406FAN	\$320.99
27.43" X 18.75" - FITS 80102NP *TOTAL DEPTH FROM CORE FACE IS 4-1/8", SHROUD IS 3/4".	80409FAN*	\$299.99





DOUBLE PASS RADIATORS

LIGHTWEIGHT 1 ROW X 1.5" TUBE CORE DOUBLE PASS RADIATORS

AFCO Racing Products is proud to announce our new lightweight double pass radiators for late models. This is the easiest and most cost-effective way to shave as much as 10 pounds off the front of your car. The radiator features a new 1.5" thick core for improved air-flow. The new lightweight double pass radiator has the standard features you have come to trust from AFCO, such as furnace brazed tubes with no epoxy. These race-proven lightweight radiators fit the same footprint as our standard radiators and installation is simple with no major modifications needed for mounting.

- Shaves 10 lbs. from the front of your car.
- Features an increased number of tubes and fins in the same height package.
- 100% pressure tested & 100% TIG-welded with no epoxy.
- Optimum fin per inch ratio promotes maximum cooling.
- Standard water pressure bung for easy plumbing.
- Wide range of inlets 1.5", -16AN, -20AN, and -20 AN Female (pg 60-61).





80184FNDP-U - (27-1/2" x 19") 80186FNDP-U - (24" x 19")



80184NDP - (26" x 19")



80184NDP-16 - (26" x 19")



80184NDP-U - (26" x 19") 80186NDP-U - (24" x 19")

OVERALL	CORE	TANK	TANK WIDTH	TANK WIDTH	TANK	FILLER	INLET	OUTLET	OUTLET	ADDITIONAL	DRY		
HEIGHT	WIDTH	HEIGHT	TOP	BOTTOM	THICKNESS	LOC.	SIZE & LOC.	SIZE & LOC.	ANGLE UP / IN	BUNGS	WEIGHT	PART #	PRICE
20"	22-3/8"	18-3/4"	25-7/8"	25-7/8"	2"	L	1-1/2" R	1-3/4" R	15°/ 15°	1/2" FPT	12.6 LBS.	80184NDP	\$379.99
20"	22-3/8"	18-3/4"	25-7/8"	25-7/8"	2"	L	16 AN-M R	1-3/4" R	15°/ 15°	1/2" FPT	12.6 LBS.	80184NDP-16	\$379.99
20"	22-3/8"	18-3/4"	26-3/4"	25-7/8"	2"	L	20 AN-F R	1-3/4" R	15°/ 15°	1/2" FPT	12.6 LBS.	80184NDP-U	\$379.99
20"	24"	18-3/4"	28-1/4"	27-1/2"	2"	R	20 AN-F L	1-3/4" L	15°/15°	1/2" FPT & 3/8" FPT - L	12.6 LBS.	80184FNDP-U	\$379.99
20"	20-1/2"	18-3/4"	25-7/8"	24"	2"	L	20 AN-F R	1-3/4" R	30°/10°	1/2" FPT	12 LBS.	80186NDP-U	\$379.99
20"	20-1/2"	18-3/4"	25-7/8"	24"	2"	R	20 AN-F L	1-3/4" L	30°/10°	1/2" FPT & 3/8" FPT - L	12 LBS.	80186FNDP-U	\$379.99








80185NDP-UB - (27-1/2" x 19")



80185FNDP-UD - (27-1/2" x 19")

OVERALI	CORE	TANK	TANK WIDTH	TANK WIDTH	TANK	FILLER	INLET	OUTLET	OUTLET	ADDITIONAL	DRY		
HEIGHT	WIDTH	HEIGHT	TOP	BOTTOM	THICKNESS	LOC.	SIZE & LOC.	SIZE & LOC.	ANGLE UP / IN	BUNGS	WEIGHT	PART #	PRICE
19-3/4"	24"	18-3/4"	28-1/4"	27-1/2"	2"	L	20 AN-F R	1-3/4" R	15°/15°	1/2" FPT & 1/8" FPT - L	13.1 LBS.	80185NDP-UA	\$379.99
19-3/4"	24"	18-3/4"	28-1/4"	27-1/2"	2"	L	20 AN-F R	1-3/4" R	15°/15°	3/8" FPT & 1/2" FPT - L	13.1 LBS.	80185NDP-UB	\$379.99
19-3/4"	24"	18-3/4"	28-1/4"	27-1/2"	2"	R	(2) 20 AN-F L	1-3/4" L	15°/15°	3/8" FPT & 1/2" FPT - L	13.1 LBS.	80185FNDP-UD	\$379.99


LIGHTWEIGHT 1 ROW X 1.5" TUBE CORE DOUBLE PASS RADIATORS CONTINUED



OVERALL	CORE	TANK	TANK WIDTH	TANK WIDTH	TANK	FILLER	INLET	OUTLET	OUTLET	ADDITIONAL	DRY		
HEIGHT	WIDTH	HEIGHT	TOP	BOTTOM	THICKNESS	LOC.	SIZE & LOC.	SIZE & LOC.	ANGLE UP / IN	BUNGS	WEIGHT	PART #	PRICE
20"	24"	18-3/4"	27-1/2"	27-1/2"	2"	L	1-1/2" R	1-3/4" R	15°/15°	1/2" FPT - L	10 LBS.	80185NDP	\$379.99
20"	24"	18-3/4"	27-1/2"	27-1/2"	2"	L	16 AN-M R	1-3/4" R	15°/15°	1/2" FPT - L	10 LBS.	80185NDP-16	\$379.99
20"	24"	18-3/4"	27-1/2"	27-1/2"	2"	L	20 AN-M R	1-3/4" R	15°/15°	1/2" FPT - L	10 LBS.	80185NDP-20	\$379.99
20"	24"	18-3/4"	28-1/4"	27-1/2"	2"	L	20 AN-F R	1-3/4" R	15°/15°	1/2" FPT - L	10 LBS.	80185NDP-U	\$379.99
20"	24"	18-3/4"	27-1/2"	27-1/2"	2"	R	1-1/2" L	1-3/4" L	15°/15°	1/2" FPT & 3/8" FPT - L	10 LBS.	80185FNDP	\$379.99
20"	24"	18-3/4"	27-1/2"	27-1/2"	2"	R	16 AN-M L	1-3/4" L	15°/15°	3/8" FPT & 1/2" FPT - L	10 LBS.	80185FNDP-16	\$379.99
20"	24"	18-3/4"	27-1/2"	27-1/2"	2"	R	20 AN-M L	1-3/4" L	15°/15°	3/8" FPT & 1/2" FPT - L	10 LBS.	80185FNDP-20	\$379.99
20"	24"	18-3/4"	28-1/4"	27-1/2"	2"	R	20 AN-F L	1-3/4" L	15°/15°	1/2" FPT & 3/8" FPT - L	10 LBS.	80185FNDP-U	\$379.99
20"	24"	18-3/4"	28-1/4"	27-1/2"	2"	NONE	20 AN-F R	1-3/4" R	15°/15°	1/2" FPT - L	10 LBS.	80185NDP-U	\$379.99

UNIVERSAL SINGLE PASS RADIATORS

Universal Radiators are built with two 1" rows for a total core thickness of 2-1/4" and feature 3" tanks.




OVERALL HEIGHT	CORE WIDTH	TANK HEIGHT	TANK WIDTH Top	TANK WIDTH BOTTOM	TANK THICKNESS	FILLER LOC.	INLET SIZE & LOC.	OUTLET SIZE & LOC.	OUTLET Angle up / In	DRY WEIGHT	PART #	PRICE
20"	17-7/8"	18-1/2"	22-3/8"	21-1/2"	3"	<u>гос.</u> R	1-1/2" L	1-3/4" R	30°/10°	11.2 LBS.	80100N	\$299.99
20"	17-7/8"	18-1/2"	22-3/8"	21-1/2"	3"	L	1-1/2" R	1-3/4" L	30°/10°	11.2 LBS.	80100FN	\$299.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	NONE	1-1/2" L	1-3/4" R	30°/10°	13.7 LBS.	80101-1N	\$299.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	R	1-1/2" L	1-3/4" R	30°/10°	13.6 LBS.	80101N	\$299.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	R	16 AN-M L	1-3/4" R	30°/10°	13.6 LBS.	80101N-16	\$299.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	1-1/2" R	1-3/4" L	0°	13.6 LBS.	80101FN	\$299.99
21"	27-1/2"	18-1/2"	32"	31"	3"	L	1-1/2" R	1-3/4" L	30°/10°	15 LBS.	80102FN	\$299.99
21"	27-1/2"	18-1/2"	32"	31"	3"	R	1-1/2" L	1-3/4" R	30°/10°	15 LBS.	80102N	\$299.99
21"	27-1/2"	18-1/2"	32"	31"	3"	R	16 AN-M L	1-3/4" R	30°/10°	15 LBS.	80102N-16	\$299.99
21"	27-1/2"	18-1/2"	30-7/8"	30-7/8"	3"	NONE	1-1/2" L	1-3/4" R	30° UP	15 LBS.	80102-2N	\$383.55
20"	22-3/8"	18-1/2"	26-3/4"	26"	3"	R	1-1/2" L	1-3/4" R	30°/10°	13.2 LBS.	80103N	\$299.99
20"	22-3/8"	18-1/2"	26-3/4"	26"	3"	L	1-1/2" R	1-3/4" L	30°/10°	13.2 LBS.	80103FN	\$299.99
20"	22-3/8"	18-1/2"	26-3/4"	26"	3"	R	16 AN-M L	1-3/4" R	30°/10°	13.2 LBS.	80103N-16	\$299.99
17-5/16"	22-3/8"	15-7/8"	27-1/2"	27-1/2"	3"	R	1-1/2" L	1-3/4" R	30°/10°	14.1 LBS.	80116N	\$323.99
20"	20"	18-1/2"	24-1/4"	23-1/2"	3"	R	1-1/2" L	1-3/4" R	30°UP	14.1 LBS.	80127N	\$299.99
20"	20"	18-1/2"	24-1/4"	23-1/2"	3"	L	1-1/2" R	1-3/4" L	30°UP	14.1 LBS.	80127FN	\$299.99
20"	20"	18-1/2"	24-1/2"	23-1/2"	3"	L	16 AN R	1 3/4" R	30/10	14.1 LBS.	80127N-16	\$299.99
19-9/16"	24-3/8"	18-1/2"	28-3/4"	28"	3"	R	16 AN R	1-3/4" R	30º/10º	14.3 LBS.	80130N-16	\$299.99
FOR EXTRA	STEERING B	OX CLEARANO	E									
15-1/8"	17-7/8"	15-1/6"	22-7/8"	22-7/8"	3"	NONE	1-1/2" L	1-3/4" R	20°/ 25°	9.75	80128N*	\$349.99

UNIVERSAL DOUBLE PASS RADIATORS

AFCO double pass radiators give increased cooling over standard type radiators, with less than 2 oz. of added weight. Common temperature drops are 10-20° F when replacing a standard configuration radiator with equal core size. This keeps your mind off the water temperature and puts it on the race track.



Double pass radiators gain their efficiency by first passing the fluid through the top half of the radiator and then the bottom half, giving the radiator the ability to dissipate heat twice.



We use our exclusive 360-degree TIG-welded baffle that splits the radiator core into two sections. This 360-degree baffle in a sense creates two radiators out of one and ensures that you won't have any coolant that has entered the radiator but never made it across the core. This is superior to utilizing silicone to seal internal baffles, or worse, a partial weld that allows the coolant to bypass the radiator core completely.





80100NDP - (22" x 19") - \$349.99 Available in "Thermal Coating" - Call for details.

All AFCO Radiators are available with an optional black "Thermal Coating" finish for improved cooling. Call AFCO Racing at 800-632-2320 for more information.



Swivel-neck Aluminum Thermostat Housings

Allows for easy installation of Double Pass Radiators.

80312-15 (15° Neck)





80100NDP - (22" x 19")



80101NDP - (27-1/2" x 19")



80101NDP-16 - (27-1/2" x 19")



80102NDP-16 - (31" x 19")



80119N - (26" x 19")



80120N - (31" x 19")



80124N - (27-1/2" x 19")



80126N - (31" x 19")



80127NDP - (24" x 19")



80133N - (27-1/2" x 16")

OVERALL	CORE	TANK	TANK WIDTH	TANK WIDTH	TANK	FILLER	INLET	OUTLET	OUTLET	DRY		
HEIGHT	WIDTH	HEIGHT	TOP	BOTTOM	THICKNESS	LOC.	SIZE & LOC.	SIZE & LOC.	ANGLE UP / IN	WEIGHT	PART #	PRICE
20"	17-7/8"	18-1/2"	22-1/4"	21-1/2"	3"	L	1-1/2" R	1-3/4" R	30°/10°	11.3 LBS.	80100NDP	\$349.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	1-1/2" R	1-3/4" R	30°/10°	13.7 LBS.	80101NDP	\$349.99
20"	22-3/8"	18-1/2"	27-1/2"	27-1/2"	3"	L	16 AN-M R	1-3/4" R	30°/10°	13.7 LBS.	80101NDP-16	\$349.99
21"	27-1/2"	18-1/2"	31-3/4"	31"	3"	L	16 AN-M R	1-3/4" R	30°/10°	15 LBS.	80102NDP-16	\$349.99
20"	22-3/8"	18-1/2"	25-3/4"	25-3/4"	3"	NONE*	1-1/2" R	1-3/4" R	30°/10°	13.2 LBS.	80119N*	\$323.99
21"	27-1/2"	18-1/2"	30-3/4"	30-3/4"	3"	NONE*	1-1/2" R	1-3/4" R	30°/10°	15 LBS.	80120N*	\$244.99
20"	22-3/8"	18-1/2"	26-3/4"	25-7/8"	3"	L	1-1/2" R	1-3/4" R	30°/10°	13.2 LBS.	80124N	\$349.99
21"	27-1/2"	18-1/2"	31-3/4"	31"	3"	L	1-1/2" R	1-3/4" R	30°/10°	15 LBS.	80126N	\$349.99
20"	20"	18-1/2"	24-1/4"	23-1/2"	3"	L	1-1/2" R	1-3/4" R	30° UP	14.1 LBS.	80127NDP	\$349.99
16"	22-3/8"	16"	27-1/2"	27-1/2"	3"	NONE	1-1/4" R	1-1/2" R	0°	13.2 LBS.	80133N**	\$373.67

^{*1/4&}quot; FNT PIPE FITTED WITH AIR BLEED. **TWO 2/4" FP TEMP BUNG.

HIGH PERFORMANCE COOLING

MUSTANG RACING RADIATORS

This radiator was designed to fit Fox Body Mustangs ('79-'93) with little to no fabrication required. This radiator was designed as an easy "race-fit" application for Fox Body Mustangs ('79-'93). Fabricating a new top bracket or purchase of #80109B bracket sold below is required to install. Due to the thickness of this radiator, fitment on air-conditioned cars retaining the factory fan shroud requires this shroud to be notched for air compressor clearance.

- Perfect choice for your engine swap project.
- Stock hose inlet and outlets.
- Exceeds factory efficiency 40% larger core!


ENGINE	HEIGHT	WIDTH	CORE SIZE	PART #	PRICE
CHEVY (SBC & BBC)	18-1/2"	28-5/8"	24-1/2"	80109N	\$459.99
FORD (SBF & BBF)	18-1/2"	28-5/8"	24-1/2"	80109FN	\$459.99
CHEVY (LSX)	18-1/2"	28-5/8"	24-1/2"	80109NLS	\$459.99
UPPER RADIATOR BRACK	(ET			80109B	\$44.99
SINGLE FAN SHROUD				80109FS	\$329.99
DUAL FAN SHROUD				80109FSD	\$417.99





80109FS





AFCO DIRECT-FIT HIGH PERFORMANCE RADIATORS

AFCO Direct-Fit High Performance radiators are engineered and manufactured in-house. During the design phase, careful consideration is paid to ensure the finished product maximizes cooling, streamlines installation, and allows years of satisfaction. You will not find a better radiator on the market.

'79-'93 & '94-'95 MUSTANG RADIATORS



BUILD YOUR PART NUMBER

'73 - '93 '94 - '95 **STARTING AT** 81270 28-3/4"(w) x 16-7/8"(h) 81271 29-1/4"(w) x 16-1/2"(h)

BASE NUMBER






- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- **DP** (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'97-'04 MUSTANG RADIATORS



BUILD YOUR PART NUMBER

\$639⁹⁹

80291 29-3/4"(w) x 17-3/4"(h)

BASE NUMBER






- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- **DP** (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)


BUILT-IN TRANS. COOLER





'05 - '09 MUSTANG RADIATORS

- Aluminum construction and TIG-welded.
- Mounts in the factory location.
- Accepts factory fan shroud.
- Two row 1" tube core.
- 28.90" wide x 19.12" tall x 3" thick tanks.
- Installation time less than 1 hour.
- Radiator has condenser mounting.
- Detailed instructions included.





FINISH	HEIGHT	WIDTH	PART #	PRICE
SATIN	18-1/4"	29"	81281N	\$674.99
POLISHED	18-1/4"	29"	81281Z	\$874.99
BLACK	18-1/4"	29"	81281B	\$874.99

'10 - '14 MUSTANG RADIATORS

- Mounts in the factory location.
- Accepts factory fan shroud.
- Mounting for condenser on the radiator.
- Mounting for external transmission cooler on the radiator.
- Two row 1" tube core.
- 2.61" thick tanks.
- Installation time less than 1 hour.
- Detailed instructions included.



'10 - '11 CAMARO RADIATORS

- Mounts in the factory location.
- Accepts factory fan shroud.
- Condenser mounts on the radiator.
- In-tank transmission cooler standard for automatic and manual cars.
- Two row 1" tube core.
- Installation time less than 1 hour.
- Detailed instructions included.





FINISH	HEIGHT	WIDTH	PART #	PRICE
SATIN	19.56"	30.84"	80259N	\$674.99
POLISHED	19.56"	30.84"	80259Z	\$874.99
BLACK	19.56"	30.84"	80259B	\$962.99

'14 - '16 C7 CORVETTE RADIATORS

- Direct fit radiator, accepts stock mounting hardware, A/C condenser, and fan shroud.
- Single row 1.50" core, twice the thickness of the stock radiator core.
 Will not fit the Z06 Corvette.
- Aluminum construction and TIG-welded.
- Detailed instructions included.

	OVERALL	OVERALL	CORE	CORE	CORE		
APPLICATION	HEIGHT	WIDTH	WIDTH	HEIGHT	LENGTH	PART #	PRICE
C7 CORVETTE SATIN RADIATOR	17-5/16"	26-7/16"	1-1/2"	17-5/16"	22-7/16"	80292N	\$722.99
C7 CORVETTE POLISHED RADIATOR	17-5/16"	26-7/16"	1-1/2"	17-5/16"	22-7/16"	80292Z	\$874.99
C7 CORVETTE BLACK RADIATOR	17-5/16"	26-7/16"	1-1/2"	17-5/16"	22-7/16"	80292B	\$874.99





HEAT EXCHANGERS

Cooler intake temperatures mean more power. It is just that simple. However, providing your engine with cool air to breathe becomes even more difficult when forced induction is involved.

A supercharger utilizes a heat exchanger mounted low in the front grill which is very similar to a small radiator. Coolant flows separate from the main engine cooling system and circulates internally through the intercooler beneath the supercharger.

While the factory supercharger cooling system is adequate in stock configuration, it struggles to keep up with the multitude of popular modifications that not only deliver more power, but also increase the stress and strain on the engine.

To combat the power loss by excessive heat buildup in the supercharger and intake system, AFCO focused on upgrading the weakest component in this cooling system, THE HEAT EXCHANGER.





COOLER INTAKE TEMPERATURES = MORE HORSEPOWER

Easy Bolt-In Installation

AFCO Heat Exchangers mount in factory locations with no cutting or fabrication of any kind — a TRUE BOLT-IN.

Regains Lost Power

By more effectively cooling intake temperatures, AFCO Heat Exchangers keep the air entering the combustion chamber cooler and more dense, even in high-demand situations. AFCO heat exchangers reduce supercharger coolant temperatures by more than 40 degrees.

Allows for More Consistency

After hard acceleration, especially in drag racing applications, AFCO Heat Exchangers allow the supercharger to cool faster and remain at a constant temperature, which means power delivery is more consistent.

Optimized Design

Using years of experience, advanced design, and thorough testing, AFCO Heat Exchangers are designed to promote optimal air flow and cooling by utilizing proper fin count, tube size, core thickness, and fin serration for all applications.

Quality Construction

Of course, as an AFCO product, quality is second to none. AFCO Heat Exchangers are TIG-welded and feature furnace brazed cores with no epoxy. Each unit is pressure tested before it is shipped.

Installation

AFCO Heat Exchanger installation only requires simple hand tools and approximately 1-2 hours. All needed hardware (except replacement fluid) is included along with detailed instructions.

NEED A CUSTOM HEAT EXCHANGER?

AFCO Racing Products offers custom-built heat exchangers. Call 800-632-2320 for more details or to order your custom heat exchanger!

Part # 80005

STARTING AT


\$499⁹⁹

Base price includes core, tanks, any fin covers, brackets, and all inlets/outlets, bungs and fittings. Comes in standard satin finish. For more info on radiator options, go to AFCOracing.com or contact us at 800-632-2320.

BUILD YOUR PART NUMBER...

Example: 80005-S-DS

SINGLE PASS





ELECTRIC FAN & SHROUD CHOICES

- NA (No Fan & Shroud: Std.)

Part # 80006

STARTING AT


\$574⁹⁹

Base price includes core, tanks, any fin covers, brackets, and all inlets/outlets, bungs and fittings. Comes in standard satin finish. For more info on radiator options, go to AFCOracing.com or contact us at 800-632-2320.

BUILD YOUR PART NUMBER...

Example: 80006-S-DS

DOUBLE PASS





ELECTRIC FAN & SHROUD CHOICES

- DB (Dual Fan Black) - NA (No Fan & Shroud: Std.)

JIMMIE BROADAWAY



'03 - '04 COBRA MUSTANG HEAT EXCHANGER

The '03—'04 Cobra model uses a dual pass design. This design improves power by creating a more dense (lower temp.) intake charge versus stock. Our double pass design, combined with total grill covering, will increase the cooling ability of the system to drop your inlet temperatures to near ambient while under boost. A 60-70 degree temperature drop is typical compared to the stock system. This is critical in controlling detonation in a supercharged application.

AFCO Heat Exchangers are now available for serious street performance enthusiasts with supercharged applications. AFCO's design incorporates the latest engineering and technology for enhanced coolant flow and improved thermal stabilization. AFCO Heat Exchangers are available as standard (high performance street) or pro series (drag race and extreme street). There is no drilling, cutting, or fabrication required. Detailed instructions included.

2003-2004 COBRA MUSTANG	DIMENSIONS	PART #	PRICE
COBRA DOUBLE PASS HEAT EXCHANGER	(L - 31") X (W - 3") X (H - 5-13/16")*	80275NDP	\$472.49
COBRA DOUBLE PASS HEAT EXCHANGER (BLACK)	(L - 31") X (W - 3") X (H - 5-13/16")*	80275NDPB	\$687.49
COBRA DOUBLE PASS HEAT EXCHANGER W/ DUAL FAN KIT**	(L - 31") X (W - 5-3/8") X (H - 5-13/16")**	80275PR0	\$892.49
COBRA DOUBLE PASS HEAT EXCHANGER W/ DUAL FAN KIT (BLACK)**	* (L - 31") X (W - 5-3/8") X (H - 5-13/16")**	80275PROB	\$1049.99
COBRA HEAT EXCHANGER DUAL FAN KIT (FITS 80275NDP)	(L - 24-1/8") X (W - 2-3/8") X (H - 6")	80275NFAN	\$472.49
*OUTSIDE DIMENSIONS TANK TO TANK, TOP TO BOTTOM & FRONT TO	D BACK OF CORE. **WIDTH MEASUREMEN	TS INCLUDE FA	N WIDTH.



'07 - '12 COBRA SHELBY GT500 HEAT EXCHANGER

- 350% more cooling area than stock.
- Dual 10" SPAL fans with dual relay wiring harness, only on PRO model.
- There is no drilling, cutting, or fabrication required.
- Detailed instructions included.

2007 & UP SHELBY HEAT EXCHANGER	DIMENSIONS	PART #	PRICE
SHELBY DOUBLE PASS HEAT EXCHANGER	(L - 26-1/4") X (W - 3") X (H - 8-7/8")*	80280NDP	\$577.49
SHELBY DOUBLE PASS HEAT EXCHANGER (BLACK	() (L - 26-1/4") X (W - 3") X (H - 8-7/8")*	80280NDPB	\$749.99
SHELBY DOUBLE PASS HEAT EXCHANGER W/ FAN	IS (L - 26-1/4") X (W - 5-3/8") X (H - 11-3/8")*	* 80280PR0	\$902.99
SHELBY DOUBLE PASS HEAT EXCHANGER W/ FAN	IS (BLACK)** (L - 26-1/4") X (W - 5-3/8") X (H - 8-7/8")**	80280PR0B	\$1165.99
*OUTSIDE DIMENSIONS TANK TO TANK TOP TO B	OTTOM & FRONT TO BACK OF CORE **WIDTH MEASUREMEN	ITS INCLUDE EA	AN WIDTH



'99 - '04 F-150 LIGHTNING/HARLEY HEAT EXCHANGERS

The 80245N offers huge gains over the factory model by offering more surface area, volume, and superior core construction. It is a single pass system and can be installed in less than 30 minutes. There is no drilling, cutting, or fabrication required. Detailed instructions included.

The 80249N offers even more cooling capacity by adding a double pass design (uses a baffle to pass the coolant through the core twice). The dual fan kit adds over 1080 CFM of constant airflow to further the cooling system. Detailed instructions included.

1999–2004 F-150 LIGHTNING / HARLEY	DIMENSIONS	SATIN FINISH	PRICE	BLACK FINISH	PRICE
LIGHTNING HEAT EXCHANGER	(L - 26-3/8") X (W - 3") X (H - 8-7/8")*	80245N	\$577.49	80245NB	\$776.24
DOUBLE PASS LIGHTNING HEAT EXCHANGER	(L - 26-3/8") X (W - 3") X (H - 8-7/8")*	80249N	\$577.49	80249NB	\$776.24
DOUBLE PASS LIGHTNING HEAT EXCHANGER W/ FAN KIT*	(L - 26-3/8") X (W - 5-3/8") X (H - 8-7/8")*	80249N-FS	\$871.49	80249N-FSB	\$1098.24
LIGHTNING HEAT EXCHANGER FAN KIT ONLY	(L - 22-11/32") X (W - 2-5/32") X (H - 8-7/8")*	80249NFAN***	\$419.99	80249NFANB***	\$551.24
*OUTSIDE DIMENSIONS TANK TO TANK, TOP TO BOTTOM & FRONT TO BACK OF CORE. **WIDTH MEASUREMENTS INCLUDE FAN WIDTH.					

***FAN KIT IS NOT COMPATIBLE WITH STANDARD STYLE 80245N.





'10 - '14 SUPERCHARGED F-150/RAPTOR HEAT EXCHANGERS

The 80284 is over 3 times thicker than competitor heat exchangers. The 80284 offers increased surface area, volume, and a double pass design (uses a baffle to pass the coolant through the core twice) to help reduce coolant temperatures by as much as 30°F. The 80284PRO comes with the dual fans which adds over 1600 CFM of constant airflow (800 CFM per fan) to reduce heat soak when there is reduced air flow through the heat exchanger. The heat exchanger can be installed in approximately 1 hour. These heat exchangers will fit Roush or Whipple supercharger kits. Whipple installations require extra mounting brackets. There is no drilling, cutting, or fabrication required. Detailed instructions included.

2010 & UP SUPERCHARGED F-150 / RAPTOR	DIMENSIONS	SATIN FINISH	PRICE	BLACK FINISH	PRICE	
DOUBLE PASS F150/RAPTOR HEAT EXCHANGER	(L - 26") X (W - 3") X (H - 15-3/32")*	80284NDP	\$577.99	80284NDPB	\$749.99	
DOUBLE PASS F150/RAPTOR HEAT EXCHANGER W/ FAN KIT	(L - 26") X (W - 5") X (H - 15-3/32")*	80284PR0	\$902.99	80284PR0B	\$1112.99	
WHIPPLE MOUNTING BRACKET KIT		80284WHIPPLE	\$104.99		_	
*OUTSIDE DIMENSIONS TANK TO TANK, TOP TO BOTTOM & FF	ONT TO BACK OF CORE.			And the second		
80284PRO	J284NDP				Contraction	

'10-'15 SS & '12-'15 ZL1 CAMARO HEAT EXCHANGERS

AFCO's NEW Camaro heat exchanger is a double pass design with 350% more cooling area than stock. It is available with or without 10" SPAL fans and fits the '12-'15 ZL1 Camaro & '10-'15 Camaro SS with aftermarket supercharger. There is no cutting or fabrication required. Two holes must be drilled for installation.


APPLICATIONS	DIMENSIONS	PART #	PRICE
ZL1 HEAT EXCHANGER W/O FANS	(L - 26-1/4") X (W - 3") X (H - 11-1/8")*	80283NDP	\$577.49
ZL1 HEAT EXCHANGER W/O FANS - BLACK	(L - 26-1/4") X (W - 3") X (H - 11-1/8")*	80283NDPB	\$787.49
ZL1 HEAT EXCHANGER W/ FANS	(L - 26-1/4") X (W - 2-5/16") X (H - 11-3/8")*	80283PR0	\$902.99
ZL1 HEAT EXCHANGER W/ FANS - BLACK	(L - 26-1/4") X (W - 2-5/16") X (H - 11-3/8")*	80283PR0B	\$1112.99
*OUTSIDE DIMENSIONS TANK TO TANK, TOP	TO BOTTOM & FRONT TO BACK OF CORE, FAN WII	OTH MEASURES	S 2-1/16".

- Double pass design.
- 350% more cooling area than stock.
- Dual 10" SPAL fans with wiring harness and relay.
- Also fits '10-'15 Camaro SS with aftermarket supercharger.
- All hardware and detailed instructions included.
- Available with an optional black "Thermal Coating" finish for improved cooling.



2016 GEN 6 ZL1 CAMARO HEAT EXCHANGERS

- Direct fit heat exchanger kit that installs in approximately 3-5 hours.
- No drilling or fabrication required.
- All aluminum TIG-welded construction.
- All hardware and detailed installation instructions included.
- Available with an optional black "Thermal Coating" finish for improved cooling.
- Single row 1.50" core.
- Double pass design.
- 80297NDP-Kit includes 1 80297NDP-1 and 2 80297NDP-2 heat exchangers.



APPLICATIONS	DIMENSIONS	PART #	PRICE
CAMARO ZL1 KIT	-	80297NDP	\$1417.49
CAMARO ZL1 - MAIN HEAT EXCHANGER	(L - 22-15/16") X (W - 2-1/16") X (H - 13-3/4")	80297NDP-1	\$629.99
CAMARO ZL1 - SIDE HEAT EXCHANGER	(L – 9-7/16") X (W – 2-1/16") X (H – 11")	80297NDP-2	\$419.99

C7 Z06 CORVETTE HEAT EXCHANGERS

AFCO's C7 Z06 Corvette heat exchanger is an all-aluminum, double pass design that lowers coolant temperature by 20° F. It is a direct-fit heat exchanger and it installs in approximately 3-5 hours. There is no drilling, cutting, or fabrication required.

APPLICATIONS	DIMENSIONS	PART #	PRICE
C7 Z06 CORVETTE HEAT EXCHANGER W/O FANS	(L - 22") X (W - 3") X (H - 9-9/16")*	80294NDP	\$629.99
C7 Z06 CORVETTE HEAT EXCHANGER W/O FANS - BLACK	(L - 22") X (W - 3") X (H - 9-9/16")*	80294NDPB	\$839.99
*OUTSIDE DIMENSIONS TANK TO TANK, TOP TO BOTTOM &	FRONT TO BACK OF CORE.		

- Dual row 1.00" core vs. single row 1.38" on OEM unit.
- Double pass design for maximum temperature drop.
- Expect as much as 20° F drop in coolant temperature.
- All aluminum TIG-welded construction.
- Installation time approximately 3-5 hours.
- Available with an optional black "Thermal Coating" finish for improved cooling.
- All hardware and detailed installation instructions included.



'09-'15 CADILLAC CTS-V HEAT EXCHANGERS

AFCO's NEW Cadillac CTS-V heat exchanger is an all-aluminum, double pass design that lowers coolant temperature by 20° F. It is a direct fit heat exchanger and it installs in approximately 2 hours. There is no drilling, cutting, or fabrication required.

APPLICATIONS	DIMENSIONS	PART #	PRICE
CADILLAC CTS-V HEAT EXCHANGER	(L - 21") X (W - 2-1/16") X (H - 15")*	80293NDP	\$629.99
CADILLAC CTS-V HEAT EXCHANGER - BLACK	(L - 21") X (W - 2-1/16") X (H - 15")*	80293NDPB	\$839.99
*OUTSIDE DIMENSIONS TANK TO TANK TOP T	O BOTTOM & EBONT TO BACK OF CORE		

- Single row 1-1/2" core vs OEM single row 5/8" core, 2.4 times thicker than OEM.
- Double pass design for maximum temperature drop and to utilize entire core (OEM was single pass).
- Maintains a lower and more consistent heat exchanger coolant temperature after a WOT run.
- Expect as much as 20° F drop in coolant temperature.
- All aluminum TIG-welded construction.
- All hardware and detailed installation instructions included.
- Available with an optional black "Thermal Coating" finish for improved cooling.



DIRECT FIT RADIATORS

- Perfect, bolt-in direct fit.
- 100% aluminum NO EPOXY.
- Billet filler neck w/ threaded, high-capacity overflow tube.
- High performance, dual one-inch tubes.
- TIG-welded, laser-cut tanks.
- LS based engine conversions.

- 100% pressure tested.
- · Cross flow design.
- OEM size inlets/outlets & petcocks.
- Auto trans fittings in factory location.
- Optional full, show-quality polish or black thermal coating.
- Full 1 year warranty.

HOW TO BUILD YOUR PART NUMBER





- S (Satin: Std.)
- P (Polished: + \$250)
- B (Black: + \$210)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- **DP** (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES



- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER

NEED A CUSTOM RADIATOR? SEE PAGE 93.



'67-'69 CAMARO



BUILD YOUR PART NUMBER... **Example: 80250-S-NA-N**

STARTING AT

80250 26"(w) x 18-3/8"(h) 80251 28"(w) x 18-3/8"(h) 84251 LS Conv. (Double Pass) 28"(w) x 17-3/4"(h)*


BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'70-'81 CAMARO



BUILD YOUR PART NUMBER... **Example: 80255-S-NA-N**

\$63999

80255 31-1/4"(w) x 17-1/4"(h) 84255 LS Conv. (Double Pass) 31-1/8"(w) x 17-3/4"(h)*

BASE NUMBER



- **S** (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER





'70-'81 FIREBIRD/TA



BUILD YOUR PART NUMBER... **Example: 80290-S-NA-N**

\$63999

80290 32-1/4"(w) x 17-1/4"(h) 84290 LS Conv. (Double Pass) 32-1/4"(w) x 17-1/4"(h)*

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'82-'92 CAMARO Z28/IROC - (V8 OEM 26-3/8" CORE)



BUILD YOUR PART NUMBER... **Example: 80257-S-NA-N**

starting at \$63999

80257 30-1/2"(w) x 17-1/2"(h) 84257 30"(w) x 17-3/4"(h)*

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- **DS** (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER

'66-'67 CHEVELLE



BUILD YOUR PART NUMBER... Example: 80252-S-NA-N

STARTING AT

80252 25"(w) x 21-3/8"(h) 0EM Style Vertical


84252 LS Conv. (Double Pass) 25-1/4"(w) x 19-1/2"(h)*


BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'68-'77 CHEVELLE



BUILD YOUR PART NUMBER... **Example: 80253-S-NA-N**

\$63999

80253 34-1/4"(w) x 17-3/4"(h) 84253 LS Conv. (Double Pass) 32-1/2"(w) x 17-3/4"(h)*

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER

* NOT SHOWN





COOLING

'62-'67 NOVA



BUILD YOUR PART NUMBER... Example: 80285-S-NA-N

23-1/2" Core Support 23-1/2" Core Support

80285 22-1/4"(w) x 20-1/8"(h)* 84285 22-1/4"(w) x 20-1/8"(h) LS Conversion* 80286 23-1/4"(w) x 20-1/4"(h)

24-1/2" Core Support 24-1/2" Core Support

OEM Style Vertical 80287 23-1/4"(w) x 20"(h) 84287 LS Conv. (Double Pass) 23-1/4"(w) x 20"(h)*

BASE NUMBER





80287

- **S** (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

> See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN **TRANSMISSION COOLER**

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER

'68-'74 NOVA



BUILD YOUR PART NUMBER... Example: 80288-S-NA-N

'68-'74 SBC 20" Core Support '72-'74 SBC 22-3/8" Core Support '68-'72 BBC 22-3/8" Core Support

80288 25-1/2"(w) x 17-3/4"(h) 80289 28"(w) x 17-3/4"(h) 80289 28"(w) x 17-3/4"(h)

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

> See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN **TRANSMISSION COOLER**

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

* NOT SHOWN

Prices Subject to Change Without Notice

'75-'79 NOVA



BUILD YOUR PART NUMBER... Example: 80255-S-NA-N

STARTING AT

80255 31-1/4"(w) x 17-1/4"(h) 84255 LS Conv. (Double Pass) 31-1/8"(w) x 17-3/4"(h)*

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN **TRANSMISSION COOLER**

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER

'70-'77 MONTE CARLO



BUILD YOUR PART NUMBER... Example: 80253-S-NA-N

STARTING AT

80253 34-1/4"(w) x 17-3/4"(h) 84253 LS Conv. (Double Pass) 32-1/2"(w) x 17-3/4"(h)*

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

> See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN **TRANSMISSION COOLER**

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER





'78-'88 MONTE CARLO V8/SS



BUILD YOUR PART NUMBER... Example: 80258-S-NA-N

STARTING AT


80258 30-1/2"(w) x 17-1/4"(h) 84258 LS Conv. (Double Pass) 29-1/2"(w) x 17-3/4"(h)*


BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

> See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN **TRANSMISSION COOLER**

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER

'73-'76 CORVETTE



BUILD YOUR PART NUMBER... Example: 80265-S-NA-N

STARTING AT

80265 31-1/2"(w) x 17-3/4"(h)

BASE NUMBER



- **S** (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

> See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN **TRANSMISSION COOLER**

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER

'71-'79 BELAIR/BISCAYNE IMPALA



BUILD YOUR PART NUMBER... **Example: 80253-S-NA-N**

STARTING AT \$6399


80253 34-1/4"(w) x 17-3/4"(h) 84253 LS Conv. (Double Pass) 32-1/2"(w) x 17-3/4"(h)*

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'80-'86 IMPALA/CAPRICE



BUILD YOUR PART NUMBER... **Example: 80258-S-NA-N**

\$639⁹⁹

80258 30-1/2"(w) x 17-1/4"(h) 84258 LS Conv. (Double Pass) 29-1/2"(w) x 17-3/4"(h)*

BASE NUMBER



- **S** (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER





'69-'73 SKYLARK/APOLLO



BUILD YOUR PART NUMBER... Example: 80253-S-NA-N

\$639⁹⁹

80253 34-1/4"(w) x 17-3/4"(h) 84253 LS Conv. (Double Pass) 32-1/2"(w) x 17-3/4"(h)*

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- **DS** (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'75-'79 SKYLARK/APOLLO




BUILD YOUR PART NUMBER... **Example: 80255-S-NA-N**

starting at \$63999

80255 31-1/4"(w) x 17-1/4"(h) 84255 LS Conv. (Double Pass) 31-1/8"(w) x 17-3/4"(h)*

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER

'73-'77 REGAL/GRAND SPORT



BUILD YOUR PART NUMBER...

Example: 80253-S-NA-N

\$639⁹⁹

80253 34-1/4"(w) x 17-3/4"(h) 84253 LS Conv. (Double Pass) 32-1/2"(w) x 17-3/4"(h)*

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER

'78-'87 REGAL/GRAND NATIONAL/GNX



BUILD YOUR PART NUMBER... **Example: 80258-S-NA-N**

\$639⁹⁹

80258 30-1/4"(w) x 17-1/4"(h) 84258 LS Conv. (Double Pass) 29-1/2"(w) x 17-3/4"(h)*


BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER



'66-'77 CUTLASS/442/HURST OLDS



BUILD YOUR PART NUMBER... **Example: 80253-S-NA-N**

\$63999


80253 34-1/4"(w) x 17-3/4"(h) 84253 LS Conv. (Double Pass) 32-1/2"(w) x 17-3/4"(h)*


BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'78-'88 CUTLASS/442/HURST OLDS



BUILD YOUR PART NUMBER... **Example: 80258-S-NA-N**

\$639⁹⁹

80258 30-1/2"(w) x 17-1/4"(h) 84258 LS Conv. (Double Pass) 29-1/2"(w) x 17-3/4"(h)*

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- **DB** (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER

* NOT SHOWN

Prices Subject to Change Without Notice

'64-'67 GTO



BUILD YOUR PART NUMBER... **Example: 80298-S-NA-N**

\$639⁹⁹

80298 25"(w) x 19-1/2"(h) 84298 LS Conv. (Double Pass) 25"(w) x 19-1/2"(h)*


BASE NUMBER





- **S** (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'68-'74 GTO/LEMANS/TEMPEST



BUILD YOUR PART NUMBER... **Example: 80253-S-NA-N**

\$63999

80253 34-1/4"(w) x 17-3/4"(h) 84253 LS Conv. (Double Pass) 32-1/2"(w) x 17-3/4"(h)*

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER



'72-'77 GRAND PRIX



BUILD YOUR PART NUMBER... Example: 80253-S-NA-N

\$639⁹⁹


80253 34-1/4"(w) x 17-3/4"(h) 84253 LS Conv. (Double Pass) 32-1/2"(w) x 17-3/4"(h)*

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'78-'87 GRAND PRIX




BUILD YOUR PART NUMBER... **Example: 80258-S-NA-N**

\$639⁹⁹

80258 30-1/2"(w) x 17-1/4"(h) 84258 LS Conv. (Double Pass) 29-1/2"(w) x 17-3/4"(h)*


BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- **DB** (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER

'68-'77 LEMANS



BUILD YOUR PART NUMBER... Example: 80253-S-NA-N

\$63999


80253 34-1/4"(w) x 17-3/4"(h) 84253 LS Conv. (Double Pass) 32-1/2"(w) x 17-3/4"(h)*

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER

'78-'81 LEMANS V8



BUILD YOUR PART NUMBER... **Example: 80258-S-NA-N**

\$639⁹⁹

80258 30-1/2"(w) x 17-1/4"(h) 84258 LS Conv. (Double Pass) 29-1/2"(w) x 17-3/4"(h)*

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER





'68-'73 TEMPEST/T37



BUILD YOUR PART NUMBER... Example: 80253-S-NA-N

\$63999


80253 34-1/4"(w) x 17-3/4"(h) 84253 LS Conv. (Double Pass) 32-1/2"(w) x 17-3/4"(h)*

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'67-'72 GM TRUCK

LS Conversion Radiator Available!



BUILD YOUR PART NUMBER... **Example: 80243-S-NA-N**

starting at \$63999


80243 33"(w) x 16-7/8"(h) 84243 LS Conv. (Double Pass) 32-1/2"(w) x 16-7/8"(h)*

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

'73-'87 FULL-SIZE GM TRUCK



BUILD YOUR PART NUMBER... **Example: 80242-S-NA-N**

\$639⁹⁹


80242 34-1/8"(w) x 19"(h) 84242 LS Conv. (Double Pass) 34-1/8"(w) x 19"(h)*


BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'82-'93 S-10 V8 TRUCK



BUILD YOUR PART NUMBER... **Example: 80240-S-NA-N**

\$639⁹⁹

80240 31-3/4"(w) x 16-3/8"(h)

BASE NUMBER



- **S** (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- **DB** (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER





A-BODY MOPAR



BUILD YOUR PART NUMBER... **Example: 83296-S-NA-N**

Top Hose - Driver Side
Top Hose - Passenger Side
Top Hose - Driver Side
Top Hose - Passenger Side

83296 22-1/4"(w) x 22"(h)* 84296 22-1/4"(w) x 22"(h)* 83295 26-3/8"(w) x 22"(h)* 84295 26-3/8"(w) x 22"(h)

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

B & E-BODY MOPAR



BUILD YOUR PART NUMBER... **Example: 83296-S-NA-N**

Top Hose - Driver Side
Top Hose - Passenger Side
Top Hose - Driver Side
Top Hose - Passenger Side

83296 22-1/4"(w) x 22"(h)* 84296 22-1/4"(w) x 22"(h)*

83295 26-3/8"(w) x 22"(h)*

84295 26-3/8"(w) x 22"(h)

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- SS (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- **DB** (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'63-'65 FALCON/COMET



BUILD YOUR PART NUMBER... Example: 80276-S-NA-N

Bottom Hose - Passenger Bottom Hose - Driver Side 80276 17"(w) x 19"(h) 81276 17"(w) x 19"(h)

BASE NUMBER



- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES







- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

> See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN **TRANSMISSION COOLER**

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'64 1/2 -'66 MUSTANG



STARTING AT

BUILD YOUR PART NUMBER... Example: 80276-S-NA-N


Bottom Hose - Passenger **Bottom Hose - Driver Side** 80276 17"(w) x 19"(h) 81276 17"(w) x 19"(h)

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN **TRANSMISSION COOLER**

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)





'79-'93 & '94-'95 MUSTANG RADIATORS



BUILD YOUR PART NUMBER... **Example: 81271-S-NA-N**

\$639⁹⁹

81270 28-3/4"(w) x 16-7/8"(h) 81271 29-1/4"(w) x 16-1/2"(h)

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- **DS** (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.



WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'97-'04 MUSTANG RADIATORS



BUILD YOUR PART NUMBER...

Example: 80291-S-NA-N

\$684⁷⁹

80291 29-3/4"(w) x 17-3/4"(h)

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- **DP** (Dual Fan Polished: + \$434.99)
- Duai i aii i olisticu. + \$454.5
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.




WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

CUSTOM RADIATORS

AFCO Racing Products offers custom built radiators. Base price includes core, tanks, any fin covers, billet filler neck, drain cock, and all inlets/outlets, bungs and fittings. Comes in standard satin finish. Call 800-632-2320 for more details or to order your custom radiator!




HOW TO BUILD YOUR VERTICAL FLOW RADIATOR





- P (Polished: + \$210)
- B (Black: + \$210)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES



WITH OR WITHOUT BUILT-IN TRANSMISSION **COOLER**

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER

HOW TO BUILD YOUR CROSS FLOW RADIATOR





- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- 55 (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99) - DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES



WITH OR WITHOUT BUILT-IN **TRANSMISSION COOLER**

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

HOW TO BUILD YOUR DOUBLE PASS CROSS FLOW RADIATOR

(inlets & outlets must be on same side as water pump)



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES



WITH OR WITHOUT BUILT-IN TRANSMISSION **COOLER**

 N (No Trans. Cooler: Std.) Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER

CALL 800.632.2320 TO ORDER YOUR CUSTOM RADIATOR

DIRECT FIT RADIATORS

- 100% aluminum NO EPOXY.
- Billet filler neck w/ threaded, high-capacity overflow tube. Auto trans cooler available.
- High performance, dual one-inch tubes.
- TIG-welded, laser-cut tanks.
- Down flow design.

- 100% pressure tested.
- 1-1/2" inlet and 1-3/4" outlet.
- Full 1 year warranty.
- · Optional full, show-quality polish or black thermal coating.



HOW TO BUILD YOUR PART NUMBER





- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- **DP** (Dual Fan Polished: + \$434.99)
- DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

(4) WITH OR WITHOUT BUILT-IN **TRANSMISSION COOLER**

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER

NEED A CUSTOM RADIATOR? SEE PAGE 93.



'23 T-BUCKET



\$748⁹⁹

BUILD YOUR PART NUMBER... Example: 80167-S-NA-N

80167 18"(w) x 23"(h) - Chevy Engine

BASE NUMBER



- **S** (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

NOT AVAILABLE WITH BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)

BUILT-IN TRANS. COOLER

'32 FORD



\$748⁹⁹

BUILD YOUR PART NUMBER... Example: 80145-S-NA-N

81145 17"(w) x 27"(h) - Ford Engine 80145 17"(w) x 27"(h) - Chevy Engine

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'33-'34 FORD



\$748⁹⁹

BUILD YOUR PART NUMBER... Example: 80146-S-NA-N

81146 17"(w) x 27"(h) - Ford Engine 80146 17"(w) x 27"(h) - Chevy Engine

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

'35 FORD



\$748⁹⁹

BUILD YOUR PART NUMBER... Example: 80148-S-NA-N

81148 16-1/2"(w) x 27"(h) - Ford Engine 80148 16-1/2"(w) x 27"(h) - Chevy Engine

BASE NUMBER



- **S** (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

NOT AVAILABLE WITH BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)

BUILT-IN TRANS, COOLER

'36 FORD



\$748⁹⁹

For use with one piece aftermarket hood.

BUILD YOUR PART NUMBER... Example: 80149-S-NA-N

81149 17-1/4"(w) x 28"(h) - Ford Engine 80149 17-1/4"(w) x 28"(h) - Chevy Engine

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'37 FORD



\$748⁹⁹

BUILD YOUR PART NUMBER... Example: 80142-S-NA-N


81142 16-1/2"(w) x 27"(h) - Ford Engine 80142 16-1/2"(w) x 27"(h) - Chevy Engine

BASE NUMBER



- **S** (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

NOT AVAILABLE WITH BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)

'38 FORD



\$748⁹⁹

BUILD YOUR PART NUMBER... Example: 80142-S-NA-N

81142 16-1/2"(w) x 27"(h) - Ford Engine 80142 16-1/2"(w) x 27"(h) - Chevy Engine

BASE NUMBER



- **S** (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

NOT AVAILABLE WITH BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)

BUILT-IN TRANS. COOLER

'39 FORD STANDARD



BUILD YOUR PART NUMBER... Example: 80142-S-NA-N

81142 16-1/2"(w) x 27"(h) - Ford Engine 80142 16-1/2"(w) x 27"(h) - Chevy Engine

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

NOT AVAILABLE WITH BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)

BUILT-IN TRANS. COOLER

'39 FORD DELUXE



\$748⁹⁹

BUILD YOUR PART NUMBER... Example: 80172-S-NA-N

81172 20-3/4"(w) x 26"(h) - Ford Engine 80172 20-3/4"(w) x 26"(h) - Chevy Engine

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

NOT AVAILABLE WITH BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)

BUILT-IN TRANS, COOLER



LINION CHOICES

'37-'39 CHEVY



\$748⁹⁹

BUILD YOUR PART NUMBER... Example: 80144-S-NA-N

80143 17"(w) x 27"(h) - '38 Chevy Engine Only 80144 17"(w) x 27"(h) - '37 & '39 Chevy Engine Only

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER

'38-'46 GM TRUCK



\$69999

BUILD YOUR PART NUMBER... Example: 80147-S-NA-N

80147 17-3/4"(w) x 27"(h) - Chevy Engine

BASE NUMBER



- **S** (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

NOT AVAILABLE WITH BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)

BUILT-IN TRANS. COOLER

'40 FORD



BUILD YOUR PART NUMBER... Example: 80172-S-NA-N

81172 20-3/4"(w) x 26"(h) - Ford Engine 80172 20-3/4"(w) x 26"(h) - Chevy Engine

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

NOT AVAILABLE WITH BUILT-IN TRANSMISSION COOLER

- N (No Trans, Cooler; Std.)

'40-'41 FORD TRUCK



\$748⁹⁹

BUILD YOUR PART NUMBER... Example: 80172-S-NA-N

81172 20-3/4"(w) x 26"(h) - Ford Engine 80172 20-3/4"(w) x 26"(h) - Chevy Engine

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

NOT AVAILABLE WITH BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)

BUILT-IN TRANS. COOLER

'42-'48 FORD



BUILD YOUR PART NUMBER... Example: 80141-S-NA-N

81141 18-3/4"(w) x 24"(h) - Ford Engine 80141 18-3/4"(w) x 24"(h) - Chevy Engine

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'42-'48 CHEVY



BUILD YOUR PART NUMBER... Example: 80166-S-NA-N

80166 18-1/2"(w) x 24"(h) - Chevy Engine

BASE NUMBER



- **S** (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)



'49-'54 CHEVY



STARTING AT \$699

BUILD YOUR PART NUMBER... Example: 80139-S-NA-N

80139 22-3/4"(w) x 24"(h) - Chevy Engine

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99)
- **DB** (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS, COOLER

'47-'55 CHEVY TRUCK - 1ST SERIES



STARTING AT \$74899

BUILD YOUR PART NUMBER... Example: 80138-S-NA-N

80138 18"(w) x 26"(h) - Chevy Engine

BASE NUMBER



- **S** (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- SS (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

WITH OR WITHOUT BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'49-'53 FORD



\$748⁹⁹

BUILD YOUR PART NUMBER... Example: 80164-S-NA-N

81164 18-1/2"(w) x 24"(h) - Ford Engine 80164 18-1/2"(w) x 24"(h) - Chevy Engine

BASE NUMBER



- **S** (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

NOT AVAILABLE WITH BUILT-IN TRANSMISSION COOLER

- N (No Trans. Cooler: Std.)

'53-'56 FORD TRUCK



STARTING AT

BUILD YOUR PART NUMBER... Example: 80162-S-NA-N


81171 20-3/4"(w) x 25-1/8"(h) - Ford Engine 80162 20-3/4"(w) x 25-1/8"(h) - Chevy Engine

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

NOT AVAILABLE WITH BUILT-IN TRANSMISSION COOLER

N (No Trans. Cooler: Std.)

BUILT-IN TRANS, COOLER

'55-'57 CHEVY TRUCK - 2ND SERIES



STARTING AT

BUILD YOUR PART NUMBER... Example: 80137-S-NA-N

80137 21-3/4"(w) x 25-1/2"(h) - Chevy Engine

BASE NUMBER



- S (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES



- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- SP (Single Polished: + \$345.99)
- **SB** (Single Black: + \$345.99)
- DS (Dual Fan Satin: + \$370.99)
- **DP** (Dual Fan Polished: + \$434.99)
- **DB** (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

WITH OR WITHOUT BUILT-IN TRANSMISSION **COOLER**

- N (No Trans. Cooler: Std.)
- **Y** (w/ Trans. Cooler: + \$75)

BUILT-IN TRANS. COOLER

'55-'57 CHEVY



STARTING AT

BUILD YOUR PART NUMBER... Example: 80163-S-NA-N

80163 20-5/8"(w) x 21-7/8"(h) - '55-'56 Chevy Engine Only 80170 20-5/8"(w) x 21-7/8"(h) - '57 Chevy Engine Only

BASE NUMBER



- **S** (Satin: Std.)
- P (Polished: + \$210)
- B (Black: + \$210)
- F (Fan & Shroud Only)

FINISH CHOICES





- NA (No Fan & Shroud: Std.)
- **SS** (Single Satin: + \$280.99)
- **SP** (Single Polished: + \$345.99)
- SB (Single Black: + \$345.99)
- **DS** (Dual Fan Satin: + \$370.99)
- DP (Dual Fan Polished: + \$434.99) - DB (Dual Fan Black: + \$434.99)

ELECTRIC FAN & SHROUD CHOICES

For more info on radiator options, go to AFCOracing.com, or contact us at 800-632-2320.

See page 103 for wire harness options.

WITH OR WITHOUT BUILT-IN **TRANSMISSION COOLER**

- N (No Trans. Cooler: Std.)
- Y (w/ Trans. Cooler: + \$75)



AFCO COOLING ACCESSORIES

COOLERS AND CONDENSERS

LONG TRANSMISSION/ENGINE/OIL COOLER

- Patented "Stacked Plate" cooler construction turns every inch of material into a cooling surface for maximum efficiency per cubic inch of package space.
- Can be used as an economy engine oil cooler.
- Embossed plate design maintains excellent performance with low pressure drop.

NUMBERS OF PASSES	SIZE (INCHES)	FITTING TYPE	PART#	PRICE
12 PASSES	2.75 X 11 X 1.5	1/2NPTF	LB7B	\$129.99
24 PASSES	5.75 X 11 X 1.5	1/2NPTF	LL7B	\$148.99
36 PASSES	8.0 X 11 X 1.5	1/2NPTF	LM7B	\$159.99
48 PASSES	11.0 X 11 X 1.5	1/2NPTF	LH7B	\$174.99



AFCO INLINE TRANS. COOLER

- Easily mounts with two 1/4" bolts (included).
- Lower transmission temperatures up to 30 degrees.
- All aluminum construction.
- 1-3/4" diameter.



DESCRIPTION	PART #	PRICE
INLINE TRANSMISSION COOLER	37750	\$89.99

AFCO CONDENSER

- Aluminum design.
- Use with 134 or R12 freon.
- Condenser fittings (5/8"-18 & 3/4"-16).



DESCRIPTION	PART #	PRICE
CROSS-FLOW RADIATOR 15"(W) X 18"(T)	80168	\$153.99
DOWN-FLOW RADIATOR 12"(W) X 19"(T)	80169	\$149.99



ELECTRIC FAN ACCESSORIES

ELECTRIC FANS

These fans offer the best CFM vs. AMP draw of any electric units we have tested. They are shipped with an on-off switch or can be wired to a temperature sending unit.











8" 540 CFM

10" 802 CFM

12" 1155 CFM

14" 1555 CFM

16" 2170 CFM

DIAMETER / TYPE	DEPTH	AMP DRAW	CFM	PART #	PRICE
16" S-BLADE	3.06"	17.7	2170	80177*	\$179.99
14" S-BLADE	2.87"	10.1	1555	80179*	\$187.24
12" S-BLADE	2.48"	7.7	1155	80180*	\$181.89
10" S-BLADE	2.04"	6.0	802	700050045	\$149.49
8" S-BLADE	2.48"	6.9	540	80176*	\$153.99

ALL FANS INCLUDE 4 MOUNTING FEET, ALL FANS RATED AT ZERO STATIC, ALL FANS ARE GLASS-FILLED NYLON. *FANS ARE REVERSIBLE.

ADJUSTABLE SINGLE ELECTRIC FAN THERMOSTAT

- Externally adjustable fan activation temperature of 150 to 240 degrees allows you to custom set your fan activation.
- Recommended for single fan operation.
- May be wired to an AC-equipped car to operate the fan(s) anytime the AC is switched on to keep the AC operating cold.
- 3/8 male NPT temperature probe.
- ATC (blade-style) inline fuse.
- 30 Amp relay.

DESCRIPTION	PART #	PRICE
FAN THERMOSTAT	80199	\$120.99
3/8" -18 FP FITTING (WELD-IN)	80128X10	\$17.11



ELECTRIC FAN SWITCHES

- 1/4" NPT fan switch turns on at 200° and off at 185°.
- 3/8" NPT fan switch turns on at 195° and off at 175°.



DESCRIPTION	PART #	PRICE
1/4" NPT FAN SWITCH	85286	\$64.99
3/8" NPT FAN SWITCH	85287	\$32.99

HEAVY-DUTY SINGLE FAN WIRE HARNESSES

- Single 40 Amp relay, single fuse, and single fusible link.
- All connectors and heat shrink included.
- Wire harness contained in wire loom.
- Fan leads and positive wire lead 10' long to allow mounting in any location.
- Controls single fan (Can be any brand of fan).
- Can be negatively controlled (using a temperature switch, part # 85286 or #85287) or positively controlled (using a toggle switch, part #85260).
- Can be controlled to operate by the ignition wire (to run only when the car is running) or to operate by the battery (to run until the car gets down to temperature whether the car is running or not).
- Full color instructions & all wires are labeled for easy installation.
- Sensor sold separately.



DESCRIPTION	PART #	PRICE
HD SINGLE FAN WIRE HARNESS	8000044401	\$82.49
HD DUAL FAN WIRE HARNESS (SHOWN)	8000044402	\$153.99

HEAVY-DUTY DUAL FAN WIRE HARNESSES

- Dual 40 Amp relays, dual fuses, and dual fusible links.
- All connectors and heat shrink included.
- Wire harness contained in wire loom.
- Fan leads and positive wire leads 10' long to allow mounting in any location.
- Controls 2 fans (Can be any brand of fan).
- Can be negatively controlled (using a temperature switch, part # 85286 or #85287) or positively controlled (using a toggle switch, part #85260).
- Can be controlled to operate by the ignition wire (to run only when the car is running) or to operate by the battery (to run until the car gets down to temperature whether the car is running or not).
- Full color instructions & all wires are labeled for easy installation.



COOLING RECOVERY TANKS & CAPS

COOLANT RECOVERY TANKS

- Aluminum construction.
- Catches radiator overflow.
- Available in aluminum & polished stainless steel.
- Completes a closed system.
- 1 quart capacity (A).
- 20 oz. capacity (B).



DESCRIPTION	PART #	PRICE
A. COOLANT RECOVERY TANK (ALUMINUM) - 1 QT.	80158	\$114.99
B. COOLANT RECOVERY TANK (POLISHED STAINLESS) - 20 OZ.	80159	\$54.99

RADIATOR CAPS

Quality radiator caps help prevent the loss of coolant that can lead to overheating.





21-25 lbs. Pressure

20 lbs. Pressure





16 lbs. Pressure

16 lbs. Pressure

DESCRIPTION	PART #	PRICE
A) STANT 21-25 LBS. CAP	80153	\$22.04
B) radiator cap-20 LBS.	80151	\$19.99
RADIATOR CAP-29-31LBS.	80050	\$24.99
C) BILLET ALUMINUM CAP (STREET USE) 16 LBS.	80152-16	\$39.99
D) BILLET ALUMINUM "AFCO" CAP (STREET USE) 16 LBS.	80094	\$59.99

RADIATOR HOSES & TUBES

BLACK SILICONE RADIATOR HOSES

- High temp. hoses.
- Long life durability.



DESCRIPTION	PART #	PRICE
6.00" X 1.25"	800-06-00-1.25BK	\$14.99
6.00" X 1.50"	800-06-00-1.50BK	\$14.99
6.00" X 1.75"	800-06-00-1.75BK	\$14.99
12.00" X 1.25"	800-12-00-1.25BK	\$19.99
12.00" X 1.50"	800-12-00-1.50BK	\$20.99
12.00" X 1.75"	800-12-00-1.75BK	\$19.99
45° - 12.00" X 1.25"	800-12-45-1.25BK	\$20.99
45° - 12.00" X 1.50"	800-12-45-1.50BK	\$20.99
45° - 12.00" X 1.75"	800-12-45-1.75BK	\$19.99
90° - 12.00" X 1.25"	800-12-90-1.25BK	\$26.24
90° - 12.00" X 1.50"	800-12-90-1.50BK	\$26.24
90° - 12.00" X 1.75"	800-12-90-1.75BK	\$26.24

BLUE SILICONE RADIATOR HOSES

- High temp. hoses.
- Long life durability.



DESCRIPTION	PART #	PRICE
6.00" X 1.25" X 1.50"	801-08-1.25-1.50	\$14.99
6.00" X 1.25" X 1.75"	801-08-1.25-1.75	\$14.99
6.00" X 1.25"	800-06-00-1.25	\$14.99
6.00" X 1.50"	800-06-00-1.50	\$14.99
6.00" X 1.75"	800-06-00-1.75	\$14.99
12.00" X 1.25"	800-12-00-1.25	\$19.99
12.00" X 1.50"	800-12-00-1.50	\$20.99
12.00" X 1.75"	800-12-00-1.75	\$19.99
45° - 12.00" X 1.25"	800-12-45-1.25	\$19.99
45° - 12.00" X 1.50"	800-12-45-1.50	\$20.99
45° - 12.00" X 1.75"	800-12-45-1.75	\$19.99
90° - 12.00" X 1.25"	800-12-90-1.25	\$24.99
90° - 12.00" X 1.50"	800-12-90-1.50	\$24.99
90° - 12.00" X 1.75"	800-12-90-1.75	\$26.24

ALUMINUM RADIATOR TUBES

- Used with silicone hoses.
- 11.0" Tube length.



DESCRIPTION	PART #	PRICE
135° - 1.25" TUBE SIZE	88135125	\$20.99
135° - 1.50" TUBE SIZE	88135150	\$20.99
135° - 1.75" TUBE SIZE	88135175	\$20.99
105° - 1.25" TUBE SIZE	88105125	\$20.99
105° - 1.50" TUBE SIZE	88105150	\$20.99
105° - 1.75" TUBE SIZE	88105175	\$20.99
90° - 1.25" TUBE SIZE	88090125	\$20.99
90° - 1.50" TUBE SIZE	88090150	\$20.99
90° - 1.75" TUBE SIZE	88090175	\$20.99

MISCELLANEOUS COOLING ACCESSORIES

ELECTRIC FAN MOUNTS





DESCRIPTION	PART #	PRICE
FAN MOUNT	80197	\$86.24

FAN SPACER KITS

- Billet aluminum.
- Anodized black.
- Fits 5/8" or 3/4" drive.
- Kit comes with bolts, bushing, and washers.

DESCRIPTION	PART #	PRICE
1-1/2" FAN SPACER	80191	\$32.99
2" FAN SPACER	80192	\$32.99
2-1/2" FAN SPACER	80193	\$32.99
3" FAN SPACER	80194	\$36.74



HD COOLING FANS

- 33° pitch.
- Dual bolt pattern to fit most pump.
- 6 steel blades.



DESCRIPTION	PART #	PRICE
GM 15"	80182	\$49.44
GM 17"	80181	\$51.74

4 BLADE FAN


- Designed with the proper blade pitch to move the maximum amount of air possible.
- 4 steel blades for greater air flow.
- Dual bolt pattern to fit most pumps.



DESCRIPTION	PART #	PRICE
4 BLADE FAN 18"	80183	\$55.64

RADIATOR FILLER

AFCO billet weld-on radiator filler neck. This is a high quality neck that welds to any aluminum radiator. A 1/8" NPT removable barb is included.



ALUMINUM THERMOSTAT HOUSINGS

- Polished aluminum construction.
- Uses o-ring for quality seal to intake.
- Allows 360° rotation.
- Includes bolts.



DESCRIPTION	PART #	PRICE
45° NECK SBC / BBC	80312-45	\$41.99
15° NECK SBC / BBC	80312-15	\$44.93

GATES HOSE CLAMP

- Installs with heat gun.
- · Conforms to any shape.
- Never needs re-tightening.

DESCRIPTION	PART #	PRICE
1.25" ID HOSE CLAMP	802-1.25	\$7.48
1.50" ID HOSE CLAMP	802-1.50	\$6.99
1.75" ID HOSE CLAMP	802-1.75	\$6.99
2.00" ID HOSE CLAMP	802-2.00	\$6.99



RADIATOR REPAIR KIT

Repairs small leaks in aluminum radiators.





MISCELLANEOUS COOLING ACCESSORIES

SCREW-IN FITTINGS







DESCRIPTION	PART #	PRICE
1-1/2" HOSE TO 20 AN SCREW IN	80071	\$39.99
16AN TO 20AN SCREW IN	80072	\$39.99
20AN TO 20AN SCREW IN	80073	\$39.99

WELD-ON FITTINGS







MALE	PART #	PRICE
6AN FITTING	700050040	\$11.76
8an fitting	700050041	\$11.76
10AN FITTING	700050037	\$11.76
12AN FITTING	80128X8	\$17.11
16AN FITTING	80128X9	\$17.11
20AN FITTING	80128X20	\$20.32

FEMALE	PART #	PRICE
1/8" FP FITTING	80128X12	\$17.11
1/4" FP FITTING	80128X5	\$17.11
3/8"-18 FP FITTING	80128X10	\$17.11
1/2"-14 FP FITTING	80128X11	\$17.11
3/4" FP FITTING	80128X6	\$23.51
1" FP FITTING	80128X7	\$18.99

AN FEMALE O-RING WELD-ON STYLE BUNG



DESCRIPTION	PART #	PRICE
10 AN FITTING	80128X-10AN	\$15.99
12 AN FITTING	80128X-12AN	\$18.39
16 AN FITTING	80128X-16AN	\$17.59
20 AN FITTING	80128X-20AN	\$20.32
*O-RINGS SOLD SEPARATELY.		

COOLANT

- Ready to use premixed formula.
- Protects from -34° 265° F (using 15 lbs. cap).
- Green, 100% biodegradable coolant in its unused form.
- Non-propylene glycol coolant for better thermal conductivity & heat transfer.
- Patented universal low silicate formula offers corrosion protection for modern engine materials.



DESCRIPTION	PART #	PRICE
HIGH PERFORMANCE COOLANT (1 GALLON)	100001	\$29.99

COOLANT COMBO KIT

- 2 gallons of high perf. coolant (Regularly: \$29.99 each).
- Polished recovery tank (Regularly: \$49.99).
- Billet AFCO cap (Regularly: \$39.99).





Visit www.AFCOPERFORMANCEGROUP.com to view all of our brands and download our catalogs!







AFCO Racing Products
AFCOracing.com
Facebook.com/AFCORacingProducts

Longacre Racing Products LongacreRacing.com Facebook.com/LongacreRacing **Dynatech Headers**DynatechHeaders.com
Facebook.com/DynatechHeaders

DeWitts RadiatorDeWitts.com
Facebook.com/DeWittsRadiator

PRO° Shocks PROshocks.com Facebook.com/PROshocks

Legend SuspensionsLegendSuspensions.com
Facebook.com/LegendSuspensions

CONTACT INFO

MAILING ADDRESS

P.O. Box 548 Boonville, IN 47601

SALES AND TECHNICAL SUPPORT

800-632-2320 Open Daily Monday-Friday 8 a.m. - 5:00 p.m. CST

PHYSICAL ADDRESS

977 Hyrock Blvd. Boonville, IN 47601

MARKETING PARTNERS















LIMITED WARRANTY

AFCO Performance Group, LLC will repair or replace any products found upon our inspection to be defective in workmanship or material within 12 months from date of purchase for the original purchaser. Except for the limited warranty set forth herein, AFCO Performance Group, LLC makes no warranties either expressed or implied, written or oral, with regard to the products including, without limitation, any warranty of merchantability or fitness for a particular purpose. In no event shall AFCO Performance Group, LLC be liable for any special, incidental or consequential damages, or any other damages whatsoever arising out of or connected with the use or misuse of the products. Purchasers acknowledge and agree that no person, entity or agent of AFCO Performance Group, LLC bas any authority to make any statement contrary to this disclaimer and that any warranty statements or representations allegedly made on behalf of AFCO Performance Group, LLC by any such person, entity or agent are void. AFCO Performance Group, LLC products are not D.O.T. approved or intended for street use. Purchasers are relying solely on their own skill and judgment to select, purchase and use suitable products and assume all responsibility and risk with regard to

Visit us online at AFCOracing.com for more great products from the AFCO product line!

AFCO Racing Products has been dedicated to building speed, power and performance for nearly four decades. For more information on our Shocks, Suspension, Cooling and Brake components, find us online today.



Follow us on Facebook to keep up with the action and all things AFCO related!

For the latest news from AFCO Racing Products on new product development, technical bulletins, travel schedules, how-to videos and event results, find us online at Facebook.com/AFCORacingProducts.





WWW.AFCORACING.COM

977 Hyrock Blvd., Boonville, IN 47601 Ph: 800.632.2320 | Fax: 800.319.2551

Distributed by:

WINNING
P.O. Box 548, Boonville, IN 47601